

**Texas School Survey
of Drug and Alcohol Use
2010
Arlington ISD**

Secondary Complete Report

- **Introduction**
- **Secondary District Level Executive Summary with Graphics**
- **Secondary District Level Report**
- **Statewide Report with Comparative Tables**

2010 Texas School Survey of Drug and Alcohol Use

Introduction

The Texas School Survey of Drug and Alcohol Use is sponsored by the Department of State Health Services (DSHS) and implemented by the Public Policy Research Institute (PPRI) at Texas A&M University. The *Texas School Survey* project is conducted in two parts. First, a statewide survey is administered every two years in a sample of districts throughout the state. The statewide survey helps inform policymakers about the extent and nature of the substance use problem in Texas schools. It also gives districts conducting local surveys a standard of comparison for interpreting their own drug and alcohol survey findings.

The second component of the *Texas School Survey* makes drug and alcohol surveys available for administration in individual school districts. The *Texas School Survey* is offered annually to every school district in the state. DSHS partially supports these district-level administrations by absorbing the cost of instrument development, funding the preparation of an executive summary of the local results, and providing state survey data as a basis for interpreting local findings. A local administration of the *Texas School Survey* was conducted in your school district during the spring of 2010. Your local survey results are presented in this report. Findings from the statewide assessment, which was conducted in the spring of 2010, are also presented in the report.

Organization of the Report

The report is divided into three major sections. Part I, District Results, contains a set of tables and margins summarizing the secondary and (if applicable) elementary survey data for your district. Part II, State Results, is bound as a companion volume. It will contain a complete set of tables and margins presenting state results in a format similar to your local report. Part III, Executive Summary, will contain a customized written synopsis of the local survey results and a complete set of corresponding figures comparing those local results to the state survey data.

Prior to presenting the results, there are a number of important points that should be considered with regard to the data cited in this report. These issues relate both to the 2010 statewide survey as well as to the district-level data from this year. This section briefly presents some basic information regarding the development of the report and the limitations of the data.

Background on Local Survey Administration

The *Texas School Survey* is offered for students in grades four through twelve. Two versions of the survey instrument have been developed to accommodate both older and younger students. Districts were asked to limit survey administration to one of a fixed set of grade combinations. Below are brief descriptions of the elementary and secondary survey instruments and a review of acceptable grade combinations.

The *Texas School Survey Instrument*

Two versions of the *Texas School Survey* are available. The first, a six-page questionnaire, is designed for secondary students in grades seven through twelve. The secondary survey instrument explores usage patterns of twelve drugs including tobacco and alcohol products, inhalants, marijuana, powdered cocaine, crack, hallucinogens, uppers, downers, Rohypnol, steroids, ecstasy, and heroin. Other questions pertain to behavioral and demographic correlates of substance use, problems associated with substance use, and sources of information about help for substance-related problems.

The secondary survey instrument was revised as part of the 1998 assessment. This revision was largely a rewording and/or a reformatting of the existing questions in such a manner as to not disrupt local or statewide over-time analyses. There were, however, a number of additions that were made as part of this overhaul: Rohypnol and heroin were added to the matrix of illicit substances students were asked about; a new question was added dealing with parental attitudes toward cigarette; a new question was added to ascertain the delivery-system methods most commonly used by those students who smoke marijuana; and several brief questions were added to gauge the gambling habits of the student population.

A streamlined, three-page instrument is available for students in grades four through six. The questions in the elementary survey are similar to those found in the secondary version, but they have been adapted to be more easily understood by younger respondents (i.e., the language has been simplified wherever possible, students have been asked about fewer drug alternatives, and some complex questions have been omitted).

Standard Grade Combinations

In order to make state and local comparisons of substance use across all grades, both the state and local aggregate percentages must be based upon the same combinations of grades. Otherwise, state and local data is comparable by individual grade, but overall scores can not be compared directly. Because the 2010 state survey data was run in only a limited number of grade combinations, districts were encouraged to administer their local surveys in the following grade groupings:

<u>Elementary</u>	<u>Secondary</u>
4 through 6	7 through 12
4 through 5	9 through 12
	8, 10, and 12

If your district did not survey one of the above grade combinations, be aware that you can only compare your district results to the state data by individual grade. Where districts chose to do other combinations of grades, no comparable overall percentages for the state data are available. This will be an especially critical issue for small districts who only receive aggregate data.

Limitations of the Data

A number of subtle factors, such as sampling error and the limitations of self-reported data, can have a major bearing on the meaning and/or conclusions of the data. In addition, an awareness of the precise population to which findings can be generalized is also valuable because knowing who *was not* included in the survey can be as important as knowing who *was* included. In the following paragraphs, some of the most significant caveats relating to both the statewide and local findings are discussed.

Survey Population

In generalizing the results of the state and local surveys, it should be remembered that the data were collected in public schools. Neither private school students nor drop-outs were sampled though both represent significant components of the youthful population of Texas. These limitations should be kept in mind when considering the implications of the data. The findings do, however, represent reasonable estimates of drug use among the public school population of Texas and offer a suitable basis of comparison for public school districts.

Self-Reported Data

The drug and alcohol use data are entirely based on self-reported information. While a number of studies have established the usefulness of self-reported information for estimating the incidence and prevalence of drug use, the validity of these data ultimately depends on the truthfulness, recall, and comprehension of respondents. This study is carefully designed to minimize the impact of these potential sources of error. For example, students who report impossibly high levels of substance use or use of non-existent drugs are eliminated from the analysis. Further, differences in recall or comprehension are assumed to be constant across both the state and local survey samples. Any reporting bias in the data should therefore be approximately equal in both assessments, and comparisons between district and state data should be valid. Nonetheless, the limitations of self-reported information should be considered when drawing conclusions about the data.

Sampling Error

The 2010 statewide survey data is based on a sample of Texas secondary and elementary students. Because a sample rather than the entire population of students was surveyed, a certain amount of error is introduced when generalizing findings from the sample to the population. To gauge the size of this error, confidence intervals for all estimates are ascertained. In general, however, small differences of a few percentage points are usually not statistically meaningful. Attention should be focused on large differences of five percentage points or more.

Survey Protocols and Administration

Finally, the accuracy of the data is dependent upon whether school staff followed *Texas School Survey* protocols for the sampling of students.

Analytic Guidelines

In processing the drug and alcohol survey data, there are a number of analytic issues that should be addressed. These include questions such as how to identify students who are exaggerating their drug or alcohol use, how best to calculate average substance use figures, how to handle surveys from students in grades that are not technically being surveyed, and how to classify data for students who fail to report their grade level. This section will review some rules established to deal with these matters.

Handling of Exaggerators

As discussed above, the survey data presented herein is based entirely upon a respondent's description of his or her own behavior. It is inevitable that some students will under- or over-report their use of drugs or alcohol. To the extent possible, an attempt is made to identify and eliminate data from those respondents. Two checks have been incorporated into the data analysis program to identify exaggerators. First, data from students claiming to have used "Oxaril," a non-existent drug, is considered suspect and dropped from the analyses. Second, students claiming impossibly high levels of drug or alcohol use are also dropped from the analyses. Unbelievably high substance use among secondary students is based on the following criteria: (1) students report in that they have consumed two or more alcoholic beverages every day five or more times; (2) students report that they have consumed three or more alcoholic beverages every day; or (3) students report that they have used three or more illicit drugs (other than tobacco, alcohol, inhalants, marijuana, or steroids) on a daily basis. Elementary students are considered exaggerators, and are excluded, if they indicated that they have used five or more substances 11 or more times in either their lifetimes or during the past school year.

Weighted Aggregate Data

In many districts, the percentage of all enrolled students that actually take the survey varies substantially by grade. Though patterns are different for each district, typically a larger proportion of younger students complete the survey compared to their older peers. If a simple average is taken when calculating overall levels of use, older students may not be represented in proportion to their numbers. Since these are the very students most likely to use drugs or alcohol, their under-representation in the aggregate scores results in artificially lower overall levels of substance use.

To achieve more representative percentages when calculating overall or aggregate levels of substance use, a "weighted average" procedure is used. Prior to calculating the averages, scores for each grade surveyed are weighted by the total enrollment for that grade. By weighting averages by actual enrollment, over- or under-sampling in aggregate scores is partially alleviated.

Surveys from "Out-of-Range" Grades

Occasionally, students from a grade that is not technically being surveyed are included in the district sample. This is primarily a problem where the survey is administered in a non-contiguous grade combination (e.g., 8, 10, and 12). In these instances, the final sample often contains a few students who are in "out of range" grade levels. Generally, data for these students is not thrown out. Rather, it is re-coded and included with the next contiguous grade level. A conservative approach is used whereby younger students can be grouped with their older peers, but older students can not be re-coded to a lower grade. This prevents artificially high levels of reported substance use in lower grades.

There are two cases in which the "out-of-range" data is dropped from the analyses rather than being re-coded: (1) if there is no contiguous higher grade with which to combine the data; and (2) if the number of respondents in "out-of-range" students is greater than ten percent of the grade with which they are being grouped. This latter measure is designed to prevent a large number of "out of range" grades from obscuring the true grade-level values.

Surveys in Which No Grade Level Was Reported

When students failed to report their grade level, it is not possible to determine unequivocally with what grade these students' data should be analyzed. Where grade level is missing, students' data are retained in the sample and an estimate of grade is made based on his or her age. Students that are at age level for beginning a grade are included with that grade. If both grade and age are missing, the data are dropped from the analyses.

Overview of the Data

The *Texas School Survey* findings for your school district are summarized in this section. Survey findings are presented in three formats: figures, tables, and margins. Figures portray both state and local survey results in a "side-by-side" format, allowing for direct comparisons to be made. There are a total of six elementary and thirteen secondary figures, although not all of these can be produced for every school district. All of the figures that can be generated for your district have been produced.

Two sets of primary and/or secondary tables are available. The first set, the General Substance Tables, are divided into five groupings--tobacco, alcohol, illicit drugs, inhalants, and miscellaneous. In each of these groupings are tables that illustrate general information about substance use patterns in the district and include prevalence of use, frequency of use, and age of first use. In addition, these tables highlight certain perceptions, attitudes and, behaviors from the data such as perceived availability and peer use of various substances, parental attitudes, attending class or operating a motor vehicle while under the influence of drugs or alcohol, and the use of intoxicants at parties.

The second set, Prevalence Tables, contains fourteen tables showing the percentage of students who have used specific drugs or alcohol in the past month, past school year, and during their lifetimes. All tables are available for each participating district. Tables showing the same data for the state are provided in a companion volume. The only change to these tables made as part of the reformatting, and applicable only with regard to the secondary reports, was to the percentages listed under the “School Year” heading. Previously, the percentages in this category *excluded* those found under the “Past Month” heading. As reformatted, these “School Year” percentages *include* the “Past Month” percentages as well.

Additional data are presented in the margins, which contain the raw percentages of students who gave each response option for all questions. Keep in mind that if your district under-sampled a particular grade(s), your overall percentages will represent "weighted averages." As a result, the raw percentages presented in your margins may reflect weighted counts rather than actual raw counts.

Standards of Data Presentation

A wide variety of school districts took part in the *Texas School Survey*. In order to accommodate the diversity of participants, guidelines for organizing and presenting the data were established. These include standards for handling data from small and mid-sized districts and for determining which tables and figures should be produced for each. These guidelines are reviewed below.

Data Aggregation

In some districts, too few students are surveyed to allow for reliable grade-level analyses to be performed. Where this occurs, data from several grades are grouped together. Grade groupings are established so as to (1) maximize the number of valid between-group comparisons possible and (2) protect students' confidentiality. One of three possible data presentation formats is selected for each district, depending on the number of students per grade. In districts where the number of students per grade varies widely, a format is selected based on the size of the *majority* of grades surveyed. However, if one or more grades fall below a total of thirty students, the next lower level of aggregation is automatically selected.

The guidelines used for data aggregation are as follows:

Secondary

- Small:*** When there are fewer than thirty students per grade, a single percentage is shown representing all students.
- Medium:*** When there are thirty to ninety students per grade, percentages are aggregated into grade groupings (e.g., combining grades 7 and 8 and grades 9 - 12).
- Large:*** When there are more than ninety students per grade, separate percentages are shown for each grade level surveyed.

Elementary

Small: When there are fewer than sixty students per grade, a single percentage is shown for all students.

Large: When there are more than sixty students per grade, separate percentages are shown for each grade level surveyed.

Availability of Graphics

According to the data aggregation rules outlined above, graphics illustrating data by grade can not be produced for districts surveying fewer than thirty students per grade. As a consequence, figures that show grade-level breakdowns are omitted from both the elementary and secondary versions of reports for small districts. With these exceptions, all other figures and tables are produced for every district regardless of size.

Conventions Used in Data Presentation

Throughout the report, a number of conventions were adopted to maintain consistency in reporting. A common terminology is employed and a standard set of symbols is used in each table and figure. These terms and symbols are described in the following paragraphs, beginning with a set of general definitions and followed by a discussion of specific conventions used in tables and margins.

Definitions

There are several terms used throughout the report that, though seemingly straightforward, may have some bearing on how the data is understood and interpreted. These definitions are outlined below.

Alcohol. When the category "Alcohol" appears in a figure or table, it represents the combined use of beer, wine, wine coolers, and liquor. Each of these alcoholic substances may be referenced individually, as well.

Cocaine or Crack. This reference is found only in the prevalence tables (Tables B1-B14). It refers to students that report using *either* cocaine *or* crack, *or both* cocaine *and* crack. Since there is some overlap between students who have used cocaine and those who have used crack, the percentages of respondents in the "Cocaine or Crack" category should *not* be a simple sum of percentages in the individual "Cocaine" and "Crack" categories. It should, however, be at least as great as the larger of the two individual categories.

Illicit Drugs. These are defined as controlled substances and include marijuana, powdered cocaine, crack, uppers, downers, Rohypnol, hallucinogens, ecstasy, and heroin.

Inhalants. The overall inhalant use percentages presented in the prevalence tables have been adjusted to reflect reported use of both specific inhalants and inhalant use generally. Such adjustments are necessary because some students respond in the positive to specific use (i.e., spray paint, correction fluid, gasoline, freon, poppers, shoe shine, glue, paint thinner, other sprays, or other inhalants) without responding in the positive to generic use (i.e., "How many times have you used inhalants?"), while others respond in the positive to generic use but not to the use of specific inhalants.

Marijuana Only. This reference is found only in the prevalence tables (Tables B1-B14). It refers to students who report using marijuana but *no other* illicit substances. The reference to "Marijuana," in contrast, includes all students using that substance regardless of whether they used other substances or not.

Prevalence. The percentage of students who report having used a substance or substances.

Tobacco. The category "tobacco" includes the combined use of cigarettes and smokeless tobacco.

Conventional Symbols and Format

In addition to figures, there are two types of tables in which data may be presented. These include general substance use tables (Tables T1-T7, A1-A15, D1-D17, I1-I9, X1-X5) and prevalence tables (Tables B1-B14). Data is also available in its raw form in the margins. What follows are several conventions of data presentation that apply chiefly to tables and margins.

The Meaning of an Asterisk (*) in Tables. When an asterisk appears in a table, *not* in the Executive Summary (See Below), in place of a percentage, it typically means that fewer than ten students responded to that item. Asterisks may also appear if data is not available for a district. This would be the case, for instance, if a district does not survey all the grades in one of the standard acceptable grade combinations (see "Standard Grade Combinations" in the previous section).

The Meaning of an Asterisk (*) in The Executive Summary (Part III). When an asterisk appears alongside a percentage in the Executive Summary component of the report, it means that the data so marked are estimated to be statistically significant at the .01 level from the comparable data for the state as a whole. This means that in only one of a hundred samples would a difference this large have occurred when there was no difference between the district and state data. Differences in very small districts will seldom be statistically significant due to the small number of cases. Differences that are *not* marked may be important, but should be treated with more caution than those that are so marked.

Never Used/Ever Used Notations. In all prevalence tables, a standard approach is used for presenting incidence and prevalence information. An "Ever Used" category shows the total percentage of students who say they have used a substance at all, regardless of when or how many times. A "Never Used" category shows the total percentage of students who have never used a

substance. The percentages shown in the "Ever Used" and "Never Used" categories always sum to one hundred percent.

Additional columns then provide further information about those students who say they have "Ever Used" the substance. This includes information such as when or how often use occurred. These additional columns, when considered together, do *not* sum to the total percentage of students in the "Ever Used" category in the secondary reports due to the inclusion of the "Past Month" percentage *within* the "School Year" percentage (See Discussion Above).

Margins. The raw percentage of students who responded to each survey item as found in the tables that comprise the final section of each report. Frequency and percent are shown for each individual response option. The frequency shows the absolute number of students who gave the indicated response. The percent is the frequency converted into a percentage of all students who answered the question. Again, bear in mind that if your district under-sampled a particular grade(s), your overall percentages will represent "weighted averages." As a result, the raw percentages presented in your margins may reflect weighted counts rather than actual raw counts.

Surveys excluded from analyses as exaggerators are *not* included in the margins.

**Texas School Survey
of Drug and Alcohol Use
2010
Arlington ISD
Part III: Executive Summary**

**Secondary
Executive Summary
Graphics**

**Texas School Survey
of Drug and Alcohol Use
2010
Part III: Executive Summary**

Introduction	5-6
Demographic Overview	7
Tobacco Products	8-9
Environmental Factors	
Prevalence	
Alcohol	10-12
Environmental Factors	
Prevalence	
Marijuana	13-16
Environmental Factors	
Prevalence	
Inhalants	17-18
Environmental Factors	
Prevalence	
Drug and Alcohol Information	19

Texas School Survey of Drug and Alcohol Use

Arlington ISD

Secondary Executive Summary

Introduction

The Texas School Survey is an annual collection of self-reported tobacco, alcohol, inhalant, and substance use data from among elementary and/or secondary students in individual districts throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Department of State Health Services (DSHS), is also administered every other year to a representative sample of Texas students in grades 4 through 6 and grades 7 through 12.

Data from the statewide sampling, administered in the spring of 2010, are incorporated into an over-time database maintained by DSHS to track trends in substance use so that policymakers at the state level have up-to-date information upon which to base decisions and establish prevention strategies. These data serve as an overall standard of comparison for use by those at the district level to interpret and act upon, local survey findings in a similar way.

The executive summary begins with a section containing a general demographic overview of those who took the survey in the participating district, followed by sections dealing with the various substances covered by the survey---tobacco, alcohol, inhalants, and illicit drugs. The next section explores selected characteristics associated with substance use in the district. The summary concludes with a section on where students gain knowledge about drugs and alcohol and to whom they might turn if they thought they were having a problem.

For a contextual viewpoint, each section dealing with substance use will begin with a brief timeline of the statewide trends over the last decade and a half. The data are subsequently analyzed using environmental and behavioral factors. Items that are generally recognized as contributing to the environment in which substance use is most likely to occur include availability, peer use and parental attitudes. Included in the behavioral category are activities such as "binge drinking" (the consumption of five or more alcoholic beverages at one time), attending class drunk or stoned, use of alcohol or illicit drugs at parties, or operating a motor vehicle while under the influence of alcohol or drugs.

As for the actual, self-reported use of each substance, it is important to note the frequency of such use. Is it experimental, a once-in-a-lifetime act or is it casual use, a once-in-a-while behavior? Alternatively, is it regular use; a monthly, weekly, or---in the case of tobacco products in particular---a daily habit? Further, data are used to differentiate between those who smoke cigarettes from those who use a smokeless tobacco product, those who drink beer from those who drink wine coolers, those who sniff correction fluid from those who sniff glue, and those who smoke marijuana from those who snort powdered cocaine.

Two final points should be noted about the data. First, due to the differences in rounding procedures, there may be slight discrepancies between the percentages referred to in the tables and those reflected in the executive summary and in the corresponding figures

Second, some data in this report are marked with an asterisk. Data so marked are estimated to be statistically significant at the .01 level from the comparable data for the state as a whole. This means that in only one of a hundred samples would a difference this large have occurred when there was no difference between the district and state data. Differences in very small districts will seldom be statistically significant due to the small number of cases. Differences that are not marked may be important, but should be treated with more caution than those that are statistically significant.

The percentages referred to in the executive summary that follows were taken from the tables found in "Part I: District Survey Results." Figures referenced throughout this report are included in "Part III: Executive Summary."

Demographic Overview

In the spring of 2010, the Texas School Survey was administered to students in grades 7 through 12 in the Arlington Independent School District. Texas School Survey protocols, formulated to ensure that the data used in this analysis has an acceptable probability of error, called for the district to administer the survey to a predetermined, class-specific sampling of secondary students. In addition, data accuracy is dependent on the school staff administering the survey using established protocols.

A total of 4905 students completed the questionnaire. Of that number, 231 surveys were excluded from analysis because students did not indicate their grade or age, or because they were identified as exaggerators (i.e., claimed to have used a non-existent drug or reported overly excessive drug use). The final number of surveys included in the overall district analysis was 4674, consisting of:

- A total of 17 percent are 7th graders, 17 percent are 8th graders, 21 percent are 9th graders, 16 percent are 10th graders, 15 percent are 11th graders, and 14 percent are 12th graders;
- A total of (50 percent) male and (50 percent) female students;
- An ethnic breakdown that is 34 percent White, 22 percent African-American, 30 percent Mexican-American, 7 percent Asian-American, 1 percent Native American, and 7 percent other;
- A total of 59 percent say they live in a two-parent home, and 77 percent report they have lived in the district for three or more years;
- A total of 45 percent say their parent(s) are college graduates, and 45 percent indicate they qualify for free/reduced lunches at school.

Tobacco

General tobacco use includes both cigarettes and smokeless tobacco products.

Statewide Overview

Well over half of secondary students statewide reported experimental use of tobacco products throughout the 1990's. In 2000, however, the number of these students who reported such use declined slightly (51 percent). This downward trend continued through the 2002 (45 percent), 2004 (39 percent), 2006 (35 percent), and 2008 (32 percent) statewide assessments. The prevalence of those secondary students reporting past-month general tobacco use, which had been increasing through 1996, leveled off in 1998, and began a steady, incremental decline in the 2000 (22 percent), 2002 (18 percent), 2004 (17 percent), 2006 (15 percent), and 2008 (13 percent) statewide surveys. In the most recent statewide assessment in 2010, the prevalence of secondary students reporting lifetime tobacco use fell to 30 percent, while past-month use stayed continuous at 12 percent.

Environment

A total of 55* percent of Arlington ISD students reported that cigarettes are somewhat or very easy to get (50 percent statewide), while 9 percent said most or all of their close friends smoke cigarettes (9 percent statewide). A total of 32 percent of Arlington ISD students indicated that smokeless tobacco products are somewhat or very easy to get (33 percent statewide), and 2* percent said most or all of their close friends use smokeless tobacco (4 percent statewide).

Students were asked about parental attitudes toward the use of cigarettes by "kids your age." A total of 87* percent of Arlington ISD students said their parents strongly or mildly disapprove of kids smoking (85 percent statewide), while 6 percent said their parents neither approve nor disapprove (6 percent statewide), and 5* percent of district students said they "don't know" how their parents feel about kids their age smoking cigarettes (7 percent statewide).

A total of 53 percent of Arlington ISD students believe that tobacco use is "very dangerous" (53 percent statewide) (Fig. 11).

Use

A total of 30 percent of Arlington ISD students reported general tobacco use at least once during their lifetimes (30 percent statewide) (Fig. 1-A).

Lifetime Tobacco

7th: 15 percent (15 percent statewide); 8th: 20 percent (23 percent statewide).
9th: 32 percent (29 percent statewide); 10th: 35 percent (35 percent statewide).
11th: 39 percent (40 percent statewide); 12th: 44 percent (45 percent statewide).
(Fig. 2-A)

A total of 12 percent of Arlington ISD students said they had used a tobacco product during the past month (12 percent statewide) (Fig. 1-B).

Past-month Tobacco

7th: 4 percent (5 percent statewide); 8th: 5 percent (7 percent statewide).
9th: 11 percent (11 percent statewide); 10th: 13 percent (14 percent statewide).
11th: 16 percent (18 percent statewide); 12th: 22 percent (23 percent statewide).
(Fig. 2-B)

A total of 29 percent of Arlington ISD students reported smoking cigarettes at least once during their lifetimes (29 percent statewide), while 11 percent said they had smoked cigarettes during the past month (11 percent statewide), and 3 percent reported smoking cigarettes on a daily basis (2 percent statewide).

Daily Cigarette

7th: 1 percent (0 percent statewide); 8th: 1 percent (1 percent statewide).
9th: 2 percent (1 percent statewide); 10th: 3 percent (3 percent statewide).
11th: 3 percent (4 percent statewide); 12th: 7 percent (6 percent statewide).

Experimental use of smokeless tobacco products was reported by 7* percent of Arlington ISD students (9 percent statewide), 3* percent said they had used a smokeless tobacco product during the past month (4 percent statewide), and 0 percent reported using a smokeless tobacco product on a daily basis (1 percent statewide).

Alcohol

Alcohol is the most widely used substance among students statewide and in the Arlington ISD.

Statewide Overview

As the 1990's began, 81 percent of secondary students statewide reported experimental alcohol use and over the decade that followed, the number of these students reporting such use decreased in each successive statewide assessment. This downward trend in lifetime alcohol use leveled off at 71 percent in the 2000 and 2002 statewide assessments, but picked up again in the 2004 (68 percent), 2006 (66 percent), and 2008 (63 percent) statewide data. On the other hand, past-month alcohol use among secondary students statewide has been more varied throughout the same period, beginning with 43 percent of these students in 1990, dropping to 37 percent in 1992, increasing to 39 percent in 1994, staying constant in 1996 and 1998 at 38 percent, and decreasing to 36 percent in 2000, 35 percent in 2002, 33 percent in 2004, 32 percent in 2006, and 30 percent in 2008. In the most recent statewide assessment in 2010, the downward trend continued with lifetime alcohol use decreasing to 62 percent and past month alcohol use falling to 29 percent.

Environment

A total of 29 percent of district students reported most or all of their close friends drink alcohol (29 percent statewide), and 67* percent said alcohol (beer, wine coolers, wine, and liquor) was somewhat easy or very easy to obtain (62 percent statewide).

Students who said they consume alcohol were asked where they obtained it all or most of the time. A total of 29 percent of district students said they obtain alcohol "at parties" (29 percent statewide), while 22 percent responded that they get it "from friends" (22 percent statewide); and 9* percent reported they get alcohol "from the store" (6 percent statewide).

Parental attitudes can be a major factor in whether or not a student uses alcohol. When asked how their parents feel about kids their age drinking beer, 81* percent of Arlington ISD students said their parents strongly or mildly disapprove (79 percent statewide), while 10 percent said their parents neither approve nor disapprove of such behavior (10 percent statewide), and 5* percent said they "don't know" how their parents feel about kids their age drinking beer (6 percent statewide) (Fig. 13-A).

A total of 47 percent of Arlington ISD students feel that it is "very dangerous" to use alcohol (48 percent statewide) (Fig. 11).

Use

A total of 63 percent of Arlington ISD students had reported consuming alcohol at least once during their lifetimes (62 percent statewide) (Fig. 1-A).

Lifetime Alcohol

7th: 43 percent (42 percent statewide); 8th: 56 percent (55 percent statewide).
9th: 65 percent (63 percent statewide); 10th: 70 percent (69 percent statewide).
11th: 69 percent (70 percent statewide); 12th: 77 percent (75 percent statewide).
(Fig. 3-A)

A total of 28 percent of Arlington ISD students said they had consumed alcohol during the past month (29 percent statewide) (Fig. 1-B).

Past-month Alcohol

7th: 15 percent (15 percent statewide); 8th: 20 percent (22 percent statewide).
9th: 27 percent (29 percent statewide); 10th: 33 percent (33 percent statewide).
11th: 33 percent (36 percent statewide); 12th: 45 percent (43 percent statewide).
(Fig. 3-B)

The alcoholic beverages most often consumed by Arlington ISD students are beer (45 percent/46 percent statewide) and wine coolers (41 percent/40 percent statewide). A total of 24 percent of Arlington ISD students said they drink beer on a weekly or monthly basis (25 percent statewide) and a total of 20 percent said they drink wine coolers on a weekly or monthly basis (21 percent statewide).

Behavior Associated With Use

"Binge drinking" is the consumption of five or more beers, wine coolers, servings of wine, or drinks with liquor at one time. A total of 11 percent said they usually drink five or more beers at a time on average when they drink (12 percent statewide), while 7* percent said they usually drink five or more wine coolers at a time on average when they drink (9 percent statewide) (Fig. 4).

A total of 8 percent of Arlington ISD students reported attending at least one class during the past school year while "drunk" (7 percent statewide).

Class Attendance Drunk

7th: 6 percent (5 percent statewide); 8th: 8 percent (7 percent statewide).
9th: 10 percent (8 percent statewide); 10th: 10 percent (9 percent statewide).
11th: 7 percent (8 percent statewide); 12th: 8 percent (8 percent statewide).
(Fig. 5)

A total of 9 percent of Arlington ISD 9th through 12th grade students said that they had driven a car after having "a good bit to drink" at least once during the past year (9 percent statewide). Driving while intoxicated four or more times during the past year was reported by 2 percent of district 9th through 12th graders (2 percent statewide).

Drinking and Driving

9th: 5 percent (5 percent statewide); 10th: 7 percent (7 percent statewide).
11th: 8 percent (11 percent statewide); 12th: 16 percent (17 percent statewide).
(Fig. 6)

A total of 28 percent of Arlington ISD students said alcohol was used at most or all of the parties they attended in the past school year (27 percent statewide).

Alcohol at Parties

7th: 9 percent (8 percent statewide); 8th: 12 percent (13 percent statewide).
9th: 28 percent (25 percent statewide); 10th: 36 percent (35 percent statewide).
11th: 39 percent (40 percent statewide); 12th: 49 percent (48 percent statewide).
(Fig. 7)

A total of 1 percent of Arlington ISD students said they had gotten into trouble with their teacher because of alcohol use at least once during the past school year (1 percent statewide), while 3 percent reported they had gotten in trouble with the police because of their alcohol use during the past year (3 percent statewide), and 7 percent said they had "difficulties of any kind" with friends because of one's own drinking (6 percent statewide).

Illicit and Licit Substances

Illicit drugs are defined as controlled substances and include marijuana, cocaine (powdered form and crack), uppers (stimulants), downers (narcotics), Rohypnol, hallucinogens, ecstasy, and heroin. Licit substances are those legally purchased either over-the-counter (DMX or Coricidin) or via a physician's prescription (Codeine, Oxycontin, Vicodin or Valium).

Statewide Overview

Just under a quarter of secondary students statewide in 1992 reported experimental use of an illegal drug at some point in their lives (22 percent), and 10 percent said they had used an illegal substance during the previous month. These prevalence rates began to climb---the experimental use rate by 6 percent (to 28 percent) and the rise of the past-month use rate (to 14 percent)---beginning with the 1994 statewide assessment. By 1998, experimental use of illicit substances had peaked at 36 percent; however, past-month use of an illicit substance actually decreased one percentage point from its peak at 18 percent in 1996. This was followed two years later by declines in illicit drug use both in the lifetime (34 percent) and past-month (15 percent) categories. There was no change in 2002. A new downward trend for both the experimental (32 percent) and past-month (14 percent) uses were detected in 2004, continued in 2006 (28 percent for lifetime and 13 percent for past-month uses), and in 2008 (26 percent for lifetime and 12 percent for past-month uses). In the most recent statewide assessment in 2010, a reverse in trend was detected with lifetime illicit drug use increasing to 28 percent, and past month illicit drug use increasing to 13 percent.

Marijuana use by those who also report using other illicit drugs appears to have mirrored the trends for illicit drug use in general over the last decade. Such use also declined in the 2004 statewide assessment to 30 percent for those who said they had done so at least one time and 13 percent who reported having done so in the past month. This downward trend continued in 2006 (26 percent for lifetime and 11 percent for past-month uses), and in 2008 (25 percent for lifetime and 10 percent for past-month uses). In the most recent statewide assessment in 2010, a reverse in trend was detected with lifetime marijuana use rising to 26 percent, and past month marijuana use increasing to 11 percent.

Environment

Students were asked how available they believed certain substances were to obtain. A total of 45* percent of Arlington ISD students said marijuana was somewhat or very easy to obtain (38 percent statewide); 16 percent indicated that powdered cocaine was easily accessible (16 percent statewide), 14 percent indicated that uppers were easily accessible (14 percent statewide), 14 percent indicated that downers were easily accessible (14 percent statewide), and 24* percent indicated that ecstasy was easily accessible (19 percent statewide). A total of 11* percent of district students said they believed heroin was somewhat or very easy to obtain (10 percent statewide).

With regard to the question of the effects of peer influence on substance use, 22* percent of Arlington ISD students reported most or all of their close friends smoke marijuana (19 percent statewide). And when asked about parental attitudes toward marijuana use, Arlington ISD

students reported a disapproval rate of 87 percent (87 percent statewide). A total of 5* percent of district students said they "don't know" how their parents feel about kids their age using marijuana (6 percent statewide), while 5 percent said their parents neither approve nor disapprove (5 percent statewide) (Fig. 13-B).

A total of 55* percent of Arlington ISD students believe that marijuana use is "very dangerous" (59 percent statewide) (Fig. 11). As for how Arlington ISD students viewed the risks associated with the use of certain other illicit substances, 75* percent feel that use of ecstasy is "very dangerous" (77 percent statewide), 84 percent believe that powdered cocaine use is "very dangerous" (84 percent statewide), 86 percent feel that the use of crack is "very dangerous" (85 percent statewide), and 87 percent believe that heroin is "very dangerous" (86 percent statewide).

Use of illicit substances

The following paragraph details percentages of individuals that reported using only marijuana and no other illicit substances.

In Arlington ISD, 31* percent of students reported experimental use of an illicit drug (28 percent statewide), and 16* percent of Arlington ISD students reported smoking marijuana at least once in their lifetimes (14 percent statewide) (Fig. 1-A)

Lifetime Marijuana

7th: 4 percent (5 percent statewide); 8th: 8 percent (9 percent statewide).
9th: 19* percent (13 percent statewide); 10th: 18 percent (17 percent statewide).
11th: 25* percent (19 percent statewide); 12th: 27* percent (22 percent statewide).
(Fig. 8-A)

Past-month marijuana use was reported by 6* percent of Arlington ISD students (5 percent statewide) (Fig. 1-B)

Past-month Marijuana

7th: 2 percent (2 percent statewide); 8th: 3 percent (3 percent statewide).
9th: 7* percent (5 percent statewide); 10th: 6 percent (6 percent statewide).
11th: 9 percent (6 percent statewide); 12th: 11* percent (7 percent statewide).
(Fig. 8-B)

A total of 5 percent of district students said they had used downers (6 percent statewide), 2* percent indicated they had used Rohypnol (3 percent statewide), and 2 percent reported using heroin (1 percent statewide), at least once during their lifetimes.

A total of 5 percent of Arlington ISD students said they had used powdered cocaine (5 percent statewide), 5 percent reported using uppers (5 percent statewide), 5 percent said they had used hallucinogens (5 percent statewide), 8* percent reported using ecstasy (7 percent statewide), 2 percent indicated they had used crack (2 percent statewide), and 2 percent said they had used steroids (1 percent statewide) at least one during their lives.

A total of 3 percent of Arlington ISD students reported they had used methamphetamine at least one time during their lives (3 percent statewide), 1 percent said they had done so during the previous month (1 percent statewide).

Illicit use of licit substances

Students were asked whether they had used an otherwise legal product (i.e., prescription or over-the-counter drugs) for recreational purposes. A total of 14 percent of district students reported using a prescription cough syrup containing Codeine (Lean, Nods, AC/DC) (12 percent statewide), 3 percent said they had done so with Oxycontin, Percodan or Percocet (3 percent statewide), 5 percent indicated they had used Vicodin/Lortab/Lorcet (5 percent statewide), 3 percent reported using Valium Diazepam (2 percent statewide), and 5 percent said they had used Xanax or Alprazolam (5 percent statewide) at least once in their lives to get high.

A total of 5 percent of district students indicated that they had used the over-the-counter products DXM or Coricidin (“Triple C’s”, “Skittles”) at least one time to get high (5 percent statewide).

Behavior Associated with Use

A total of 13* percent of Arlington ISD students reported attending at least one class in the past year while "stoned" on marijuana (11 percent statewide).

Attend Class Stoned

7th: 5 percent (5 percent statewide); 8th: 8 percent (8 percent statewide).

9th: 18* percent (11 percent statewide); 10th: 16 percent (14 percent statewide).

11th: 16 percent (14 percent statewide); 12th: 17 percent (14 percent statewide).

(Fig. 9)

Driving under the influence of drugs at least once during the past year was reported by 10 percent of Arlington ISD 9th through 12th grade students (10 percent statewide). Driving while stoned ten or more times during the past year was reported by 2 percent of district 9th through 12th graders (2 percent statewide).

Driving Stoned

9th: 6 percent (5 percent statewide); 10th: 7 percent (7 percent statewide).

11th: 11 percent (12 percent statewide); 12th: 19 percent (16 percent statewide).

A total of 18* percent of the Arlington ISD students said that marijuana and/or other drugs were used at most or all of the parties they attended during the school year (16 percent statewide).

Drug Use at Parties

7th: 5 percent (4 percent statewide); 8th: 7 percent (8 percent statewide).

9th: 19 percent (15 percent statewide); 10th: 24 percent (21 percent statewide).

11th: 26 percent (25 percent statewide); 12th: 33 percent (28 percent statewide).

A total of 2 percent of Arlington ISD students said they had gotten into trouble with their teacher because of illicit drug use at least once during the past school year (2 percent statewide), while 2

percent reported they had gotten in trouble with the police because of their use of illegal drugs during the past year (2 percent statewide), and 6 percent said they had gotten into "difficulties of any kind" with their friends during the past year because of their own drug use (6 percent statewide).

Inhalants

In general, inhalants are common, licit substances (paints, thinners, correction fluid, glue, etc.) which, when sniffed, huffed, or inhaled, produce an intoxicating effect.

Statewide Overview

Nearly a quarter of secondary students statewide indicated they had experimented with an inhalant substance in the 1992 assessment. The number of these students reporting such use had decreased to 19 percent in 1994 and 1996, but began to increase in 1998 (22 percent). Experimental inhalant use has been declining in the three assessments conducted in the new century---19 percent in 2000, 18 percent in 2002, and 17 percent in 2004. This downward trend in experimental use appears to have stayed constant at 17 percent, according to the 2006 survey. Past-month inhalant use stayed consistent at 5 percent through 1996, increased to 8 percent two years later, and dropped one percentage point in 2000 (7 percent). The number of these students reporting past-month inhalant use has stayed continuous at 7 percent through the 2002 and 2004 surveys, and was 6 percent in the 2006 statewide assessment. In the most recent statewide assessment conducted in 2010, the prevalence of lifetime and past month inhalant use stayed continuous at 17 percent and 6 percent respectively.

Data from the statewide assessment in 2008 has **not** been added to the trend lines noted in the statewide overview above because the manner in which inhalant use was calculated changed in 2008.

Environment

A total of 53* percent of district students reported that it was somewhat or very easy to obtain an inhalant (46 percent statewide), 2 percent indicated that most or all of their close friends use inhalants (2 percent statewide), and 71 percent said that inhalant use was “very dangerous” (73 percent statewide) (Fig. 11).

Use

A total of 18 percent of Arlington ISD students reported using inhalants at least once during their lifetimes (17 percent statewide) (Fig. 1-A).

Lifetime Inhalant

7th: 25* percent (19 percent statewide); 8th: 22 percent (21 percent statewide).
9th: 17 percent (18 percent statewide); 10th: 16 percent (17 percent statewide).
11th: 13 percent (15 percent statewide); 12th: 11 percent (13 percent statewide).
(Fig. 10-A)

A total of 6 percent of Arlington ISD students said they had used inhalants during the past month (6 percent statewide) (Fig. 1-B).

Past-month Inhalant

7th: 9 percent (8 percent statewide); 8th: 8 percent (8 percent statewide).

9th: 5 percent (6 percent statewide); 10th: 5 percent (5 percent statewide).

11th: 3 percent (4 percent statewide); 12th: 3 percent (3 percent statewide).

(Fig. 10-B)

Drug and Alcohol Information

The influence of substance use education programs may be reflected in students' attitudes toward the use of specific substances reported above. To whom a student may feel most comfortable turning to for assistance with a substance use problem or issue may help gauge the effect these various messengers are having on those attitudes.

A total of 64* percent of Arlington ISD students said they had received information about drugs and alcohol from any school source since classes began in the fall (61 percent statewide). Of the eight available responses as to the source of such information, two stand out from the pack at the statewide level. A “health class” was reported by 50 percent of district students as a source for information about drugs and alcohol (48 percent statewide), while 47* percent said the source for this information was “an assembly program” (49 percent statewide).

When asked where they would go for help with a drug or alcohol problem, Arlington ISD students said they would seek help from their friends (70 percent/69 percent statewide), from an adult friend or relative (61 percent/62 percent statewide), or their parents (58* percent/61 percent statewide). Arlington ISD students would also seek help for a drug or alcohol problem from a counselor or program in school (35 percent/35 percent statewide), or another adult in school, such as a teacher or nurse (34 percent/35 percent statewide) (Fig. 12).

Since school began in the fall, 7* percent of Arlington ISD students reported seeking help for any problems connected with alcohol or drug use from someone other than family or friends (8 percent statewide).

**Texas School Survey
of Drug and Alcohol Use
2010
Part III: Executive Summary**

Secondary Graphics

- Figure 1-A** **Prevalence of Lifetime Substance Use**
- Figure 1-B** **Prevalence of Past 30-Day Substance Use**
- Figure 2-A** **Prevalence of Lifetime Tobacco Use by Grade**
- Figure 2-B** **Prevalence of Past 30-Day Tobacco Use by Grade**
- Figure 3-A** **Prevalence of Lifetime Alcohol Use by Grade**
- Figure 3-B** **Prevalence of Past 30-Day Alcohol Use by Grade**
- Figure 4** **Prevalence of Binge Drinking**
- Figure 5** **Attending Class While Intoxicated**
- Figure 6** **Driving While Intoxicated (Grades 9-12)**
- Figure 7** **Use of Alcohol at Parties**
- Figure 8-A** **Prevalence of Lifetime Marijuana Use by Grade**
- Figure 8-B** **Prevalence of Past 30-Day Marijuana Use by Grade**
- Figure 9** **Attending Class While “High”**
- Figure 10-A** **Prevalence of Lifetime Inhalant Use by Grade**
- Figure 10-B** **Prevalence of Past 30-Day Inhalant Use by Grade**
- Figure 11** **Students Who Think Substances are Very Dangerous**
- Figure 12** **Where Students Would Go for Help**
- Figure 13-A** **Parental Attitudes toward Beer**
- Figure 13-B** **Parental Attitudes toward Marijuana**

Figure 1-A
Prevalence of Lifetime Substance Use
Among Secondary Students
In ARLINGTON ISD






Figure 1-B
Prevalence of Past Month Substance Use
Among Secondary Students
In ARLINGTON ISD



**Figure 2-A
Prevalence of Lifetime Tobacco Use By Grade
Among Secondary Students
In ARLINGTON ISD**



**Figure 2-B
Prevalence of Past Month Tobacco Use By Grade
Among Secondary Students
In ARLINGTON ISD**




Figure 3-A
Prevalence of Lifetime Alcohol Use By Grade
Among Secondary Students
In ARLINGTON ISD




Figure 3-B
Prevalence of Past Month Alcohol Use By Grade
Among Secondary Students
In ARLINGTON ISD




Figure 4
Prevalence of Binge Drinking
Among Secondary Students
In ARLINGTON ISD




Figure 5
Percent of Secondary Students Attending Class while Intoxicated
Atleast One Day During the Past Year
In ARLINGTON ISD




Figure 6
Percent of Secondary Students Who Have Driven Drunk
Atleast Once During the Past Year
In ARLINGTON ISD




Figure 7
Alcohol Use at Most/All Parties By Grade
Among Secondary Students
In ARLINGTON ISD




Figure 8-A
Prevalence of Lifetime Marijuana Use By Grade
Among Secondary Students
In ARLINGTON ISD




Figure 8-B
Prevalence of Past Month Marijuana Use By Grade
Among Secondary Students
In ARLINGTON ISD






Figure 9
Percent of Secondary Students Attending Class while High
Atleast One Day During the Past Year
In ARLINGTON ISD



**Figure 10-A
Prevalence of Lifetime Inhalant Use By Grade
Among Secondary Students
In ARLINGTON ISD**



**Figure 10-B
Prevalence of Past Month Inhalant Use By Grade
Among Secondary Students
In ARLINGTON ISD**




Figure 11
Percentage of Secondary Students Who Think Various Substances
Are Very Dangerous to Use
In ARLINGTON ISD




Figure 12
Where Secondary Students Would Go For Help
With a Substance Abuse Problem
In ARLINGTON ISD




Figure 13-A
Attitudes of Parents Toward Adolescent Beer Use
Among Secondary Students
In ARLINGTON ISD





Figure 13-B
Attitudes of Parents Toward Adolescent Marijuana Use
Among Secondary Students
In ARLINGTON ISD



**Arlington
SPRING 2010**

**Texas School Survey
of Drug and Alcohol Use
2010
Arlington ISD
Part I: District Results

Secondary**

**Part I: District Results
Secondary (7-12)**

Table of Contents

General Substance Tables **5-50**

Tobacco
Alcohol
Drugs
Inhalants
Miscellaneous

Prevalence Tables **51-94**

Selected Substances:

Table B1: All Students
Table B2: Male Students
Table B3: Female Students
Table B4: White Students
Table B5: African/American Students
Table B6: Mexican/American Students
Table B7: Students Reporting A Grades
Table B8: Students Reporting Grades Lower Than an A
Table B9: Students Living With 2 Parents
Table B10: Students Not Living With 2 Parents
Table B11: Students who would seek help from adults
Table B12: Students who wouldn't seek help from adults
Table B13: Students Living in Town More Than 3 Years
Table B14: Students Living in Town 3 Years or Less

Margin Tables **95-113**

1. General Substance Tables

**Arlington
SPRING 2010**

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product?					
	All	11.5%	16.6%	30.3%	69.7%
	Grade 7	4.2%	6.4%	15.4%	84.6%
	Grade 8	5.4%	9.8%	20.5%	79.5%
	Grade 9	10.9%	15.7%	31.9%	68.1%
	Grade 10	13.2%	19.1%	34.5%	65.5%
	Grade 11	16.3%	22.6%	39.2%	60.8%
	Grade 12	21.9%	29.4%	43.9%	56.1%
Cigarettes?					
	All	10.6%	15.5%	28.9%	71.1%
	Grade 7	4.0%	6.3%	15.3%	84.7%
	Grade 8	5.0%	9.3%	19.9%	80.1%
	Grade 9	9.7%	14.6%	30.0%	70.0%
	Grade 10	12.6%	17.7%	33.2%	66.8%
	Grade 11	14.7%	20.5%	37.0%	63.0%
	Grade 12	20.5%	27.8%	41.8%	58.2%
Smokeless tobacco?					
	All	2.9%	4.3%	7.2%	92.8%
	Grade 7	1.5%	1.8%	2.9%	97.1%
	Grade 8	1.4%	2.6%	5.0%	95.0%
	Grade 9	2.5%	3.3%	6.5%	93.5%
	Grade 10	2.9%	4.7%	8.3%	91.7%
	Grade 11	4.5%	6.5%	9.6%	90.4%
	Grade 12	5.4%	8.2%	12.6%	87.4%

**Arlington
SPRING 2010**

Table T-2: How often do you normally use ..

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?							
All	72.6%	2.9%	2.5%	3.2%	5.3%	4.8%	8.8%
Grade 7	85.7%	1.1%	0.4%	2.7%	2.0%	3.1%	5.0%
Grade 8	81.7%	1.1%	1.5%	1.8%	3.5%	4.3%	6.0%
Grade 9	71.5%	2.2%	1.9%	3.2%	6.8%	4.4%	10.0%
Grade 10	70.2%	3.2%	3.1%	2.6%	5.2%	7.0%	8.8%
Grade 11	65.0%	2.8%	4.1%	3.4%	8.2%	5.3%	11.2%
Grade 12	57.8%	7.9%	4.9%	5.7%	6.6%	4.7%	12.4%
Cigarettes?							
All	73.7%	2.5%	2.3%	3.0%	5.1%	4.7%	8.7%
Grade 7	85.9%	0.9%	0.4%	2.6%	2.0%	3.1%	5.0%
Grade 8	81.7%	1.0%	1.4%	1.7%	3.8%	4.4%	5.9%
Grade 9	72.8%	1.9%	1.9%	3.0%	6.2%	4.3%	9.8%
Grade 10	71.5%	2.9%	3.0%	2.5%	5.0%	6.4%	8.7%
Grade 11	67.2%	2.7%	3.6%	3.2%	7.2%	5.2%	11.0%
Grade 12	59.5%	6.9%	4.1%	5.8%	6.5%	4.7%	12.4%
Smokeless tobacco?							
All	93.7%	0.4%	0.6%	0.7%	1.3%	1.3%	2.0%
Grade 7	97.2%	0.3%	0.3%	0.6%	0.6%	0.4%	0.7%
Grade 8	96.5%	0.3%	0.4%	0.3%	0.6%	0.7%	1.2%
Grade 9	95.1%	0.5%	0.3%	0.6%	0.8%	0.9%	1.8%
Grade 10	93.1%	0.4%	0.2%	0.4%	1.3%	1.9%	2.7%
Grade 11	90.5%	0.1%	1.1%	1.4%	2.7%	2.2%	2.0%
Grade 12	87.9%	1.2%	1.4%	1.5%	2.4%	1.8%	3.8%

Table T-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Cigarettes	10.8	11.6	12.4	12.8	13.8	14.7
Smokeless tobacco	10.9	11.7	12.9	14.0	14.4	15.6
Any Tobacco	10.7	11.5	12.4	12.8	13.8	14.7

**Arlington
SPRING 2010**

Table T-4: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Any tobacco product?							
	All	10.5%	18.2%	6.1%	9.0%	18.1%	38.2%
	Grade 7	15.2%	32.6%	9.6%	11.2%	13.6%	17.8%
	Grade 8	11.1%	32.4%	9.6%	11.4%	15.3%	20.2%
	Grade 9	10.2%	14.5%	6.0%	10.6%	20.9%	37.8%
	Grade 10	8.7%	11.4%	5.4%	8.9%	24.4%	41.3%
	Grade 11	9.2%	10.1%	3.3%	7.6%	20.7%	49.1%
	Grade 12	8.1%	5.0%	1.5%	2.2%	12.4%	70.9%
Cigarettes?							
	All	10.5%	18.7%	6.0%	9.4%	18.7%	36.8%
	Grade 7	14.9%	33.3%	9.4%	11.7%	13.6%	17.1%
	Grade 8	11.0%	33.1%	9.3%	11.9%	15.6%	19.0%
	Grade 9	10.5%	14.8%	6.2%	11.1%	21.3%	36.1%
	Grade 10	8.7%	12.0%	5.3%	9.1%	25.5%	39.4%
	Grade 11	9.0%	10.3%	3.2%	8.1%	22.0%	47.5%
	Grade 12	8.1%	5.4%	1.2%	2.5%	13.0%	69.8%
Smokeless Tobacco?							
	All	23.6%	24.2%	9.4%	10.5%	11.7%	20.6%
	Grade 7	29.5%	40.2%	12.2%	7.4%	5.5%	5.3%
	Grade 8	25.0%	40.0%	11.6%	9.1%	6.7%	7.6%
	Grade 9	23.6%	22.1%	11.0%	13.5%	12.6%	17.3%
	Grade 10	21.5%	17.3%	9.6%	14.7%	15.2%	21.7%
	Grade 11	22.7%	13.4%	6.4%	11.3%	18.2%	28.0%
	Grade 12	18.2%	7.7%	4.0%	5.7%	13.4%	51.0%

**Arlington
SPRING 2010**

Table T-5: About how many of your close friends...

	None	A Few	Some	Most	ALL
Use any tobacco product?					
All	43.3%	30.6%	16.7%	7.8%	1.5%
Grade 7	67.0%	21.3%	8.2%	2.8%	0.7%
Grade 8	57.1%	27.4%	11.3%	3.0%	1.3%
Grade 9	37.7%	34.2%	17.1%	9.7%	1.3%
Grade 10	36.6%	29.9%	22.5%	8.9%	2.0%
Grade 11	31.2%	39.1%	19.0%	9.6%	1.0%
Grade 12	26.7%	31.9%	24.1%	14.2%	3.0%
Smoke cigarettes?					
All	45.0%	30.8%	15.4%	7.4%	1.3%
Grade 7	68.0%	21.1%	7.4%	2.8%	0.7%
Grade 8	57.9%	28.0%	10.2%	2.7%	1.3%
Grade 9	41.1%	32.8%	15.8%	9.0%	1.3%
Grade 10	37.8%	31.4%	20.5%	8.5%	1.7%
Grade 11	34.0%	38.6%	17.7%	9.1%	0.7%
Grade 12	27.7%	33.6%	22.9%	13.5%	2.3%
Use a smokeless tobacco product?					
All	75.6%	15.7%	6.4%	1.8%	0.5%
Grade 7	87.6%	8.9%	2.9%	0.4%	0.1%
Grade 8	86.0%	10.7%	2.2%	0.9%	0.3%
Grade 9	74.2%	17.5%	5.5%	2.4%	0.4%
Grade 10	71.1%	18.0%	7.9%	2.1%	0.9%
Grade 11	69.4%	19.2%	9.0%	2.0%	0.4%
Grade 12	62.3%	21.1%	12.5%	3.4%	0.7%

**Arlington
SPRING 2010**

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	79.6%	7.4%	5.8%	1.1%	0.9%	5.2%
Grade 7	86.3%	3.6%	1.6%	0.3%	0.6%	7.7%
Grade 8	85.7%	4.4%	3.5%	0.9%	0.6%	5.0%
Grade 9	80.5%	6.2%	5.0%	1.1%	0.8%	6.4%
Grade 10	79.2%	8.3%	6.6%	1.5%	1.1%	3.3%
Grade 11	78.3%	9.2%	6.3%	1.2%	1.4%	3.7%
Grade 12	64.4%	14.8%	13.5%	1.7%	1.4%	4.3%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	53.5%	26.8%	11.5%	3.2%	5.0%
Grade 7	70.6%	17.0%	5.1%	1.5%	5.8%
Grade 8	65.2%	20.9%	7.4%	1.3%	5.2%
Grade 9	50.7%	30.5%	10.5%	2.7%	5.6%
Grade 10	48.3%	28.5%	14.7%	4.0%	4.5%
Grade 11	44.5%	32.5%	14.2%	4.4%	4.4%
Grade 12	38.4%	31.9%	19.6%	6.2%	3.9%

**Arlington
SPRING 2010**

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product?					
	All	28.0%	39.7%	62.9%	37.1%
	Grade 7	14.7%	21.0%	43.3%	56.7%
	Grade 8	19.7%	29.8%	55.8%	44.2%
	Grade 9	27.1%	41.1%	65.3%	34.7%
	Grade 10	32.7%	45.7%	69.6%	30.4%
	Grade 11	33.3%	46.3%	69.1%	30.9%
	Grade 12	44.7%	58.7%	77.4%	22.6%
Beer?					
	All	19.0%	27.9%	48.0%	52.0%
	Grade 7	7.8%	13.0%	29.7%	70.3%
	Grade 8	11.3%	18.8%	39.2%	60.8%
	Grade 9	19.4%	27.7%	49.4%	50.6%
	Grade 10	20.7%	31.4%	54.8%	45.2%
	Grade 11	24.2%	36.1%	56.9%	43.1%
	Grade 12	33.8%	44.5%	61.1%	38.9%
Wine coolers?					
	All	15.9%	25.5%	43.4%	56.6%
	Grade 7	8.9%	12.4%	24.7%	75.3%
	Grade 8	11.6%	18.1%	36.5%	63.5%
	Grade 9	15.2%	25.2%	43.5%	56.5%
	Grade 10	19.1%	30.8%	49.4%	50.6%
	Grade 11	17.7%	30.1%	50.9%	49.1%
	Grade 12	25.0%	40.6%	60.1%	39.9%
Wine?					
	All	12.4%	21.5%	43.3%	56.7%
	Grade 7	8.2%	12.1%	27.7%	72.3%
	Grade 8	11.0%	18.9%	40.3%	59.7%
	Grade 9	12.1%	21.4%	42.6%	57.4%
	Grade 10	13.6%	24.4%	49.8%	50.2%
	Grade 11	12.7%	22.8%	47.2%	52.8%
	Grade 12	18.3%	31.2%	54.9%	45.1%
Liquor?					
	All	18.3%	28.3%	44.3%	55.7%
	Grade 7	7.7%	11.9%	21.0%	79.0%
	Grade 8	10.2%	17.8%	34.0%	66.0%
	Grade 9	18.2%	28.3%	44.9%	55.1%
	Grade 10	21.1%	33.9%	51.6%	48.4%
	Grade 11	22.9%	35.0%	54.9%	45.1%
	Grade 12	33.4%	47.2%	64.5%	35.5%

**Arlington
SPRING 2010**

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	43.3%	0.8%	3.8%	12.9%	14.1%	13.5%	11.6%
	Grade 7	65.1%	0.9%	2.7%	5.3%	6.9%	9.5%	9.6%
	Grade 8	51.6%	1.0%	2.9%	8.3%	10.7%	13.5%	12.0%
	Grade 9	40.5%	0.4%	4.1%	13.0%	14.7%	13.6%	13.6%
	Grade 10	36.7%	0.8%	3.3%	15.8%	16.1%	14.9%	12.3%
	Grade 11	36.2%	0.7%	3.9%	15.4%	17.5%	15.5%	10.9%
	Grade 12	25.9%	1.0%	6.0%	21.9%	20.3%	14.7%	10.2%
Beer?								
	All	54.8%	0.4%	3.0%	9.3%	11.2%	9.9%	11.3%
	Grade 7	75.2%	0.7%	2.1%	3.1%	5.2%	6.8%	7.0%
	Grade 8	64.9%	0.4%	2.2%	4.8%	9.5%	8.9%	9.2%
	Grade 9	51.8%	0.2%	3.2%	9.5%	11.6%	9.7%	14.0%
	Grade 10	48.2%	0.5%	2.4%	11.0%	12.9%	11.7%	13.3%
	Grade 11	46.1%	0.4%	3.4%	12.7%	13.4%	11.4%	12.6%
	Grade 12	39.3%	0.6%	4.9%	16.2%	15.9%	11.9%	11.3%
Wine coolers?								
	All	59.2%	0.1%	1.8%	7.0%	11.1%	11.4%	9.4%
	Grade 7	78.0%	0.1%	1.7%	3.4%	4.5%	6.6%	5.7%
	Grade 8	69.7%	0.1%	1.6%	3.7%	8.1%	8.2%	8.5%
	Grade 9	58.8%	0.2%	1.8%	5.9%	12.5%	11.0%	9.8%
	Grade 10	53.0%	0.2%	1.3%	8.7%	13.6%	12.5%	10.6%
	Grade 11	50.8%	0.0%	2.0%	8.6%	12.6%	15.0%	11.0%
	Grade 12	40.4%	0.0%	2.5%	13.0%	16.3%	16.5%	11.3%
Wine?								
	All	59.7%	0.1%	1.1%	5.0%	8.9%	13.5%	11.6%
	Grade 7	77.2%	0.1%	0.7%	2.7%	4.3%	8.0%	6.9%
	Grade 8	63.6%	0.3%	1.0%	2.5%	8.3%	13.2%	11.2%
	Grade 9	60.2%	0.0%	1.4%	4.3%	9.6%	12.6%	11.9%
	Grade 10	54.8%	0.1%	0.7%	6.1%	9.5%	14.7%	14.0%
	Grade 11	54.9%	0.0%	1.3%	6.1%	10.2%	14.8%	12.7%
	Grade 12	44.3%	0.2%	1.2%	9.4%	12.2%	19.3%	13.4%
Liquor?								
	All	57.5%	0.2%	1.9%	9.0%	11.7%	11.2%	8.6%
	Grade 7	82.7%	0.3%	0.7%	2.9%	4.9%	5.0%	3.5%
	Grade 8	69.5%	0.1%	0.7%	3.9%	8.7%	8.9%	8.1%
	Grade 9	56.1%	0.3%	2.3%	8.7%	12.0%	10.1%	10.5%
	Grade 10	49.4%	0.1%	1.7%	10.4%	13.1%	14.4%	10.9%
	Grade 11	46.0%	0.3%	2.1%	11.8%	14.6%	15.1%	10.1%
	Grade 12	36.3%	0.3%	4.0%	18.1%	18.1%	15.3%	7.9%

**Arlington
SPRING 2010**

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever Used	5 or More	1 to 4	Less than 1
Beer						
	All	52.4%	47.6%	11.3%	22.6%	13.6%
	Grade 7	71.2%	28.8%	3.2%	12.7%	12.9%
	Grade 8	60.9%	39.1%	6.1%	19.0%	14.0%
	Grade 9	49.6%	50.4%	9.7%	25.6%	15.1%
	Grade 10	46.8%	53.2%	13.8%	25.4%	13.9%
	Grade 11	44.3%	55.7%	16.9%	26.3%	12.6%
	Grade 12	39.6%	60.4%	20.8%	27.0%	12.7%
Wine Coolers						
	All	56.3%	43.7%	7.0%	27.4%	9.3%
	Grade 7	75.9%	24.1%	2.8%	14.2%	7.1%
	Grade 8	65.2%	34.8%	4.1%	20.8%	9.9%
	Grade 9	54.8%	45.2%	6.5%	28.0%	10.7%
	Grade 10	50.1%	49.9%	9.8%	30.4%	9.8%
	Grade 11	48.9%	51.1%	9.8%	33.1%	8.2%
	Grade 12	39.6%	60.4%	9.7%	40.5%	10.2%
Wine						
	All	57.1%	42.9%	3.0%	23.3%	16.5%
	Grade 7	72.9%	27.1%	2.3%	12.8%	11.9%
	Grade 8	61.4%	38.6%	1.9%	19.3%	17.4%
	Grade 9	56.0%	44.0%	3.0%	23.4%	17.6%
	Grade 10	50.8%	49.2%	3.6%	26.7%	18.8%
	Grade 11	54.3%	45.7%	3.7%	26.2%	15.8%
	Grade 12	45.6%	54.4%	3.8%	33.5%	17.1%
Liquor						
	All	54.5%	45.5%	10.7%	24.8%	10.0%
	Grade 7	79.2%	20.8%	2.7%	10.7%	7.3%
	Grade 8	64.8%	35.2%	4.8%	19.3%	11.2%
	Grade 9	53.1%	46.9%	11.0%	23.7%	12.1%
	Grade 10	47.5%	52.5%	12.8%	28.9%	10.9%
	Grade 11	43.9%	56.1%	14.8%	31.9%	9.4%
	Grade 12	34.6%	65.4%	20.0%	37.3%	8.2%

**Arlington
SPRING 2010**

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol	All	81.5%	6.2%	4.0%	4.1%	1.8%	2.4%
	Grade 7	91.9%	2.8%	1.7%	1.2%	0.7%	1.8%
	Grade 8	87.8%	5.2%	3.5%	2.1%	0.4%	1.0%
	Grade 9	82.7%	5.9%	4.0%	3.1%	1.6%	2.8%
	Grade 10	78.9%	7.9%	4.0%	5.1%	1.8%	2.3%
	Grade 11	77.2%	6.4%	5.0%	6.2%	2.9%	2.4%
	Grade 12	67.5%	9.5%	6.1%	8.3%	4.2%	4.4%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Beer	10.5	11.4	12.2	12.7	13.7	14.5
Wine Coolers	11.0	11.7	12.4	13.1	13.8	14.7
Wine	11.0	11.8	12.6	13.0	13.8	14.7
Liquor	11.2	12.3	13.2	13.6	14.5	15.3
Any Alcohol	10.6	11.4	12.0	12.4	13.3	14.2

**Arlington
SPRING 2010**

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	8.9%	13.8%	6.4%	11.6%	22.4%	36.9%
	Grade 7	13.2%	25.8%	9.2%	12.5%	17.9%	21.4%
	Grade 8	8.5%	23.2%	9.3%	11.9%	20.3%	26.8%
	Grade 9	8.7%	11.3%	4.8%	12.9%	23.0%	39.3%
	Grade 10	7.6%	8.0%	4.8%	11.4%	25.0%	43.2%
	Grade 11	7.1%	6.4%	5.2%	9.1%	22.8%	49.4%
	Grade 12	8.2%	6.3%	5.2%	11.0%	25.9%	43.4%
Wine coolers?							
	All	14.0%	16.1%	8.2%	12.2%	18.8%	30.7%
	Grade 7	24.6%	27.9%	10.9%	11.3%	10.1%	15.1%
	Grade 8	16.5%	26.6%	11.1%	12.2%	13.7%	19.9%
	Grade 9	13.0%	14.5%	8.6%	11.7%	19.0%	33.3%
	Grade 10	10.3%	10.0%	7.2%	13.3%	23.4%	35.9%
	Grade 11	9.6%	8.1%	5.1%	12.4%	22.9%	41.9%
	Grade 12	8.5%	7.2%	5.5%	12.1%	25.7%	40.9%
Wine?							
	All	10.1%	16.0%	8.6%	12.7%	20.0%	32.6%
	Grade 7	15.5%	29.4%	12.8%	11.2%	14.1%	16.9%
	Grade 8	10.4%	25.4%	10.2%	12.2%	17.1%	24.7%
	Grade 9	9.2%	13.7%	7.7%	13.2%	20.6%	35.5%
	Grade 10	8.3%	9.8%	7.7%	14.2%	22.2%	37.8%
	Grade 11	8.2%	8.8%	6.0%	11.8%	23.2%	42.0%
	Grade 12	8.8%	6.7%	7.0%	13.8%	23.6%	40.2%
Liquor?							
	All	10.1%	18.9%	8.9%	12.1%	18.0%	32.0%
	Grade 7	16.9%	36.4%	11.8%	10.6%	11.5%	12.8%
	Grade 8	11.0%	31.4%	10.8%	10.7%	14.4%	21.7%
	Grade 9	8.9%	16.4%	8.1%	13.2%	18.8%	34.6%
	Grade 10	7.7%	10.7%	9.2%	13.3%	20.3%	38.8%
	Grade 11	7.9%	8.3%	6.4%	11.8%	21.2%	44.4%
	Grade 12	7.4%	6.8%	6.5%	13.0%	23.2%	43.1%
Any alcohol product?							
	All	7.7%	10.7%	4.9%	9.4%	20.8%	46.5%
	Grade 7	12.4%	21.3%	8.5%	11.1%	19.6%	27.2%
	Grade 8	7.6%	17.6%	7.1%	11.9%	19.3%	36.4%
	Grade 9	7.4%	7.4%	3.6%	8.4%	22.0%	51.2%
	Grade 10	6.3%	6.4%	3.0%	9.0%	21.3%	53.9%
	Grade 11	5.8%	5.4%	3.1%	6.3%	21.0%	58.4%
	Grade 12	6.4%	5.0%	3.5%	9.4%	21.4%	54.3%

**Arlington
SPRING 2010**

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	91.6%	6.3%	0.9%	1.1%
Grade 7	93.9%	5.3%	0.0%	0.8%
Grade 8	91.6%	7.0%	0.6%	0.9%
Grade 9	90.3%	6.9%	1.5%	1.2%
Grade 10	89.6%	7.8%	1.2%	1.5%
Grade 11	93.3%	5.0%	0.7%	1.1%
Grade 12	91.5%	5.7%	1.7%	1.1%
Gotten into trouble with teachers because of your drinking?				
All	99.1%	0.5%	0.2%	0.2%
Grade 7	99.3%	0.1%	0.1%	0.4%
Grade 8	98.9%	0.6%	0.2%	0.3%
Grade 9	99.2%	0.5%	0.2%	0.2%
Grade 10	98.6%	1.0%	0.2%	0.1%
Grade 11	99.6%	0.3%	0.0%	0.1%
Grade 12	98.9%	0.5%	0.3%	0.3%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.8
Alcohol Non-use	3.8

Average days conduct problems reported	
Alcohol Users:	3.5
Alcohol Non-use	1.3

**Arlington
SPRING 2010**

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	91.4%	6.2%	1.5%	1.0%
Grade 9	94.8%	4.3%	0.8%	0.2%
Grade 10	93.3%	5.1%	0.9%	0.7%
Grade 11	91.6%	6.1%	1.6%	0.7%
Grade 12	83.7%	10.3%	3.1%	2.9%
Gotten into trouble with the police because of drinking?				
All	97.4%	2.3%	0.2%	0.1%
Grade 7	98.8%	1.0%	0.1%	0.0%
Grade 8	98.8%	1.1%	0.0%	0.2%
Grade 9	97.6%	2.2%	0.2%	0.0%
Grade 10	96.5%	2.6%	0.5%	0.4%
Grade 11	97.1%	2.6%	0.3%	0.0%
Grade 12	95.3%	4.6%	0.0%	0.2%

**Arlington
SPRING 2010**

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	27.6%	22.4%	20.7%	21.4%	7.9%
	Grade 7	51.7%	23.7%	13.0%	8.6%	2.9%
	Grade 8	39.9%	24.3%	16.6%	14.9%	4.2%
	Grade 9	22.4%	24.0%	22.1%	23.3%	8.1%
	Grade 10	17.9%	21.0%	23.6%	27.1%	10.4%
	Grade 11	15.1%	22.9%	26.2%	25.7%	10.1%
	Grade 12	15.3%	17.0%	23.3%	31.1%	13.4%
Beer?						
	All	34.5%	22.2%	19.7%	17.8%	5.7%
	Grade 7	60.2%	18.9%	12.0%	7.3%	1.6%
	Grade 8	46.7%	24.0%	15.1%	11.0%	3.2%
	Grade 9	28.5%	25.8%	22.5%	17.6%	5.6%
	Grade 10	25.7%	20.3%	22.8%	22.7%	8.5%
	Grade 11	23.3%	22.9%	24.8%	22.1%	6.8%
	Grade 12	19.8%	20.1%	21.6%	29.3%	9.2%
Wine coolers?						
	All	45.7%	21.6%	16.6%	12.3%	3.8%
	Grade 7	69.6%	16.1%	8.0%	4.8%	1.5%
	Grade 8	61.3%	18.5%	9.2%	8.6%	2.4%
	Grade 9	41.8%	23.8%	18.6%	12.9%	3.0%
	Grade 10	36.2%	21.4%	20.4%	17.1%	5.0%
	Grade 11	32.4%	26.3%	22.2%	13.6%	5.6%
	Grade 12	28.3%	24.0%	23.1%	18.4%	6.3%
Wine?						
	All	51.0%	25.9%	12.7%	7.8%	2.6%
	Grade 7	70.3%	17.8%	6.7%	3.6%	1.5%
	Grade 8	61.0%	22.1%	8.9%	6.4%	1.6%
	Grade 9	48.1%	29.4%	11.9%	8.2%	2.4%
	Grade 10	43.1%	27.0%	16.1%	10.3%	3.4%
	Grade 11	42.9%	28.6%	16.8%	8.4%	3.3%
	Grade 12	38.1%	31.2%	17.2%	10.1%	3.4%
Liquor?						
	All	40.5%	21.6%	16.7%	15.8%	5.5%
	Grade 7	69.3%	17.7%	5.9%	5.1%	1.9%
	Grade 8	55.7%	22.1%	10.3%	9.2%	2.7%
	Grade 9	35.4%	25.1%	19.2%	15.0%	5.3%
	Grade 10	29.7%	22.0%	21.4%	20.9%	6.1%
	Grade 11	26.4%	23.4%	22.3%	20.3%	7.7%
	Grade 12	22.2%	17.9%	22.1%	27.3%	10.4%

**Arlington
SPRING 2010**

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	93.4%	6.0%	0.4%	0.3%
Grade 7	96.5%	3.5%	0.0%	0.0%
Grade 8	95.6%	3.7%	0.1%	0.6%
Grade 9	92.8%	6.7%	0.2%	0.3%
Grade 10	91.4%	7.1%	1.0%	0.5%
Grade 11	93.8%	5.8%	0.4%	0.0%
Grade 12	89.4%	9.4%	0.8%	0.5%
Been criticized by someone you were dating because of drinking?				
All	92.8%	5.9%	0.8%	0.4%
Grade 7	97.1%	2.6%	0.3%	0.0%
Grade 8	95.5%	3.9%	0.3%	0.3%
Grade 9	92.4%	5.7%	0.6%	1.3%
Grade 10	91.2%	7.2%	1.4%	0.2%
Grade 11	90.6%	8.4%	0.8%	0.1%
Grade 12	89.4%	8.4%	1.9%	0.3%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	40.6%	10.2%	7.6%	11.8%	16.1%	1.8%	11.9%
Grade 7	66.4%	8.2%	4.3%	5.2%	3.3%	2.2%	10.3%
Grade 8	58.5%	12.7%	6.6%	6.1%	6.0%	1.9%	8.3%
Grade 9	33.8%	11.6%	9.7%	12.6%	15.7%	2.3%	14.3%
Grade 10	30.2%	11.1%	8.2%	15.2%	20.7%	1.2%	13.3%
Grade 11	27.7%	8.6%	8.2%	16.1%	22.7%	1.6%	15.0%
Grade 12	24.1%	8.2%	8.2%	16.6%	32.4%	1.1%	9.5%

**Arlington
SPRING 2010**

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home?						
	All	44.9%	24.4%	21.9%	6.4%	2.4%
	Grade 7	58.3%	22.2%	14.7%	3.7%	1.1%
	Grade 8	47.7%	22.5%	21.2%	6.3%	2.3%
	Grade 9	45.6%	23.6%	22.6%	5.5%	2.7%
	Grade 10	40.6%	24.8%	22.6%	8.6%	3.5%
	Grade 11	41.2%	26.6%	23.2%	7.0%	2.0%
	Grade 12	32.9%	28.0%	28.3%	8.1%	2.7%
From friends?						
	All	42.4%	19.5%	16.0%	15.8%	6.3%
	Grade 7	58.2%	27.0%	7.7%	5.3%	1.7%
	Grade 8	48.8%	25.1%	14.1%	9.0%	2.9%
	Grade 9	42.2%	19.1%	18.9%	14.8%	5.0%
	Grade 10	38.7%	15.4%	19.5%	18.5%	8.0%
	Grade 11	36.2%	15.0%	18.1%	21.5%	9.3%
	Grade 12	27.0%	14.3%	17.8%	28.5%	12.4%
From a store?						
	All	43.6%	40.2%	7.7%	6.2%	2.3%
	Grade 7	57.3%	37.5%	3.7%	1.0%	0.4%
	Grade 8	50.1%	42.1%	5.1%	1.6%	1.0%
	Grade 9	43.6%	41.2%	6.2%	7.2%	1.8%
	Grade 10	39.9%	39.4%	11.1%	7.1%	2.5%
	Grade 11	38.5%	39.3%	9.8%	8.5%	3.9%
	Grade 12	29.2%	41.4%	11.6%	12.7%	5.1%
At parties?						
	All	40.4%	17.7%	13.4%	16.0%	12.6%
	Grade 7	54.7%	23.2%	10.9%	6.8%	4.5%
	Grade 8	45.5%	23.3%	13.2%	11.0%	7.0%
	Grade 9	39.5%	17.1%	14.8%	16.3%	12.3%
	Grade 10	36.4%	14.5%	14.0%	19.4%	15.8%
	Grade 11	36.4%	14.0%	12.5%	20.8%	16.4%
	Grade 12	27.0%	12.8%	14.7%	23.7%	21.8%
Other source?						
	All	44.6%	27.4%	14.4%	8.0%	5.6%
	Grade 7	57.2%	26.8%	9.5%	4.7%	1.8%
	Grade 8	50.9%	29.9%	9.4%	4.9%	4.8%
	Grade 9	43.1%	25.6%	16.0%	9.6%	5.7%
	Grade 10	41.8%	27.0%	15.2%	8.6%	7.4%
	Grade 11	40.8%	24.8%	17.6%	10.3%	6.5%
	Grade 12	31.0%	31.3%	20.0%	10.0%	7.7%

**Arlington
SPRING 2010**

Table A-14: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	66.5%	14.7%	9.5%	3.4%	1.1%	4.7%
Grade 7	78.6%	6.5%	5.5%	2.0%	0.9%	6.6%
Grade 8	71.1%	11.4%	7.8%	3.4%	0.7%	5.5%
Grade 9	65.5%	16.5%	8.0%	3.4%	1.1%	5.5%
Grade 10	64.4%	17.2%	10.9%	3.3%	1.5%	2.6%
Grade 11	63.9%	17.2%	10.3%	3.4%	1.5%	3.7%
Grade 12	53.1%	20.7%	16.4%	5.2%	0.9%	3.7%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	47.4%	31.4%	14.4%	3.4%	3.3%
Grade 7	57.5%	24.2%	11.2%	3.5%	3.6%
Grade 8	51.1%	25.6%	16.0%	3.7%	3.4%
Grade 9	43.2%	33.8%	15.5%	3.8%	3.7%
Grade 10	44.9%	34.8%	14.0%	3.6%	2.8%
Grade 11	45.4%	33.2%	14.9%	2.9%	3.7%
Grade 12	42.5%	37.7%	14.5%	2.7%	2.6%

**Arlington
SPRING 2010**

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	13.9%	19.7%	29.1%	70.9%
	Grade 7	4.8%	6.1%	9.9%	90.1%
	Grade 8	7.4%	10.2%	15.8%	84.2%
	Grade 9	15.3%	21.6%	31.8%	68.2%
	Grade 10	15.8%	23.4%	35.4%	64.6%
	Grade 11	17.9%	26.7%	39.0%	61.0%
	Grade 12	24.2%	33.2%	46.4%	53.6%
Cocaine?					
	All	1.5%	2.3%	4.8%	95.2%
	Grade 7	0.8%	1.8%	2.6%	97.4%
	Grade 8	1.0%	1.4%	2.4%	97.6%
	Grade 9	1.3%	2.0%	4.2%	95.8%
	Grade 10	1.7%	2.5%	6.2%	93.8%
	Grade 11	1.8%	2.2%	6.4%	93.6%
	Grade 12	2.4%	4.4%	7.9%	92.1%
Crack?					
	All	0.6%	0.9%	1.7%	98.3%
	Grade 7	1.0%	1.1%	2.6%	97.4%
	Grade 8	1.1%	1.4%	2.0%	98.0%
	Grade 9	0.1%	0.6%	1.0%	99.0%
	Grade 10	0.8%	1.0%	2.1%	97.9%
	Grade 11	0.4%	0.5%	1.2%	98.8%
	Grade 12	0.4%	0.4%	1.0%	99.0%
Hallucinogens?					
	All	1.6%	2.7%	4.9%	95.1%
	Grade 7	1.0%	1.1%	2.3%	97.7%
	Grade 8	1.1%	1.4%	2.5%	97.5%
	Grade 9	2.1%	3.2%	5.1%	94.9%
	Grade 10	2.4%	3.2%	6.8%	93.2%
	Grade 11	1.9%	3.5%	6.0%	94.0%
	Grade 12	1.3%	3.7%	7.2%	92.8%
Uppers?					
	All	2.2%	3.7%	5.3%	94.7%
	Grade 7	1.0%	1.7%	2.7%	97.3%
	Grade 8	0.7%	1.1%	1.9%	98.1%
	Grade 9	2.4%	3.6%	4.6%	95.4%
	Grade 10	3.0%	4.9%	6.8%	93.2%
	Grade 11	2.0%	4.3%	7.0%	93.0%
	Grade 12	4.3%	7.1%	10.1%	89.9%
Downers?					
	All	2.5%	3.9%	5.4%	94.6%
	Grade 7	0.9%	1.6%	2.3%	97.7%
	Grade 8	0.7%	1.6%	2.3%	97.7%
	Grade 9	3.0%	3.9%	4.7%	95.3%
	Grade 10	3.8%	5.6%	7.3%	92.7%
	Grade 11	2.0%	3.8%	6.3%	93.7%
	Grade 12	4.8%	7.5%	10.8%	89.2%

**Arlington
SPRING 2010**

Table D-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol?	All	0.6%	1.1%	1.7%	98.3%
	Grade 7	0.5%	1.0%	1.5%	98.5%
	Grade 8	0.6%	0.7%	1.1%	98.9%
	Grade 9	0.4%	1.5%	1.8%	98.2%
	Grade 10	1.3%	1.6%	2.7%	97.3%
	Grade 11	0.8%	1.1%	2.5%	97.5%
	Grade 12	0.1%	0.3%	0.7%	99.3%
	Steroids?	All	0.7%	1.0%	1.7%
Grade 7		0.6%	0.8%	1.4%	98.6%
Grade 8		0.7%	1.2%	1.7%	98.3%
Grade 9		0.6%	0.6%	1.4%	98.6%
Grade 10		1.1%	1.5%	2.4%	97.6%
Grade 11		0.7%	0.9%	1.8%	98.2%
Grade 12		0.7%	1.3%	1.9%	98.1%
Ecstasy?		All	2.8%	4.5%	8.2%
	Grade 7	1.4%	1.7%	3.4%	96.6%
	Grade 8	1.2%	2.2%	4.3%	95.7%
	Grade 9	3.3%	5.0%	9.0%	91.0%
	Grade 10	4.4%	7.1%	11.7%	88.3%
	Grade 11	2.2%	4.7%	8.5%	91.5%
	Grade 12	4.3%	6.6%	12.5%	87.5%
	Heroin?	All	0.7%	1.0%	1.9%
Grade 7		0.8%	1.4%	2.9%	97.1%
Grade 8		0.7%	1.0%	1.7%	98.3%
Grade 9		0.4%	0.7%	1.2%	98.8%
Grade 10		0.8%	1.1%	2.6%	97.4%
Grade 11		0.9%	1.1%	1.9%	98.1%
Grade 12		0.3%	0.4%	1.0%	99.0%

**Arlington
SPRING 2010**

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	73.0%	3.2%	3.7%	5.1%	5.3%	4.7%	5.1%
	Grade 7	90.8%	0.4%	1.9%	2.0%	1.3%	1.6%	2.0%
	Grade 8	85.5%	2.7%	1.3%	2.1%	3.4%	3.0%	1.9%
	Grade 9	69.3%	3.5%	5.2%	6.9%	6.1%	4.6%	4.4%
	Grade 10	68.3%	3.5%	4.2%	7.4%	5.0%	5.8%	5.8%
	Grade 11	64.4%	3.3%	4.3%	5.3%	9.3%	6.6%	6.8%
	Grade 12	57.1%	6.4%	5.0%	6.8%	7.1%	7.0%	10.6%
Cocaine?								
	All	96.6%	0.1%	0.2%	0.4%	0.7%	0.6%	1.4%
	Grade 7	98.0%	0.1%	0.3%	0.1%	0.4%	0.6%	0.4%
	Grade 8	99.0%	0.0%	0.3%	0.0%	0.6%	0.0%	0.1%
	Grade 9	96.7%	0.2%	0.3%	0.5%	0.8%	0.6%	0.9%
	Grade 10	95.6%	0.1%	0.1%	1.2%	0.5%	0.5%	1.9%
	Grade 11	95.8%	0.1%	0.1%	0.3%	1.0%	0.4%	2.3%
	Grade 12	93.7%	0.3%	0.3%	0.0%	1.2%	1.5%	2.9%
Crack?								
	All	98.8%	0.1%	0.2%	0.2%	0.2%	0.1%	0.4%
	Grade 7	97.8%	0.0%	0.1%	0.7%	0.3%	0.1%	0.9%
	Grade 8	98.8%	0.1%	0.3%	0.1%	0.3%	0.1%	0.1%
	Grade 9	99.2%	0.2%	0.2%	0.2%	0.3%	0.0%	0.0%
	Grade 10	98.7%	0.2%	0.0%	0.2%	0.1%	0.2%	0.5%
	Grade 11	98.6%	0.0%	0.3%	0.0%	0.3%	0.3%	0.6%
	Grade 12	99.4%	0.2%	0.2%	0.0%	0.0%	0.0%	0.3%
Hallucinogens?								
	All	95.6%	0.1%	0.1%	0.5%	0.8%	1.6%	1.3%
	Grade 7	98.6%	0.1%	0.0%	0.7%	0.1%	0.1%	0.3%
	Grade 8	97.8%	0.0%	0.0%	0.4%	0.4%	0.6%	0.7%
	Grade 9	95.1%	0.2%	0.2%	0.2%	1.2%	1.8%	1.4%
	Grade 10	93.4%	0.0%	0.2%	0.9%	1.2%	2.1%	2.2%
	Grade 11	94.3%	0.1%	0.1%	0.3%	1.5%	2.4%	1.2%
	Grade 12	94.1%	0.0%	0.0%	0.6%	0.3%	2.6%	2.4%
Uppers?								
	All	95.1%	0.2%	0.3%	0.6%	1.6%	1.0%	1.2%
	Grade 7	97.5%	0.1%	0.3%	0.4%	0.7%	0.3%	0.6%
	Grade 8	98.2%	0.0%	0.0%	0.4%	0.6%	0.6%	0.1%
	Grade 9	95.7%	0.2%	0.3%	0.5%	1.9%	0.8%	0.6%
	Grade 10	93.1%	0.4%	0.4%	0.7%	2.6%	1.1%	1.7%
	Grade 11	94.1%	0.1%	0.4%	1.0%	1.0%	1.5%	1.8%
	Grade 12	90.5%	0.3%	0.6%	0.9%	3.0%	2.2%	2.5%
Downers?								
	All	95.1%	0.2%	0.3%	0.8%	1.4%	1.2%	1.0%
	Grade 7	97.4%	0.1%	0.1%	0.4%	0.9%	0.4%	0.6%
	Grade 8	98.3%	0.0%	0.2%	0.5%	0.3%	0.5%	0.3%
	Grade 9	95.6%	0.3%	0.2%	0.8%	1.4%	0.9%	0.8%
	Grade 10	93.0%	0.2%	0.5%	0.9%	2.2%	2.1%	1.0%
	Grade 11	94.0%	0.4%	0.4%	1.1%	1.1%	1.5%	1.4%
	Grade 12	91.2%	0.2%	0.8%	1.3%	2.4%	1.7%	2.5%

**Arlington
SPRING 2010**

Table D-2: How often do you normally use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	98.6%	0.0%	0.1%	0.2%	0.3%	0.3%	0.5%
	Grade 7	98.7%	0.1%	0.0%	0.4%	0.3%	0.3%	0.1%
	Grade 8	99.1%	0.0%	0.0%	0.0%	0.3%	0.1%	0.4%
	Grade 9	98.9%	0.0%	0.2%	0.0%	0.2%	0.5%	0.3%
	Grade 10	97.9%	0.1%	0.1%	0.1%	0.2%	0.6%	0.9%
	Grade 11	97.8%	0.0%	0.4%	0.3%	0.3%	0.4%	0.8%
	Grade 12	98.9%	0.0%	0.0%	0.3%	0.3%	0.0%	0.5%
Steroids?								
	All	98.6%	0.1%	0.1%	0.1%	0.2%	0.4%	0.6%
	Grade 7	98.7%	0.0%	0.1%	0.3%	0.1%	0.3%	0.4%
	Grade 8	98.3%	0.0%	0.0%	0.0%	0.0%	0.3%	1.4%
	Grade 9	98.9%	0.0%	0.2%	0.0%	0.0%	0.3%	0.6%
	Grade 10	98.2%	0.4%	0.0%	0.1%	0.5%	0.3%	0.5%
	Grade 11	99.0%	0.0%	0.1%	0.0%	0.0%	0.6%	0.3%
	Grade 12	98.4%	0.0%	0.0%	0.0%	0.3%	0.6%	0.6%
Ecstasy?								
	All	92.7%	0.1%	0.3%	0.9%	1.8%	2.1%	2.2%
	Grade 7	97.8%	0.0%	0.1%	0.6%	0.6%	0.4%	0.4%
	Grade 8	96.7%	0.2%	0.5%	0.3%	0.8%	0.8%	0.9%
	Grade 9	91.4%	0.0%	0.3%	0.8%	2.2%	2.7%	2.7%
	Grade 10	89.3%	0.1%	0.1%	1.5%	3.1%	3.1%	2.8%
	Grade 11	91.3%	0.0%	0.6%	1.0%	1.7%	3.2%	2.4%
	Grade 12	89.2%	0.2%	0.2%	1.2%	2.8%	2.5%	4.0%
Heroin?								
	All	98.6%	0.0%	0.2%	0.1%	0.3%	0.2%	0.5%
	Grade 7	98.4%	0.0%	0.3%	0.0%	0.4%	0.4%	0.4%
	Grade 8	99.4%	0.0%	0.0%	0.2%	0.2%	0.2%	0.2%
	Grade 9	99.1%	0.0%	0.3%	0.0%	0.2%	0.3%	0.2%
	Grade 10	97.9%	0.0%	0.1%	0.2%	0.2%	0.5%	1.0%
	Grade 11	98.1%	0.1%	0.4%	0.1%	0.5%	0.0%	0.7%
	Grade 12	98.8%	0.0%	0.2%	0.0%	0.3%	0.0%	0.8%

**Arlington
SPRING 2010**

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.4	12.4	13.4	13.5	14.6	15.1
Cocaine	11.9	12.7	14.4	13.7	14.8	15.7
Crack	11.4	13.0	*	13.0	13.4	15.8
Hallucinogens	11.6	13.2	14.0	14.5	15.2	15.8
Uppers	11.7	12.8	13.8	13.9	15.1	15.4
Downers	11.9	12.9	14.0	14.1	15.0	15.2
Rohypnol	11.9	12.1	13.6	14.1	13.6	14.6
Steroids	10.4	11.8	12.2	12.9	12.3	15.6
Ecstasy	11.9	12.9	14.0	14.7	15.1	16.2
Heroin	11.5	12.9	13.7	14.1	14.6	15.6

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	76.9%	0.9%	1.8%	6.1%	8.9%	5.1%	0.4%
	Grade 7	93.2%	0.7%	2.5%	3.7%	0.0%	0.0%	0.0%
	Grade 8	87.8%	1.0%	1.0%	8.4%	1.8%	0.0%	0.0%
	Grade 9	75.7%	0.6%	2.8%	8.1%	12.6%	0.3%	0.0%
	Grade 10	72.1%	1.9%	2.3%	7.4%	13.7%	2.5%	0.2%
	Grade 11	66.7%	0.7%	1.1%	3.6%	12.7%	14.9%	0.2%
	Grade 12	61.3%	0.5%	0.3%	5.2%	13.8%	16.6%	2.3%
Other family situation								
	All	61.8%	1.6%	3.6%	11.7%	13.8%	6.7%	0.9%
	Grade 7	83.6%	1.5%	5.7%	8.4%	0.8%	0.0%	0.0%
	Grade 8	78.3%	1.8%	3.6%	11.4%	5.0%	0.0%	0.0%
	Grade 9	60.3%	2.0%	2.4%	14.5%	18.9%	1.7%	0.3%
	Grade 10	54.1%	1.4%	4.2%	15.8%	19.2%	5.4%	0.0%
	Grade 11	52.1%	1.7%	2.8%	9.3%	17.6%	15.9%	0.7%
	Grade 12	39.5%	0.7%	3.3%	8.5%	19.9%	22.5%	5.5%

**Arlington
SPRING 2010**

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	11.3%	26.7%	7.2%	9.9%	13.4%	31.5%
	Grade 7	16.8%	49.4%	8.6%	7.6%	7.0%	10.6%
	Grade 8	13.4%	45.7%	8.8%	8.9%	8.5%	14.6%
	Grade 9	10.6%	21.9%	6.2%	11.0%	15.8%	34.5%
	Grade 10	8.9%	16.5%	7.7%	9.6%	14.5%	42.8%
	Grade 11	8.7%	12.8%	6.7%	11.3%	18.4%	42.1%
	Grade 12	8.6%	10.7%	5.0%	10.7%	16.7%	48.3%
Cocaine?							
	All	17.3%	38.1%	16.4%	11.8%	7.5%	8.8%
	Grade 7	22.2%	54.8%	10.9%	5.5%	2.4%	4.2%
	Grade 8	15.7%	56.7%	13.6%	5.5%	4.9%	3.4%
	Grade 9	17.4%	34.9%	16.5%	12.1%	8.0%	11.2%
	Grade 10	15.1%	30.9%	17.0%	15.0%	9.4%	12.6%
	Grade 11	16.5%	24.3%	21.4%	17.1%	10.1%	10.5%
	Grade 12	16.5%	24.0%	19.9%	17.3%	11.1%	11.2%
Crack?							
	All	18.5%	39.0%	16.9%	11.6%	6.7%	7.4%
	Grade 7	23.3%	54.2%	9.5%	6.1%	2.6%	4.3%
	Grade 8	16.8%	56.7%	13.2%	6.2%	4.0%	3.1%
	Grade 9	18.8%	36.8%	16.6%	10.6%	7.2%	10.0%
	Grade 10	16.9%	31.0%	18.0%	15.3%	9.1%	9.8%
	Grade 11	17.3%	26.4%	23.2%	16.5%	7.9%	8.6%
	Grade 12	17.3%	25.6%	22.6%	16.5%	9.8%	8.1%
Hallucinogens?							
	All	35.1%	28.2%	12.4%	9.8%	6.6%	7.9%
	Grade 7	51.4%	34.6%	6.8%	2.7%	1.1%	3.3%
	Grade 8	46.7%	34.8%	7.7%	5.2%	2.7%	2.8%
	Grade 9	33.4%	27.3%	11.7%	11.0%	6.4%	10.1%
	Grade 10	25.6%	27.8%	15.1%	12.1%	7.8%	11.6%
	Grade 11	26.4%	22.1%	16.8%	13.8%	10.7%	10.2%
	Grade 12	24.5%	20.5%	17.9%	15.3%	12.7%	9.1%
Uppers?							
	All	51.3%	19.6%	8.1%	7.0%	5.8%	8.3%
	Grade 7	62.7%	24.0%	4.4%	3.9%	1.3%	3.6%
	Grade 8	61.2%	25.1%	5.4%	3.3%	1.9%	3.0%
	Grade 9	51.7%	19.2%	8.8%	6.3%	5.7%	8.2%
	Grade 10	45.9%	17.6%	9.4%	10.3%	5.9%	11.0%
	Grade 11	45.2%	14.0%	9.4%	9.5%	9.5%	12.4%
	Grade 12	37.2%	16.4%	12.3%	9.7%	11.8%	12.6%
Downers?							
	All	51.0%	19.5%	8.4%	6.8%	6.0%	8.1%
	Grade 7	63.4%	24.0%	4.4%	3.8%	1.2%	3.3%
	Grade 8	61.0%	24.7%	6.0%	3.0%	2.4%	2.9%
	Grade 9	51.1%	19.4%	8.7%	6.2%	7.3%	7.3%
	Grade 10	45.6%	17.5%	10.3%	9.1%	6.5%	11.0%
	Grade 11	44.9%	14.8%	9.6%	10.3%	8.6%	11.9%
	Grade 12	36.8%	15.7%	12.6%	9.7%	11.2%	14.0%

**Arlington
SPRING 2010**

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?							
	All	46.7%	24.7%	10.9%	7.7%	4.1%	5.9%
	Grade 7	56.8%	30.4%	4.9%	3.9%	1.0%	2.9%
	Grade 8	55.8%	29.7%	7.3%	2.6%	1.8%	2.7%
	Grade 9	47.6%	22.6%	10.8%	8.0%	4.2%	6.7%
	Grade 10	42.0%	22.4%	12.6%	10.4%	5.3%	7.3%
	Grade 11	40.4%	19.8%	14.5%	11.3%	6.3%	7.8%
	Grade 12	34.2%	22.7%	16.6%	11.2%	6.8%	8.4%
Steroids?							
	All	21.8%	40.4%	14.7%	10.2%	5.8%	7.1%
	Grade 7	25.6%	53.3%	9.5%	4.4%	2.4%	4.7%
	Grade 8	22.4%	54.9%	9.1%	7.5%	2.7%	3.3%
	Grade 9	22.2%	38.8%	15.3%	10.5%	5.5%	7.8%
	Grade 10	20.1%	34.9%	16.7%	13.3%	7.3%	7.7%
	Grade 11	19.6%	30.0%	19.1%	13.3%	8.1%	9.9%
	Grade 12	20.1%	27.4%	19.5%	13.5%	9.9%	9.6%
Ecstasy?							
	All	27.1%	28.7%	11.3%	9.0%	10.3%	13.5%
	Grade 7	45.1%	38.6%	6.8%	3.2%	2.3%	4.0%
	Grade 8	36.7%	40.6%	7.3%	4.5%	4.9%	6.0%
	Grade 9	23.5%	26.0%	12.0%	10.4%	12.4%	15.7%
	Grade 10	19.2%	23.5%	14.0%	12.9%	12.3%	18.1%
	Grade 11	19.4%	22.8%	13.8%	12.1%	14.2%	17.7%
	Grade 12	16.9%	18.9%	14.8%	11.6%	16.9%	20.8%
Heroin?							
	All	24.5%	40.7%	14.9%	8.4%	5.3%	6.2%
	Grade 7	30.3%	49.6%	8.8%	5.1%	2.0%	4.2%
	Grade 8	26.4%	55.0%	9.2%	3.3%	2.7%	3.3%
	Grade 9	24.3%	38.8%	15.0%	9.6%	5.6%	6.8%
	Grade 10	21.4%	34.9%	18.0%	10.3%	7.5%	7.9%
	Grade 11	22.4%	32.8%	18.3%	11.2%	7.9%	7.4%
	Grade 12	21.8%	31.1%	21.6%	11.7%	6.2%	7.6%

**Arlington
SPRING 2010**

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	86.5%	7.2%	2.6%	3.7%
Grade 7	94.6%	3.0%	0.8%	1.6%
Grade 8	92.5%	3.8%	1.7%	2.0%
Grade 9	81.7%	10.5%	3.9%	3.9%
Grade 10	83.8%	8.0%	3.4%	4.8%
Grade 11	84.2%	9.5%	1.9%	4.5%
Grade 12	82.6%	8.1%	3.8%	5.5%
Attended class while high from use of some other drug?				
All	93.8%	3.7%	1.1%	1.4%
Grade 7	95.7%	2.7%	0.7%	0.9%
Grade 8	95.3%	2.8%	0.1%	1.7%
Grade 9	92.9%	3.9%	2.1%	1.1%
Grade 10	92.6%	4.2%	1.2%	2.0%
Grade 11	93.4%	3.8%	1.5%	1.4%
Grade 12	92.7%	5.2%	0.6%	1.5%
Gotten into trouble with teachers because of your drug use?				
All	98.4%	1.1%	0.2%	0.2%
Grade 7	98.1%	1.0%	0.4%	0.4%
Grade 8	98.5%	0.9%	0.3%	0.3%
Grade 9	98.4%	1.1%	0.3%	0.2%
Grade 10	97.8%	1.9%	0.1%	0.2%
Grade 11	99.2%	0.7%	0.0%	0.1%
Grade 12	98.8%	0.9%	0.2%	0.2%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	4.9
Marijuana Non-use	4.0

Average days conduct problems reported	
Marijuana Users:	5.0
Marijuana Non-use	1.5

**Arlington
SPRING 2010**

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	89.8%	6.3%	1.5%	2.3%
Grade 9	94.0%	4.7%	0.5%	0.8%
Grade 10	92.9%	4.2%	0.9%	2.0%
Grade 11	88.8%	7.4%	1.4%	2.4%
Grade 12	80.8%	10.2%	4.0%	5.1%
Gotten into trouble with the police because of drug use?				
All	97.7%	1.8%	0.2%	0.3%
Grade 7	98.6%	0.9%	0.2%	0.3%
Grade 8	97.8%	1.6%	0.2%	0.5%
Grade 9	97.7%	1.8%	0.3%	0.2%
Grade 10	96.9%	2.3%	0.1%	0.6%
Grade 11	97.4%	2.4%	0.0%	0.1%
Grade 12	97.8%	1.6%	0.5%	0.2%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	42.9%	18.6%	16.0%	16.3%	6.1%
Grade 7	70.6%	15.8%	5.4%	6.4%	1.8%
Grade 8	59.0%	16.5%	11.6%	9.4%	3.6%
Grade 9	35.1%	19.2%	17.4%	20.4%	8.0%
Grade 10	31.4%	18.4%	20.3%	22.0%	7.9%
Grade 11	31.1%	21.7%	22.7%	16.5%	8.0%
Grade 12	28.3%	20.7%	19.8%	23.7%	7.5%

**Arlington
SPRING 2010**

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	93.9%	5.2%	0.5%	0.4%
Grade 7	96.8%	2.4%	0.7%	0.1%
Grade 8	95.5%	3.6%	0.0%	0.9%
Grade 9	93.1%	6.3%	0.6%	0.0%
Grade 10	91.1%	7.0%	0.9%	1.0%
Grade 11	94.9%	4.6%	0.4%	0.1%
Grade 12	91.8%	7.6%	0.3%	0.3%
Been criticized by someone you were dating because of drug use?				
All	92.8%	5.5%	1.0%	0.7%
Grade 7	96.9%	2.1%	0.5%	0.5%
Grade 8	96.0%	3.0%	0.3%	0.6%
Grade 9	91.7%	6.0%	1.0%	1.3%
Grade 10	89.4%	8.3%	1.5%	0.8%
Grade 11	91.4%	6.9%	1.7%	0.0%
Grade 12	91.2%	6.6%	1.4%	0.8%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	49.9%	9.5%	7.8%	8.8%	9.5%	2.5%	12.0%
Grade 7	73.6%	6.3%	2.2%	2.8%	2.5%	1.5%	11.0%
Grade 8	69.6%	8.5%	4.7%	3.1%	4.2%	1.6%	8.3%
Grade 9	43.2%	9.9%	10.3%	9.3%	9.4%	3.9%	14.0%
Grade 10	40.2%	11.5%	9.1%	12.8%	10.9%	1.7%	13.8%
Grade 11	37.0%	9.5%	10.2%	11.9%	13.8%	2.5%	15.1%
Grade 12	32.6%	12.0%	10.3%	14.5%	18.0%	3.2%	9.4%

**Arlington
SPRING 2010**

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	79.4%	9.4%	4.4%	3.3%	2.5%	0.9%
	Grade 7	90.7%	4.4%	1.8%	1.0%	1.5%	0.6%
	Grade 8	87.0%	3.8%	3.6%	2.5%	2.0%	1.2%
	Grade 9	77.4%	9.3%	6.0%	3.3%	3.0%	1.0%
	Grade 10	74.3%	11.5%	5.1%	5.0%	3.0%	1.2%
	Grade 11	74.4%	12.6%	4.7%	4.0%	3.4%	0.9%
	Grade 12	71.2%	16.9%	5.1%	4.2%	2.0%	0.6%
Blunts?	All	75.0%	6.6%	4.6%	6.4%	6.5%	0.8%
	Grade 7	90.6%	3.0%	1.9%	3.0%	1.1%	0.4%
	Grade 8	85.9%	3.7%	3.2%	3.5%	2.8%	0.9%
	Grade 9	71.5%	6.3%	6.7%	6.6%	8.3%	0.6%
	Grade 10	69.1%	7.6%	5.1%	8.0%	8.3%	1.9%
	Grade 11	67.7%	8.7%	5.7%	8.0%	9.4%	0.5%
	Grade 12	63.7%	11.6%	4.7%	10.4%	9.0%	0.6%
Bongs or water pipes?	All	84.1%	6.6%	3.5%	3.5%	1.9%	0.5%
	Grade 7	94.7%	2.3%	1.3%	0.7%	0.6%	0.4%
	Grade 8	92.0%	3.2%	1.9%	1.9%	0.9%	0.1%
	Grade 9	84.3%	6.3%	2.0%	4.1%	2.6%	0.8%
	Grade 10	80.9%	7.0%	5.3%	4.4%	1.6%	0.8%
	Grade 11	78.4%	9.9%	4.6%	4.1%	3.0%	0.0%
	Grade 12	70.9%	12.1%	7.0%	6.3%	2.9%	0.8%
Pipes?	All	84.5%	5.7%	3.3%	3.9%	2.0%	0.5%
	Grade 7	95.1%	2.2%	1.2%	0.7%	0.4%	0.4%
	Grade 8	92.6%	3.1%	1.5%	1.6%	0.9%	0.3%
	Grade 9	83.9%	5.8%	2.4%	5.2%	2.3%	0.5%
	Grade 10	81.7%	5.8%	4.5%	4.6%	2.5%	0.8%
	Grade 11	80.1%	7.6%	4.7%	4.4%	3.0%	0.1%
	Grade 12	70.8%	11.2%	6.8%	7.4%	3.1%	0.8%
Some other way?	All	87.8%	5.7%	1.7%	1.5%	1.4%	1.9%
	Grade 7	94.6%	2.5%	0.7%	0.4%	0.4%	1.3%
	Grade 8	93.1%	3.1%	1.0%	0.9%	0.9%	1.0%
	Grade 9	85.0%	4.7%	3.2%	2.3%	2.3%	2.4%
	Grade 10	84.1%	7.9%	1.5%	2.2%	1.3%	3.0%
	Grade 11	85.6%	7.1%	2.2%	1.8%	1.9%	1.4%
	Grade 12	84.7%	9.8%	1.2%	0.9%	1.1%	2.3%

**Arlington
SPRING 2010**

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	81.6%	5.6%	5.0%	1.8%	1.5%	4.6%
Grade 7	87.2%	2.3%	1.6%	0.9%	0.9%	7.1%
Grade 8	85.8%	4.2%	2.9%	1.2%	1.4%	4.5%
Grade 9	81.5%	5.2%	4.5%	2.0%	1.5%	5.2%
Grade 10	79.3%	7.1%	6.8%	2.4%	1.6%	2.8%
Grade 11	81.5%	6.0%	4.9%	1.7%	2.1%	3.9%
Grade 12	72.3%	9.6%	10.2%	2.6%	1.4%	3.8%

**Arlington
SPRING 2010**

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	55.0%	15.5%	13.7%	12.3%	3.5%
	Grade 7	76.6%	10.1%	5.2%	4.2%	3.9%
	Grade 8	68.9%	12.4%	9.3%	6.2%	3.2%
	Grade 9	51.6%	18.4%	14.3%	12.2%	3.5%
	Grade 10	46.7%	15.5%	18.4%	16.2%	3.2%
	Grade 11	43.8%	18.5%	15.8%	17.6%	4.3%
	Grade 12	39.4%	18.1%	20.8%	18.8%	3.0%
Cocaine?						
	All	83.7%	9.2%	1.9%	0.7%	4.6%
	Grade 7	85.9%	7.0%	1.4%	1.1%	4.7%
	Grade 8	84.8%	8.3%	2.1%	0.2%	4.6%
	Grade 9	81.7%	10.7%	1.8%	0.6%	5.2%
	Grade 10	82.1%	10.1%	2.5%	1.4%	3.9%
	Grade 11	83.1%	9.6%	1.5%	0.3%	5.5%
	Grade 12	85.3%	9.0%	1.7%	0.5%	3.5%
Crack?						
	All	85.6%	8.0%	1.3%	0.6%	4.5%
	Grade 7	86.0%	7.3%	1.7%	0.9%	4.0%
	Grade 8	85.2%	8.1%	1.5%	0.3%	4.9%
	Grade 9	84.4%	8.8%	1.3%	0.7%	4.9%
	Grade 10	85.5%	8.3%	1.4%	1.0%	3.8%
	Grade 11	85.3%	8.0%	1.1%	0.3%	5.3%
	Grade 12	87.9%	7.3%	0.6%	0.3%	3.8%
Ecstasy?						
	All	74.5%	13.3%	3.6%	2.0%	6.5%
	Grade 7	79.9%	7.9%	1.2%	2.1%	8.8%
	Grade 8	77.1%	9.4%	2.9%	2.0%	8.6%
	Grade 9	71.8%	14.9%	4.6%	2.2%	6.4%
	Grade 10	70.6%	15.8%	5.5%	2.8%	5.3%
	Grade 11	73.8%	16.2%	3.3%	1.1%	5.5%
	Grade 12	74.8%	15.8%	4.0%	1.4%	4.0%
Steroids?						
	All	72.8%	15.3%	4.6%	1.5%	5.8%
	Grade 7	76.0%	11.8%	3.8%	2.1%	6.3%
	Grade 8	76.1%	13.5%	2.1%	0.9%	7.4%
	Grade 9	72.2%	17.3%	4.9%	1.3%	4.3%
	Grade 10	70.6%	16.7%	6.1%	1.9%	4.7%
	Grade 11	69.0%	16.7%	6.1%	2.2%	6.0%
	Grade 12	72.9%	15.3%	4.6%	0.8%	6.4%
Heroin?						
	All	87.4%	6.1%	0.7%	0.7%	5.1%
	Grade 7	87.2%	4.7%	0.6%	1.5%	6.0%
	Grade 8	86.6%	6.7%	0.8%	0.6%	5.3%
	Grade 9	85.9%	7.8%	0.8%	0.5%	5.1%
	Grade 10	87.2%	6.1%	1.0%	1.3%	4.4%
	Grade 11	88.1%	6.0%	0.3%	0.1%	5.4%
	Grade 12	90.5%	4.3%	0.6%	0.5%	4.1%

**Arlington
SPRING 2010**

Table D-15: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
Methamphetamine?					
	All	1.0%	1.5%	3.4%	96.6%
	Grade 7	0.8%	1.5%	3.1%	96.9%
	Grade 8	0.8%	1.3%	2.4%	97.6%
	Grade 9	1.5%	1.9%	4.1%	95.9%
	Grade 10	1.1%	1.8%	4.3%	95.7%
	Grade 11	0.5%	1.2%	3.3%	96.7%
	Grade 12	0.9%	1.3%	3.2%	96.8%

**Arlington
SPRING 2010**

Table D-16: How recently, if ever, have you taken the following PRESCRIPTION DRUGS...

	Past Month	School Year	Ever Used	Never Used
Codeine?				
All	5.1%	9.2%	13.5%	86.5%
Grade 7	5.1%	7.6%	10.1%	89.9%
Grade 8	4.3%	6.8%	9.7%	90.3%
Grade 9	4.2%	9.5%	14.6%	85.4%
Grade 10	5.8%	11.0%	15.4%	84.6%
Grade 11	5.1%	9.6%	14.8%	85.2%
Grade 12	6.7%	10.8%	17.0%	83.0%
Oxycontin, Percodan or Percocet?				
All	1.1%	2.2%	3.4%	96.6%
Grade 7	0.9%	1.3%	1.9%	98.1%
Grade 8	0.7%	1.0%	1.6%	98.4%
Grade 9	1.2%	2.6%	3.2%	96.8%
Grade 10	1.8%	3.1%	4.6%	95.4%
Grade 11	1.1%	2.2%	4.4%	95.6%
Grade 12	1.1%	3.4%	5.4%	94.6%
Vicodin, Lortab or Lorcet?				
All	1.4%	3.1%	4.5%	95.5%
Grade 7	1.0%	1.6%	1.7%	98.3%
Grade 8	0.6%	1.3%	2.2%	97.8%
Grade 9	1.1%	2.5%	3.6%	96.4%
Grade 10	1.6%	3.2%	4.6%	95.4%
Grade 11	1.6%	4.3%	6.4%	93.6%
Grade 12	2.6%	6.5%	10.2%	89.8%
Valium or Diazepam?				
All	0.8%	1.8%	2.7%	97.3%
Grade 7	1.0%	1.5%	1.6%	98.4%
Grade 8	0.7%	1.0%	1.5%	98.5%
Grade 9	1.1%	1.8%	2.5%	97.5%
Grade 10	0.6%	1.6%	3.0%	97.0%
Grade 11	0.7%	1.9%	3.6%	96.4%
Grade 12	0.8%	2.9%	4.9%	95.1%
Xanax or Alprazolam?				
All	1.9%	3.5%	4.9%	95.1%
Grade 7	0.7%	1.3%	1.8%	98.2%
Grade 8	0.9%	1.6%	1.9%	98.1%
Grade 9	1.1%	3.1%	4.1%	95.9%
Grade 10	2.8%	5.0%	6.8%	93.2%
Grade 11	2.6%	4.2%	6.5%	93.5%
Grade 12	3.8%	6.1%	9.0%	91.0%

**Arlington
SPRING 2010**

Table D-17: How recently, if ever, have you taken the following OVER-THE COUNTER drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple C?				
All	1.7%	3.3%	5.5%	94.5%
Grade 7	2.1%	3.5%	4.1%	95.9%
Grade 8	2.2%	2.6%	3.8%	96.2%
Grade 9	0.9%	2.4%	4.7%	95.3%
Grade 10	1.8%	4.8%	7.4%	92.6%
Grade 11	2.0%	3.9%	6.7%	93.3%
Grade 12	1.5%	2.6%	6.8%	93.2%

**Arlington
SPRING 2010**

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Spray paint?					
	All	0.7%	1.3%	4.2%	95.8%
	Grade 7	0.9%	1.6%	5.4%	94.6%
	Grade 8	1.1%	1.7%	5.6%	94.4%
	Grade 9	0.4%	1.3%	3.9%	96.1%
	Grade 10	1.0%	1.7%	4.4%	95.6%
	Grade 11	0.4%	0.9%	3.6%	96.4%
	Grade 12	0.4%	0.6%	1.8%	98.2%
Whiteout,correction fld?					
	All	2.7%	4.4%	11.1%	88.9%
	Grade 7	5.6%	9.0%	18.3%	81.7%
	Grade 8	4.2%	7.4%	15.3%	84.7%
	Grade 9	2.2%	3.5%	10.9%	89.1%
	Grade 10	1.4%	2.2%	8.7%	91.3%
	Grade 11	1.4%	2.6%	7.0%	93.0%
	Grade 12	0.7%	1.1%	4.9%	95.1%
Computer dusting sprays?					
	All	0.5%	1.0%	2.1%	97.9%
	Grade 7	0.7%	1.1%	1.6%	98.4%
	Grade 8	0.4%	1.1%	2.0%	98.0%
	Grade 9	0.6%	1.0%	1.9%	98.1%
	Grade 10	0.7%	1.0%	2.5%	97.5%
	Grade 11	0.4%	0.9%	1.6%	98.4%
	Grade 12	0.4%	1.0%	3.0%	97.0%
Helium,butane,propane,whippets,freon?					
	All	1.8%	3.3%	7.8%	92.2%
	Grade 7	2.7%	5.0%	10.1%	89.9%
	Grade 8	2.6%	3.7%	8.5%	91.5%
	Grade 9	1.2%	3.1%	7.9%	92.1%
	Grade 10	2.2%	3.0%	7.2%	92.8%
	Grade 11	1.3%	2.6%	6.3%	93.7%
	Grade 12	0.9%	2.3%	6.1%	93.9%
Glue?					
	All	0.8%	1.4%	2.8%	97.2%
	Grade 7	1.9%	2.7%	5.0%	95.0%
	Grade 8	1.3%	1.8%	3.8%	96.2%
	Grade 9	0.3%	0.7%	1.9%	98.1%
	Grade 10	0.3%	1.0%	2.0%	98.0%
	Grade 11	0.5%	1.2%	2.4%	97.6%
	Grade 12	0.6%	0.7%	1.5%	98.5%
Toluene,paint thinner,other solvents?					
	All	0.5%	0.9%	1.8%	98.2%
	Grade 7	0.7%	1.6%	3.1%	96.9%
	Grade 8	0.6%	1.0%	1.8%	98.2%
	Grade 9	0.4%	0.7%	1.6%	98.4%
	Grade 10	0.2%	0.3%	1.3%	98.7%
	Grade 11	0.7%	1.2%	1.5%	98.5%
	Grade 12	0.3%	0.3%	1.2%	98.8%

**Arlington
SPRING 2010**

Table I-1: How recently, if ever, have you used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Gasoline,octane booster,carburetor cleaner?				
All	1.0%	1.5%	3.2%	96.8%
Grade 7	1.5%	2.5%	5.2%	94.8%
Grade 8	1.4%	2.4%	5.2%	94.8%
Grade 9	1.2%	1.5%	2.8%	97.2%
Grade 10	0.5%	1.2%	2.3%	97.7%
Grade 11	0.8%	0.8%	1.9%	98.1%
Grade 12	0.6%	0.6%	1.3%	98.7%
Other aerosols/sprays?				
All	1.2%	1.8%	3.9%	96.1%
Grade 7	2.8%	3.4%	7.2%	92.8%
Grade 8	1.5%	2.7%	5.3%	94.7%
Grade 9	0.6%	1.0%	2.7%	97.3%
Grade 10	0.9%	1.2%	3.2%	96.8%
Grade 11	1.0%	1.6%	2.7%	97.3%
Grade 12	0.1%	0.4%	2.0%	98.0%
Any inhalant?				
All	5.7%	8.7%	17.7%	82.3%
Grade 7	9.3%	13.5%	24.9%	75.1%
Grade 8	8.4%	12.6%	22.2%	77.8%
Grade 9	4.5%	7.1%	17.3%	82.7%
Grade 10	5.2%	7.3%	15.7%	84.3%
Grade 11	3.4%	6.0%	13.1%	86.9%
Grade 12	2.5%	4.6%	10.8%	89.2%

**Arlington
SPRING 2010**

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	92.4%	0.2%	0.4%	0.6%	1.4%	1.7%	3.3%
Grade 7	87.8%	0.7%	1.1%	1.8%	2.4%	2.0%	4.2%
Grade 8	91.1%	0.1%	1.0%	0.4%	1.3%	2.9%	3.1%
Grade 9	92.8%	0.0%	0.0%	0.6%	1.7%	1.2%	3.7%
Grade 10	94.3%	0.1%	0.1%	0.5%	1.0%	1.6%	2.4%
Grade 11	95.0%	0.0%	0.1%	0.1%	1.1%	1.1%	2.6%
Grade 12	94.3%	0.0%	0.2%	0.2%	0.5%	1.1%	3.9%

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	82.5%	9.1%	5.8%	2.6%
Grade 7	75.4%	11.3%	9.3%	4.1%
Grade 8	78.0%	10.8%	8.4%	2.8%
Grade 9	82.9%	10.0%	4.3%	2.8%
Grade 10	84.4%	8.6%	4.7%	2.3%
Grade 11	87.0%	7.1%	4.3%	1.6%
Grade 12	89.3%	6.1%	3.2%	1.4%

**Arlington
SPRING 2010**

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.9	11.6	12.0	11.9	13.1	13.4

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.4%	1.9%	0.3%	0.5%
Grade 7	94.3%	4.1%	0.3%	1.3%
Grade 8	97.1%	2.1%	0.6%	0.3%
Grade 9	97.7%	2.0%	0.3%	0.0%
Grade 10	97.8%	1.5%	0.1%	0.6%
Grade 11	98.5%	0.9%	0.0%	0.5%
Grade 12	99.2%	0.3%	0.2%	0.3%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	5.2
Inhalants Non-use	4.1

Average days conduct problems reported	
Inhalants Users:	4.6
Inhalants Non-use	1.9

**Arlington
SPRING 2010**

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	80.5%	13.2%	4.4%	1.5%	0.4%
Grade 7	75.9%	13.9%	6.4%	2.9%	0.8%
Grade 8	75.8%	16.1%	5.9%	1.6%	0.6%
Grade 9	79.2%	14.2%	4.3%	2.1%	0.1%
Grade 10	81.6%	12.3%	4.3%	1.4%	0.5%
Grade 11	84.5%	11.5%	3.5%	0.3%	0.3%
Grade 12	88.0%	10.2%	1.3%	0.3%	0.1%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	71.1%	16.3%	5.2%	2.0%	5.4%
Grade 7	68.1%	16.5%	6.4%	3.1%	5.9%
Grade 8	70.6%	16.7%	5.5%	1.4%	5.8%
Grade 9	70.1%	15.7%	6.8%	2.4%	5.0%
Grade 10	71.6%	16.8%	4.3%	2.6%	4.7%
Grade 11	71.4%	17.1%	4.6%	1.1%	5.7%
Grade 12	76.0%	14.6%	2.9%	1.1%	5.4%

**Arlington
SPRING 2010**

Table I-9: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Inhalants?							
	All	18.6%	16.9%	4.5%	6.8%	11.2%	41.9%
	Grade 7	20.9%	25.6%	4.2%	7.0%	10.5%	31.8%
	Grade 8	20.1%	25.4%	3.9%	7.7%	9.2%	33.7%
	Grade 9	19.3%	14.9%	4.8%	6.2%	10.1%	44.7%
	Grade 10	16.5%	13.1%	5.0%	7.8%	13.1%	44.6%
	Grade 11	17.6%	11.0%	4.0%	6.6%	12.8%	48.0%
	Grade 12	16.5%	10.0%	5.3%	5.1%	12.6%	50.5%

**Arlington
SPRING 2010**

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A school health class	All 50.1%
	Grade 7 31.4%
	Grade 8 37.8%
	Grade 9 66.7%
	Grade 10 63.5%
	Grade 11 50.9%
An assembly program	Grade 12 44.4%
	All 47.1%
	Grade 7 49.7%
	Grade 8 58.5%
	Grade 9 54.8%
	Grade 10 43.2%
Guidance counselor	Grade 11 33.7%
	Grade 12 38.5%
	All 25.7%
	Grade 7 31.8%
	Grade 8 40.3%
	Grade 9 27.6%
Science class	Grade 10 19.9%
	Grade 11 15.8%
	Grade 12 16.8%
	All 35.5%
	Grade 7 49.6%
	Grade 8 36.1%
Social studies class	Grade 9 33.7%
	Grade 10 36.9%
	Grade 11 29.7%
	Grade 12 26.4%
	All 12.9%
	Grade 7 15.0%
Student group session	Grade 8 8.1%
	Grade 9 12.9%
	Grade 10 15.1%
	Grade 11 13.1%
	Grade 12 13.3%
	All 12.9%
	Grade 7 10.8%
	Grade 8 15.8%
	Grade 9 12.1%
	Grade 10 12.3%
	Grade 11 13.0%
	Grade 12 13.6%

**Arlington
SPRING 2010**

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?
(Continued)**

CATEGORY	Yes
An invited school guest	All 39.0%
	Grade 7 46.9%
	Grade 8 50.9%
	Grade 9 44.6%
	Grade 10 34.8%
	Grade 11 23.2%
	Grade 12 30.0%
Another source at school	All 32.0%
	Grade 7 28.5%
	Grade 8 33.0%
	Grade 9 37.5%
	Grade 10 29.2%
	Grade 11 29.2%
	Grade 12 33.5%
Any school source	All 64.0%
	Grade 7 62.7%
	Grade 8 63.5%
	Grade 9 69.7%
	Grade 10 66.8%
	Grade 11 59.8%
	Grade 12 58.7%

**Arlington
SPRING 2010**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY	Yes
Counselor/program in-school	All 35.0%
	Grade 7 44.7%
	Grade 8 39.3%
	Grade 9 35.2%
	Grade 10 29.4%
	Grade 11 27.6%
	Grade 12 32.5%
Another adult in school	All 33.8%
	Grade 7 40.0%
	Grade 8 37.1%
	Grade 9 31.7%
	Grade 10 31.2%
	Grade 11 29.4%
	Grade 12 33.0%
Counselor/program outside-school	All 38.5%
	Grade 7 42.5%
	Grade 8 41.0%
	Grade 9 37.9%
	Grade 10 35.1%
	Grade 11 36.0%
	Grade 12 38.4%
Your parents	All 58.4%
	Grade 7 67.7%
	Grade 8 61.1%
	Grade 9 55.2%
	Grade 10 53.0%
	Grade 11 55.2%
	Grade 12 58.4%
A medical doctor	All 46.3%
	Grade 7 54.7%
	Grade 8 49.8%
	Grade 9 43.2%
	Grade 10 41.0%
	Grade 11 43.0%
	Grade 12 46.1%
Your friends	All 69.8%
	Grade 7 60.3%
	Grade 8 64.8%
	Grade 9 70.3%
	Grade 10 75.2%
	Grade 11 71.9%
	Grade 12 78.3%

**Arlington
SPRING 2010**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

CATEGORY	Yes
Another adult	All 60.9%
	Grade 7 59.9%
	Grade 8 61.0%
	Grade 9 62.2%
	Grade 10 60.7%
	Grade 11 60.5%
	Grade 12 60.6%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY	Yes
Seek Help	All 6.7%
	Grade 7 6.6%
	Grade 8 7.2%
	Grade 9 8.3%
	Grade 10 7.0%
	Grade 11 5.0%
	Grade 12 5.0%

**Arlington
SPRING 2010**

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	4.7%	26.7%	28.6%	32.9%	7.2%
Grade 7	7.2%	25.4%	24.9%	30.1%	12.4%
Grade 8	4.6%	27.2%	25.7%	34.9%	7.7%
Grade 9	5.0%	26.8%	30.2%	31.8%	6.3%
Grade 10	4.1%	29.8%	30.1%	31.6%	4.4%
Grade 11	3.9%	25.2%	28.8%	34.9%	7.3%
Grade 12	2.8%	25.7%	32.1%	34.6%	4.8%
Sometimes carry weapons?					
All	64.1%	22.0%	9.4%	3.3%	1.1%
Grade 7	74.0%	18.1%	4.6%	3.1%	0.3%
Grade 8	70.9%	16.9%	8.5%	2.2%	1.5%
Grade 9	61.6%	22.6%	10.8%	4.2%	0.9%
Grade 10	58.5%	24.4%	10.9%	4.6%	1.6%
Grade 11	62.7%	24.0%	10.0%	2.2%	1.0%
Grade 12	55.6%	27.3%	12.2%	3.2%	1.7%
Care about making good grades?					
All	2.4%	13.1%	23.4%	44.5%	16.6%
Grade 7	3.1%	16.4%	21.9%	37.2%	21.5%
Grade 8	3.7%	14.6%	23.6%	40.8%	17.3%
Grade 9	2.3%	12.3%	25.2%	44.6%	15.5%
Grade 10	2.1%	12.0%	27.6%	44.5%	13.8%
Grade 11	1.6%	11.8%	20.1%	49.2%	17.3%
Grade 12	1.5%	11.2%	20.9%	52.5%	13.9%
Belong/want to belong to a gang?					
All	65.3%	18.2%	10.1%	4.9%	1.5%
Grade 7	69.7%	18.6%	7.3%	4.1%	0.3%
Grade 8	66.8%	18.7%	8.7%	3.1%	2.7%
Grade 9	57.0%	19.7%	13.4%	8.0%	1.9%
Grade 10	62.5%	17.9%	12.2%	6.0%	1.4%
Grade 11	66.1%	18.6%	10.2%	3.5%	1.6%
Grade 12	72.6%	14.8%	7.7%	3.8%	1.1%
Wish they could drop out of school?					
All	56.3%	27.8%	10.6%	3.6%	1.7%
Grade 7	64.1%	24.0%	7.9%	2.7%	1.3%
Grade 8	58.0%	27.1%	9.6%	3.8%	1.5%
Grade 9	47.9%	30.8%	14.4%	4.9%	2.0%
Grade 10	51.5%	30.8%	11.5%	4.3%	1.9%
Grade 11	56.7%	27.0%	11.8%	2.7%	1.8%
Grade 12	62.4%	26.3%	7.0%	3.0%	1.3%

**Arlington
SPRING 2010**

Table X-5: How safe do you feel when you are:

		Somewhat Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Don't Know
In your home?						
	All	79.6%	17.7%	1.3%	0.5%	0.9%
	Grade 7	79.3%	17.7%	1.6%	0.1%	1.3%
	Grade 8	79.2%	18.0%	1.3%	0.7%	0.8%
	Grade 9	79.3%	18.2%	1.3%	0.4%	0.9%
	Grade 10	79.9%	17.0%	1.5%	0.7%	0.9%
	Grade 11	80.5%	16.8%	1.3%	0.5%	0.9%
	Grade 12	79.9%	18.5%	0.6%	0.4%	0.7%
Out in your neighborhood?						
	All	36.6%	51.3%	8.0%	2.4%	1.7%
	Grade 7	35.1%	50.8%	8.7%	2.7%	2.6%
	Grade 8	36.1%	51.1%	9.0%	2.4%	1.5%
	Grade 9	34.6%	54.9%	7.0%	2.2%	1.3%
	Grade 10	36.5%	50.1%	9.0%	2.5%	1.9%
	Grade 11	40.1%	49.8%	6.7%	1.8%	1.7%
	Grade 12	38.6%	49.9%	7.5%	2.7%	1.3%
At school?						
	All	36.2%	48.7%	8.5%	3.5%	3.1%
	Grade 7	48.3%	41.5%	4.7%	2.7%	2.8%
	Grade 8	49.4%	39.4%	6.0%	2.4%	2.8%
	Grade 9	29.5%	53.7%	11.0%	3.4%	2.3%
	Grade 10	27.5%	52.5%	11.4%	4.7%	3.8%
	Grade 11	32.1%	50.8%	9.3%	4.2%	3.6%
	Grade 12	29.8%	55.0%	8.0%	3.9%	3.2%

2. Prevalence Tables

**Arlington
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade
All students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	11.5%	16.6%	30.3%	69.7%
	Grade 7	4.2%	6.4%	15.4%	84.6%
	Grade 8	5.4%	9.8%	20.5%	79.5%
	Grade 9	10.9%	15.7%	31.9%	68.1%
	Grade 10	13.2%	19.1%	34.5%	65.5%
	Grade 11	16.3%	22.6%	39.2%	60.8%
	Grade 12	21.9%	29.4%	43.9%	56.1%
Alcohol					
	All	28.0%	39.7%	62.9%	37.1%
	Grade 7	14.7%	21.0%	43.3%	56.7%
	Grade 8	19.7%	29.8%	55.8%	44.2%
	Grade 9	27.1%	41.1%	65.3%	34.7%
	Grade 10	32.7%	45.7%	69.6%	30.4%
	Grade 11	33.3%	46.3%	69.1%	30.9%
	Grade 12	44.7%	58.7%	77.4%	22.6%
Inhalants					
	All	5.7%	8.7%	17.7%	82.3%
	Grade 7	9.3%	13.5%	24.9%	75.1%
	Grade 8	8.4%	12.6%	22.2%	77.8%
	Grade 9	4.5%	7.1%	17.3%	82.7%
	Grade 10	5.2%	7.3%	15.7%	84.3%
	Grade 11	3.4%	6.0%	13.1%	86.9%
	Grade 12	2.5%	4.6%	10.8%	89.2%
Any Illicit Drug					
	All	15.2%	21.0%	30.6%	69.4%
	Grade 7	5.6%	6.7%	11.7%	88.3%
	Grade 8	8.5%	11.4%	17.8%	82.2%
	Grade 9	16.0%	22.8%	33.0%	67.0%
	Grade 10	18.8%	25.9%	37.2%	62.8%
	Grade 11	19.2%	27.7%	40.7%	59.3%
	Grade 12	26.0%	35.0%	47.4%	52.6%
Marijuana & Other Illicit Drug					
	All	13.9%	19.7%	29.1%	70.9%
	Grade 7	4.8%	6.1%	9.9%	90.1%
	Grade 8	7.4%	10.2%	15.8%	84.2%
	Grade 9	15.3%	21.6%	31.8%	68.2%
	Grade 10	15.8%	23.4%	35.4%	64.6%
	Grade 11	17.9%	26.7%	39.0%	61.0%
	Grade 12	24.2%	33.2%	46.4%	53.6%
Marijuana Only					
	All	6.1%	9.9%	16.4%	83.6%
	Grade 7	1.5%	1.9%	4.4%	95.6%
	Grade 8	2.6%	4.3%	8.4%	91.6%
	Grade 9	7.3%	11.8%	18.7%	81.3%
	Grade 10	6.5%	11.1%	18.4%	81.6%
	Grade 11	8.9%	14.7%	24.8%	75.2%
	Grade 12	11.1%	17.3%	26.7%	73.3%

**Arlington
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack	All	1.8%	2.7%	5.2%	94.8%
	Grade 7	1.5%	2.3%	3.3%	96.7%
	Grade 8	1.7%	2.1%	3.0%	97.0%
	Grade 9	1.3%	2.3%	4.5%	95.5%
	Grade 10	2.2%	2.8%	6.6%	93.4%
	Grade 11	1.9%	2.5%	6.6%	93.4%
	Grade 12	2.4%	4.4%	7.8%	92.2%
	Cocaine	All	1.5%	2.3%	4.8%
Grade 7		0.8%	1.8%	2.6%	97.4%
Grade 8		1.0%	1.4%	2.4%	97.6%
Grade 9		1.3%	2.0%	4.2%	95.8%
Grade 10		1.7%	2.5%	6.2%	93.8%
Grade 11		1.8%	2.2%	6.4%	93.6%
Grade 12		2.4%	4.4%	7.9%	92.1%
Crack		All	0.6%	0.9%	1.7%
	Grade 7	1.0%	1.1%	2.6%	97.4%
	Grade 8	1.1%	1.4%	2.0%	98.0%
	Grade 9	0.1%	0.6%	1.0%	99.0%
	Grade 10	0.8%	1.0%	2.1%	97.9%
	Grade 11	0.4%	0.5%	1.2%	98.8%
	Grade 12	0.4%	0.4%	1.0%	99.0%
	Hallucinogens	All	1.6%	2.7%	4.9%
Grade 7		1.0%	1.1%	2.3%	97.7%
Grade 8		1.1%	1.4%	2.5%	97.5%
Grade 9		2.1%	3.2%	5.1%	94.9%
Grade 10		2.4%	3.2%	6.8%	93.2%
Grade 11		1.9%	3.5%	6.0%	94.0%
Grade 12		1.3%	3.7%	7.2%	92.8%
Uppers		All	2.2%	3.7%	5.3%
	Grade 7	1.0%	1.7%	2.7%	97.3%
	Grade 8	0.7%	1.1%	1.9%	98.1%
	Grade 9	2.4%	3.6%	4.6%	95.4%
	Grade 10	3.0%	4.9%	6.8%	93.2%
	Grade 11	2.0%	4.3%	7.0%	93.0%
	Grade 12	4.3%	7.1%	10.1%	89.9%
	Downers	All	2.5%	3.9%	5.4%
Grade 7		0.9%	1.6%	2.3%	97.7%
Grade 8		0.7%	1.6%	2.3%	97.7%
Grade 9		3.0%	3.9%	4.7%	95.3%
Grade 10		3.8%	5.6%	7.3%	92.7%
Grade 11		2.0%	3.8%	6.3%	93.7%
Grade 12		4.8%	7.5%	10.8%	89.2%

**Arlington
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	1.1%	1.7%	98.3%
	Grade 7	0.5%	1.0%	1.5%	98.5%
	Grade 8	0.6%	0.7%	1.1%	98.9%
	Grade 9	0.4%	1.5%	1.8%	98.2%
	Grade 10	1.3%	1.6%	2.7%	97.3%
	Grade 11	0.8%	1.1%	2.5%	97.5%
	Grade 12	0.1%	0.3%	0.7%	99.3%
	Steroids	All	0.7%	1.0%	1.7%
Grade 7		0.6%	0.8%	1.4%	98.6%
Grade 8		0.7%	1.2%	1.7%	98.3%
Grade 9		0.6%	0.6%	1.4%	98.6%
Grade 10		1.1%	1.5%	2.4%	97.6%
Grade 11		0.7%	0.9%	1.8%	98.2%
Grade 12		0.7%	1.3%	1.9%	98.1%
Ecstasy		All	2.8%	4.5%	8.2%
	Grade 7	1.4%	1.7%	3.4%	96.6%
	Grade 8	1.2%	2.2%	4.3%	95.7%
	Grade 9	3.3%	5.0%	9.0%	91.0%
	Grade 10	4.4%	7.1%	11.7%	88.3%
	Grade 11	2.2%	4.7%	8.5%	91.5%
	Grade 12	4.3%	6.6%	12.5%	87.5%
	Heroin	All	0.7%	1.0%	1.9%
Grade 7		0.8%	1.4%	2.9%	97.1%
Grade 8		0.7%	1.0%	1.7%	98.3%
Grade 9		0.4%	0.7%	1.2%	98.8%
Grade 10		0.8%	1.1%	2.6%	97.4%
Grade 11		0.9%	1.1%	1.9%	98.1%
Grade 12		0.3%	0.4%	1.0%	99.0%

**Arlington
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.7%	17.7%	31.7%	68.3%
	Grade 7	3.2%	5.4%	14.6%	85.4%
	Grade 8	5.4%	11.1%	22.2%	77.8%
	Grade 9	10.4%	15.1%	31.6%	68.4%
	Grade 10	16.4%	22.5%	37.0%	63.0%
	Grade 11	19.1%	24.0%	42.6%	57.4%
	Grade 12	23.8%	31.1%	44.1%	55.9%
Alcohol					
	All	27.5%	37.6%	61.4%	38.6%
	Grade 7	10.6%	16.3%	38.8%	61.2%
	Grade 8	20.5%	28.7%	55.6%	44.4%
	Grade 9	25.9%	39.0%	64.3%	35.7%
	Grade 10	31.4%	43.3%	68.1%	31.9%
	Grade 11	35.1%	46.0%	69.6%	30.4%
	Grade 12	44.4%	54.7%	72.9%	27.1%
Inhalants					
	All	5.3%	8.1%	16.0%	84.0%
	Grade 7	7.4%	11.1%	20.4%	79.6%
	Grade 8	8.0%	12.4%	20.7%	79.3%
	Grade 9	3.8%	6.2%	14.6%	85.4%
	Grade 10	5.6%	7.4%	16.4%	83.6%
	Grade 11	4.2%	7.0%	14.5%	85.5%
	Grade 12	2.7%	4.6%	9.2%	90.8%
Any Illicit Drug					
	All	16.8%	22.6%	32.6%	67.4%
	Grade 7	4.5%	5.8%	11.6%	88.4%
	Grade 8	9.2%	14.2%	21.0%	79.0%
	Grade 9	17.6%	23.2%	34.3%	65.7%
	Grade 10	20.4%	27.1%	39.6%	60.4%
	Grade 11	22.9%	32.4%	45.5%	54.5%
	Grade 12	27.7%	34.8%	45.5%	54.5%
Marijuana & Other Illicit Drug					
	All	15.6%	21.6%	31.7%	68.3%
	Grade 7	3.6%	5.2%	10.2%	89.8%
	Grade 8	8.3%	13.5%	19.6%	80.4%
	Grade 9	16.9%	22.1%	33.4%	66.6%
	Grade 10	18.5%	25.6%	38.8%	61.2%
	Grade 11	21.5%	31.9%	44.5%	55.5%
	Grade 12	25.4%	33.0%	45.1%	54.9%
Marijuana Only					
	All	6.9%	10.9%	18.0%	82.0%
	Grade 7	1.6%	2.1%	5.5%	94.5%
	Grade 8	2.3%	5.2%	9.3%	90.7%
	Grade 9	9.3%	13.0%	21.3%	78.7%
	Grade 10	6.7%	12.1%	19.6%	80.4%
	Grade 11	11.2%	18.1%	28.8%	71.2%
	Grade 12	10.3%	15.6%	24.3%	75.7%

**Arlington
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.7%	2.4%	5.3%	94.7%
	Grade 7	1.1%	1.1%	1.9%	98.1%
	Grade 8	1.2%	1.6%	3.1%	96.9%
	Grade 9	0.8%	1.7%	4.2%	95.8%
	Grade 10	2.5%	2.8%	7.6%	92.4%
	Grade 11	1.8%	2.4%	7.3%	92.7%
	Grade 12	3.3%	5.7%	8.4%	91.6%
Cocaine					
	All	1.5%	2.3%	5.2%	94.8%
	Grade 7	0.3%	0.6%	1.4%	98.6%
	Grade 8	1.0%	1.3%	2.9%	97.1%
	Grade 9	0.8%	1.7%	4.2%	95.8%
	Grade 10	1.9%	2.5%	7.2%	92.8%
	Grade 11	1.9%	2.4%	7.4%	92.6%
	Grade 12	3.3%	5.8%	8.5%	91.5%
Crack					
	All	0.5%	0.6%	1.3%	98.7%
	Grade 7	0.9%	0.9%	1.4%	98.6%
	Grade 8	0.6%	1.0%	1.6%	98.4%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.7%	0.7%	1.9%	98.1%
	Grade 11	0.5%	0.5%	1.4%	98.6%
	Grade 12	0.6%	0.6%	1.4%	98.6%
Hallucinogens					
	All	1.6%	2.8%	5.6%	94.4%
	Grade 7	0.6%	0.9%	2.0%	98.0%
	Grade 8	1.3%	1.6%	3.8%	96.2%
	Grade 9	2.3%	3.1%	5.4%	94.6%
	Grade 10	2.1%	3.5%	7.5%	92.5%
	Grade 11	1.6%	3.8%	6.5%	93.5%
	Grade 12	1.4%	4.2%	8.9%	91.1%
Uppers					
	All	2.2%	3.5%	5.5%	94.5%
	Grade 7	0.6%	0.6%	1.8%	98.2%
	Grade 8	1.0%	1.6%	2.9%	97.1%
	Grade 9	2.3%	3.4%	4.9%	95.1%
	Grade 10	3.3%	5.0%	7.3%	92.7%
	Grade 11	1.7%	4.4%	7.4%	92.6%
	Grade 12	4.3%	6.3%	8.8%	91.2%
Downers					
	All	2.6%	4.3%	5.9%	94.1%
	Grade 7	0.3%	0.9%	1.5%	98.5%
	Grade 8	1.0%	2.6%	4.0%	96.0%
	Grade 9	2.9%	4.1%	4.9%	95.1%
	Grade 10	4.3%	6.2%	8.3%	91.7%
	Grade 11	1.6%	3.3%	6.0%	94.0%
	Grade 12	5.2%	8.9%	10.9%	89.1%

**Arlington
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.5%	1.0%	1.7%	98.3%
	Grade 7	0.0%	0.6%	1.4%	98.6%
	Grade 8	0.6%	1.0%	1.3%	98.7%
	Grade 9	0.6%	1.4%	1.4%	98.6%
	Grade 10	0.9%	1.4%	2.6%	97.4%
	Grade 11	0.5%	0.8%	2.7%	97.3%
	Grade 12	0.0%	0.3%	0.9%	99.1%
Steroids					
	All	0.9%	1.4%	2.3%	97.7%
	Grade 7	0.3%	0.3%	1.2%	98.8%
	Grade 8	1.0%	2.0%	2.9%	97.1%
	Grade 9	0.6%	0.6%	1.4%	98.6%
	Grade 10	1.7%	2.2%	3.4%	96.6%
	Grade 11	1.1%	1.7%	3.0%	97.0%
	Grade 12	1.2%	2.0%	2.6%	97.4%
Ecstasy					
	All	2.7%	4.3%	7.7%	92.3%
	Grade 7	1.2%	1.5%	3.3%	96.7%
	Grade 8	1.3%	2.6%	5.2%	94.8%
	Grade 9	3.2%	4.3%	6.6%	93.4%
	Grade 10	3.1%	5.0%	10.7%	89.3%
	Grade 11	1.9%	4.9%	8.8%	91.2%
	Grade 12	5.1%	7.3%	11.8%	88.2%
Heroin					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.3%	0.6%	1.7%	98.3%
	Grade 8	0.6%	1.0%	1.6%	98.4%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.7%	1.2%	2.1%	97.9%
	Grade 11	0.6%	0.6%	1.9%	98.1%
	Grade 12	0.6%	0.8%	1.1%	98.9%

**Arlington
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	10.4%	15.4%	29.0%	71.0%
	Grade 7	5.1%	7.4%	16.2%	83.8%
	Grade 8	5.3%	8.7%	19.1%	80.9%
	Grade 9	11.4%	16.3%	32.2%	67.8%
	Grade 10	10.1%	15.7%	32.1%	67.9%
	Grade 11	13.4%	20.8%	35.5%	64.5%
	Grade 12	20.0%	27.6%	43.8%	56.2%
Alcohol					
	All	28.4%	41.7%	64.3%	35.7%
	Grade 7	18.6%	25.4%	47.6%	52.4%
	Grade 8	18.9%	30.6%	55.8%	44.2%
	Grade 9	28.5%	43.5%	66.4%	33.6%
	Grade 10	34.0%	48.3%	71.1%	28.9%
	Grade 11	31.4%	46.4%	68.6%	31.4%
	Grade 12	44.7%	62.9%	82.2%	17.8%
Inhalants					
	All	6.1%	9.2%	19.3%	80.7%
	Grade 7	11.0%	15.8%	29.3%	70.7%
	Grade 8	8.7%	12.8%	23.5%	76.5%
	Grade 9	5.4%	8.1%	20.3%	79.7%
	Grade 10	4.7%	7.0%	14.9%	85.1%
	Grade 11	2.8%	5.1%	11.9%	88.1%
	Grade 12	2.0%	4.4%	12.3%	87.7%
Any Illicit Drug					
	All	13.6%	19.4%	28.5%	71.5%
	Grade 7	6.8%	7.5%	11.8%	88.3%
	Grade 8	7.7%	9.0%	15.0%	85.0%
	Grade 9	14.3%	22.3%	31.5%	68.5%
	Grade 10	17.0%	24.6%	34.7%	65.3%
	Grade 11	15.7%	23.2%	35.9%	64.1%
	Grade 12	23.9%	35.0%	49.3%	50.7%
Marijuana & Other Illicit Drug					
	All	12.2%	17.8%	26.4%	73.6%
	Grade 7	5.9%	6.9%	9.7%	90.3%
	Grade 8	6.7%	7.4%	12.6%	87.4%
	Grade 9	13.6%	21.1%	30.1%	69.9%
	Grade 10	13.0%	21.1%	31.9%	68.1%
	Grade 11	14.6%	21.7%	33.5%	66.5%
	Grade 12	22.6%	33.3%	47.6%	52.4%
Marijuana Only					
	All	5.3%	8.8%	14.8%	85.2%
	Grade 7	1.5%	1.7%	3.5%	96.5%
	Grade 8	2.9%	3.6%	7.7%	92.3%
	Grade 9	5.0%	10.4%	15.7%	84.3%
	Grade 10	6.0%	10.0%	17.0%	83.0%
	Grade 11	6.8%	11.5%	20.6%	79.4%
	Grade 12	11.7%	19.0%	29.2%	70.8%

**Arlington
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.8%	2.8%	5.0%	95.0%
	Grade 7	1.8%	3.4%	4.7%	95.3%
	Grade 8	1.7%	2.2%	2.7%	97.3%
	Grade 9	1.8%	3.0%	4.8%	95.2%
	Grade 10	1.8%	2.9%	5.6%	94.4%
	Grade 11	2.1%	2.6%	5.9%	94.1%
	Grade 12	1.5%	3.0%	7.2%	92.8%
Cocaine					
	All	1.5%	2.3%	4.4%	95.6%
	Grade 7	1.3%	2.9%	3.7%	96.3%
	Grade 8	0.8%	1.3%	1.8%	98.2%
	Grade 9	1.8%	2.4%	4.2%	95.8%
	Grade 10	1.6%	2.5%	5.2%	94.8%
	Grade 11	1.8%	2.1%	5.5%	94.5%
	Grade 12	1.5%	3.0%	7.2%	92.8%
Crack					
	All	0.8%	1.1%	2.0%	98.0%
	Grade 7	1.1%	1.3%	3.8%	96.2%
	Grade 8	1.5%	1.8%	2.3%	97.7%
	Grade 9	0.3%	1.2%	1.8%	98.2%
	Grade 10	0.9%	1.4%	2.3%	97.7%
	Grade 11	0.3%	0.5%	1.1%	98.9%
	Grade 12	0.3%	0.3%	0.6%	99.4%
Hallucinogens					
	All	1.7%	2.5%	4.2%	95.8%
	Grade 7	1.3%	1.3%	2.6%	97.4%
	Grade 8	1.0%	1.3%	1.5%	98.5%
	Grade 9	1.8%	3.4%	4.9%	95.1%
	Grade 10	2.7%	2.9%	6.1%	93.9%
	Grade 11	2.1%	3.1%	5.5%	94.5%
	Grade 12	1.2%	3.1%	5.2%	94.8%
Uppers					
	All	2.2%	3.8%	5.2%	94.8%
	Grade 7	1.3%	2.7%	3.5%	96.5%
	Grade 8	0.5%	0.8%	1.0%	99.0%
	Grade 9	2.5%	3.7%	4.3%	95.7%
	Grade 10	2.7%	4.8%	6.4%	93.6%
	Grade 11	2.4%	4.2%	6.6%	93.4%
	Grade 12	4.3%	8.1%	11.5%	88.5%
Downers					
	All	2.4%	3.5%	5.0%	95.0%
	Grade 7	1.4%	2.2%	3.0%	97.0%
	Grade 8	0.5%	0.8%	1.0%	99.0%
	Grade 9	3.1%	3.8%	4.4%	95.6%
	Grade 10	3.4%	5.0%	6.4%	93.6%
	Grade 11	2.4%	4.3%	6.7%	93.3%
	Grade 12	4.4%	6.0%	10.8%	89.2%

**Arlington
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.8%	1.2%	1.8%	98.2%
	Grade 7	1.1%	1.3%	1.6%	98.4%
	Grade 8	0.5%	0.5%	1.0%	99.0%
	Grade 9	0.3%	1.5%	2.2%	97.8%
	Grade 10	1.6%	1.8%	2.8%	97.2%
	Grade 11	1.0%	1.3%	2.3%	97.7%
	Grade 12	0.3%	0.3%	0.6%	99.4%
Steroids					
	All	0.5%	0.7%	1.1%	98.9%
	Grade 7	0.8%	1.3%	1.6%	98.4%
	Grade 8	0.5%	0.5%	0.8%	99.2%
	Grade 9	0.6%	0.6%	1.3%	98.7%
	Grade 10	0.5%	0.9%	1.4%	98.6%
	Grade 11	0.3%	0.3%	0.5%	99.5%
	Grade 12	0.3%	0.6%	1.2%	98.8%
Ecstasy					
	All	2.9%	4.8%	8.6%	91.4%
	Grade 7	1.6%	1.9%	3.5%	96.5%
	Grade 8	1.0%	1.8%	3.6%	96.4%
	Grade 9	3.5%	5.7%	11.7%	88.3%
	Grade 10	5.7%	9.2%	12.6%	87.4%
	Grade 11	2.4%	4.5%	8.3%	91.7%
	Grade 12	3.4%	5.8%	13.2%	86.8%
Heroin					
	All	0.8%	1.2%	2.4%	97.6%
	Grade 7	1.3%	2.1%	3.9%	96.1%
	Grade 8	0.8%	1.0%	1.8%	98.2%
	Grade 9	0.6%	1.2%	2.2%	97.8%
	Grade 10	0.9%	1.1%	3.2%	96.8%
	Grade 11	1.3%	1.6%	1.8%	98.2%
	Grade 12	0.0%	0.0%	0.9%	99.1%

**Arlington
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade
White students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.4%	20.0%	30.4%	69.6%
	Grade 7	4.3%	5.4%	10.9%	89.1%
	Grade 8	5.7%	9.4%	17.4%	82.6%
	Grade 9	13.2%	18.5%	29.3%	70.7%
	Grade 10	17.6%	22.8%	35.2%	64.8%
	Grade 11	26.0%	32.2%	44.6%	55.4%
	Grade 12	29.4%	35.8%	50.0%	50.0%
Alcohol					
	All	28.8%	40.5%	59.3%	40.7%
	Grade 7	8.5%	14.7%	32.6%	67.4%
	Grade 8	17.0%	29.5%	48.5%	51.5%
	Grade 9	26.7%	40.3%	63.6%	36.4%
	Grade 10	36.1%	48.9%	65.4%	34.6%
	Grade 11	36.5%	48.5%	66.8%	33.2%
	Grade 12	52.5%	65.6%	82.6%	17.4%
Inhalants					
	All	5.6%	9.0%	16.8%	83.2%
	Grade 7	7.6%	12.6%	22.5%	77.5%
	Grade 8	9.0%	13.2%	20.3%	79.7%
	Grade 9	4.3%	6.3%	15.4%	84.6%
	Grade 10	4.5%	8.2%	14.2%	85.8%
	Grade 11	2.9%	5.0%	10.8%	89.2%
	Grade 12	4.2%	7.4%	15.9%	84.1%
Any Illicit Drug					
	All	16.9%	22.5%	29.4%	70.6%
	Grade 7	4.6%	5.3%	9.5%	90.5%
	Grade 8	7.9%	12.0%	16.1%	83.9%
	Grade 9	18.3%	22.1%	27.9%	72.1%
	Grade 10	20.9%	29.1%	36.9%	63.1%
	Grade 11	19.8%	29.8%	39.7%	60.3%
	Grade 12	32.4%	40.8%	51.8%	48.2%
Marijuana & Other Illicit Drug					
	All	15.6%	21.3%	28.1%	71.9%
	Grade 7	3.9%	5.1%	8.2%	91.8%
	Grade 8	6.5%	10.3%	13.8%	86.2%
	Grade 9	17.6%	21.6%	27.0%	73.0%
	Grade 10	18.4%	26.2%	34.1%	65.9%
	Grade 11	18.8%	29.2%	39.2%	60.8%
	Grade 12	30.7%	38.9%	51.4%	48.6%
Marijuana Only					
	All	5.3%	8.3%	12.8%	87.2%
	Grade 7	0.4%	0.4%	1.9%	98.1%
	Grade 8	1.9%	4.5%	6.7%	93.3%
	Grade 9	4.8%	6.7%	11.0%	89.0%
	Grade 10	4.9%	9.7%	14.2%	85.8%
	Grade 11	8.6%	14.0%	21.4%	78.6%
	Grade 12	12.7%	16.9%	25.0%	75.0%

**Arlington
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack	All	1.3%	2.4%	4.8%	95.2%
	Grade 7	1.6%	2.4%	3.9%	96.1%
	Grade 8	0.4%	0.4%	1.9%	98.1%
	Grade 9	0.5%	2.4%	3.9%	96.1%
	Grade 10	0.4%	1.1%	3.8%	96.2%
	Grade 11	2.1%	2.9%	6.3%	93.7%
	Grade 12	3.2%	5.4%	9.6%	90.4%
	Cocaine	All	1.1%	2.1%	4.5%
Grade 7		0.4%	1.6%	2.8%	97.2%
Grade 8		0.4%	0.4%	2.0%	98.0%
Grade 9		0.5%	2.0%	3.4%	96.6%
Grade 10		0.4%	1.1%	3.4%	96.6%
Grade 11		1.7%	2.5%	5.9%	94.1%
Grade 12		3.2%	5.4%	9.6%	90.4%
Crack		All	0.6%	0.7%	1.5%
	Grade 7	1.6%	1.6%	3.6%	96.4%
	Grade 8	0.4%	0.4%	0.8%	99.2%
	Grade 9	0.0%	0.5%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.8%	99.2%
	Grade 11	0.9%	0.9%	1.7%	98.3%
	Grade 12	0.7%	0.7%	1.8%	98.2%
	Hallucinogens	All	2.8%	4.6%	8.3%
Grade 7		1.7%	2.1%	3.3%	96.7%
Grade 8		2.0%	2.4%	4.0%	96.0%
Grade 9		4.5%	6.5%	10.4%	89.6%
Grade 10		3.4%	5.7%	11.5%	88.5%
Grade 11		3.4%	6.0%	9.0%	91.0%
Grade 12		1.8%	5.1%	12.1%	87.9%
Uppers		All	3.5%	6.3%	9.0%
	Grade 7	0.4%	1.6%	2.5%	97.5%
	Grade 8	0.4%	0.8%	2.4%	97.6%
	Grade 9	6.0%	8.0%	9.5%	90.5%
	Grade 10	4.9%	9.5%	12.9%	87.1%
	Grade 11	2.6%	6.4%	10.6%	89.4%
	Grade 12	6.7%	12.0%	17.2%	82.8%
	Downers	All	4.2%	6.3%	9.1%
Grade 7		0.8%	1.7%	2.5%	97.5%
Grade 8		0.8%	2.0%	3.7%	96.3%
Grade 9		7.7%	9.2%	9.7%	90.3%
Grade 10		5.0%	8.1%	10.8%	89.2%
Grade 11		3.0%	5.6%	11.2%	88.8%
Grade 12		7.5%	11.6%	17.6%	82.4%

**Arlington
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.9%	1.6%	98.4%
	Grade 7	0.4%	0.8%	0.8%	99.2%
	Grade 8	0.4%	0.8%	1.2%	98.8%
	Grade 9	0.0%	1.0%	1.5%	98.5%
	Grade 10	1.5%	1.9%	2.3%	97.7%
	Grade 11	0.4%	0.4%	2.5%	97.5%
	Grade 12	0.0%	0.4%	1.5%	98.5%
	Steroids	All	1.0%	1.2%	1.9%
Grade 7		0.8%	0.8%	1.2%	98.8%
Grade 8		1.2%	2.0%	2.4%	97.6%
Grade 9		0.5%	0.5%	1.0%	99.0%
Grade 10		1.9%	1.9%	2.7%	97.3%
Grade 11		0.9%	0.9%	2.2%	97.8%
Grade 12		0.7%	1.1%	1.9%	98.1%
Ecstasy		All	3.0%	5.1%	9.5%
	Grade 7	2.1%	2.1%	3.8%	96.2%
	Grade 8	0.4%	1.2%	3.6%	96.4%
	Grade 9	4.5%	6.6%	9.6%	90.4%
	Grade 10	5.5%	9.4%	14.9%	85.1%
	Grade 11	1.7%	4.3%	9.1%	90.9%
	Grade 12	4.0%	7.7%	16.9%	83.1%
	Heroin	All	0.6%	0.9%	1.9%
Grade 7		1.2%	1.6%	3.6%	96.4%
Grade 8		0.4%	0.8%	1.2%	98.8%
Grade 9		0.5%	0.5%	0.5%	99.5%
Grade 10		0.4%	1.2%	2.7%	97.3%
Grade 11		0.9%	0.9%	1.3%	98.7%
Grade 12		0.4%	0.7%	2.2%	97.8%

**Arlington
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	8.0%	12.2%	26.1%	73.9%
	Grade 7	3.3%	6.6%	14.9%	85.1%
	Grade 8	2.5%	9.6%	25.5%	74.5%
	Grade 9	8.2%	11.6%	26.7%	73.3%
	Grade 10	10.2%	12.2%	27.6%	72.4%
	Grade 11	10.9%	15.9%	31.3%	68.7%
	Grade 12	12.2%	16.9%	27.7%	72.3%
Alcohol					
	All	24.5%	36.3%	61.2%	38.8%
	Grade 7	14.2%	20.0%	45.8%	54.2%
	Grade 8	15.4%	26.3%	58.3%	41.7%
	Grade 9	20.4%	36.7%	59.2%	40.8%
	Grade 10	30.6%	41.8%	68.9%	31.1%
	Grade 11	26.4%	37.8%	61.2%	38.8%
	Grade 12	41.2%	54.7%	72.3%	27.7%
Inhalants					
	All	5.5%	7.6%	14.5%	85.5%
	Grade 7	11.5%	14.8%	23.0%	77.0%
	Grade 8	7.5%	10.7%	18.9%	81.1%
	Grade 9	4.8%	6.8%	15.0%	85.0%
	Grade 10	5.1%	5.6%	13.6%	86.4%
	Grade 11	4.4%	6.9%	12.8%	87.2%
	Grade 12	0.0%	1.4%	3.4%	96.6%
Any Illicit Drug					
	All	15.0%	22.5%	33.4%	66.6%
	Grade 7	5.7%	9.8%	10.7%	89.3%
	Grade 8	6.9%	8.2%	15.7%	84.3%
	Grade 9	15.5%	25.0%	38.5%	61.5%
	Grade 10	16.7%	22.7%	36.4%	63.6%
	Grade 11	18.6%	29.4%	43.6%	56.4%
	Grade 12	26.0%	38.7%	51.3%	48.7%
Marijuana & Other Illicit Drug					
	All	14.4%	21.8%	32.5%	67.5%
	Grade 7	5.1%	9.4%	10.3%	89.7%
	Grade 8	6.6%	7.3%	13.9%	86.1%
	Grade 9	15.9%	24.1%	37.9%	62.1%
	Grade 10	15.3%	22.4%	34.7%	65.3%
	Grade 11	18.4%	28.9%	42.3%	57.7%
	Grade 12	24.0%	37.0%	51.4%	48.6%
Marijuana Only					
	All	8.4%	14.0%	23.1%	76.9%
	Grade 7	3.3%	4.9%	5.7%	94.3%
	Grade 8	2.5%	3.1%	8.1%	91.9%
	Grade 9	10.0%	16.7%	28.0%	72.0%
	Grade 10	7.6%	12.1%	22.2%	77.8%
	Grade 11	11.7%	20.9%	34.0%	66.0%
	Grade 12	14.7%	25.3%	37.3%	62.7%

**Arlington
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack	All	0.4%	0.7%	1.1%	98.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.7%	0.7%	1.3%	98.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.0%	1.0%	1.0%	99.0%
	Grade 11	0.5%	1.0%	2.0%	98.0%
	Grade 12	0.0%	1.4%	2.1%	97.9%
	Cocaine	All	0.3%	0.6%	1.0%
Grade 7		0.0%	0.0%	0.0%	100.0%
Grade 8		0.0%	0.7%	1.4%	98.6%
Grade 9		0.0%	0.0%	0.0%	100.0%
Grade 10		1.0%	1.0%	1.0%	99.0%
Grade 11		0.5%	0.5%	1.5%	98.5%
Grade 12		0.0%	1.4%	2.1%	97.9%
Crack		All	0.2%	0.3%	0.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.7%	0.7%	1.4%	98.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.5%	0.5%	0.5%	99.5%
	Grade 11	0.0%	0.5%	1.0%	99.0%
	Grade 12	0.0%	0.0%	0.7%	99.3%
	Hallucinogens	All	0.6%	1.0%	1.6%
Grade 7		0.0%	0.0%	0.9%	99.1%
Grade 8		0.0%	0.0%	0.0%	100.0%
Grade 9		0.0%	0.7%	0.7%	99.3%
Grade 10		2.1%	2.1%	4.1%	95.9%
Grade 11		1.0%	1.0%	1.0%	99.0%
Grade 12		0.7%	2.1%	2.8%	97.2%
Uppers		All	2.0%	2.7%	3.0%
	Grade 7	1.9%	2.8%	2.8%	97.2%
	Grade 8	2.0%	3.4%	3.4%	96.6%
	Grade 9	1.4%	1.4%	1.4%	98.6%
	Grade 10	1.6%	2.1%	3.1%	96.9%
	Grade 11	1.6%	2.1%	2.7%	97.3%
	Grade 12	4.2%	5.6%	5.6%	94.4%
	Downers	All	2.3%	3.2%	3.7%
Grade 7		1.9%	1.9%	1.9%	98.1%
Grade 8		0.7%	2.1%	2.1%	97.9%
Grade 9		1.4%	1.4%	1.4%	98.6%
Grade 10		3.1%	4.7%	6.3%	93.7%
Grade 11		1.6%	2.1%	3.2%	96.8%
Grade 12		5.8%	8.0%	8.0%	92.0%

**Arlington
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.6%	1.1%	1.2%	98.8%
	Grade 7	0.9%	1.8%	1.8%	98.2%
	Grade 8	0.7%	0.7%	0.7%	99.3%
	Grade 9	0.0%	1.4%	1.4%	98.6%
	Grade 10	1.6%	2.1%	2.6%	97.4%
	Grade 11	0.5%	0.5%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.6%	0.9%	1.5%	98.5%
	Grade 7	0.0%	0.9%	0.9%	99.1%
	Grade 8	0.7%	0.7%	1.4%	98.6%
	Grade 9	0.7%	0.7%	2.1%	97.9%
	Grade 10	0.5%	1.1%	1.6%	98.4%
	Grade 11	0.5%	0.5%	0.5%	99.5%
	Grade 12	0.7%	1.4%	2.1%	97.9%
Ecstasy					
	All	3.3%	4.5%	6.9%	93.1%
	Grade 7	0.9%	1.9%	2.8%	97.2%
	Grade 8	2.0%	3.4%	4.7%	95.3%
	Grade 9	2.8%	4.3%	9.2%	90.8%
	Grade 10	5.2%	6.3%	8.9%	91.1%
	Grade 11	3.7%	4.8%	6.4%	93.6%
	Grade 12	4.8%	6.2%	7.6%	92.4%
Heroin					
	All	0.4%	0.5%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.9%	99.1%
	Grade 8	0.0%	0.7%	1.4%	98.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.6%	1.6%	1.6%	98.4%
	Grade 11	0.5%	0.5%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Arlington
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	10.8%	17.2%	35.3%	64.7%
	Grade 7	4.2%	7.2%	20.9%	79.1%
	Grade 8	8.6%	12.4%	24.8%	75.2%
	Grade 9	10.6%	15.7%	36.9%	63.1%
	Grade 10	12.9%	22.8%	43.4%	56.6%
	Grade 11	14.6%	22.1%	45.2%	54.8%
	Grade 12	19.0%	31.6%	50.0%	50.0%
Alcohol					
	All	31.7%	44.0%	70.8%	29.2%
	Grade 7	23.2%	29.6%	54.7%	45.3%
	Grade 8	25.8%	33.5%	63.2%	36.8%
	Grade 9	30.9%	44.1%	72.5%	27.5%
	Grade 10	35.3%	51.1%	77.6%	22.4%
	Grade 11	41.5%	58.0%	85.5%	14.5%
	Grade 12	40.9%	59.1%	80.5%	19.5%
Inhalants					
	All	6.0%	9.2%	20.6%	79.4%
	Grade 7	10.1%	13.9%	28.1%	71.9%
	Grade 8	9.9%	15.5%	27.7%	72.3%
	Grade 9	3.4%	6.7%	19.7%	80.3%
	Grade 10	5.5%	8.0%	19.3%	80.7%
	Grade 11	3.9%	5.9%	14.6%	85.4%
	Grade 12	1.3%	2.5%	6.9%	93.1%
Any Illicit Drug					
	All	15.1%	20.4%	33.1%	66.9%
	Grade 7	6.7%	7.1%	15.3%	84.7%
	Grade 8	11.4%	14.8%	22.4%	77.6%
	Grade 9	15.5%	22.7%	36.1%	63.9%
	Grade 10	18.6%	25.9%	41.2%	58.8%
	Grade 11	23.5%	30.4%	47.1%	52.9%
	Grade 12	19.4%	27.5%	46.3%	53.8%
Marijuana & Other Illicit Drug					
	All	13.0%	18.6%	30.8%	69.2%
	Grade 7	5.7%	6.5%	12.3%	87.7%
	Grade 8	9.7%	13.6%	19.9%	80.1%
	Grade 9	14.0%	20.4%	34.5%	65.5%
	Grade 10	14.4%	22.5%	39.9%	60.1%
	Grade 11	21.5%	29.5%	44.5%	55.5%
	Grade 12	16.4%	25.2%	42.8%	57.2%
Marijuana Only					
	All	6.3%	10.0%	17.6%	82.4%
	Grade 7	2.2%	2.6%	7.4%	92.6%
	Grade 8	4.7%	7.0%	11.2%	88.8%
	Grade 9	8.8%	13.4%	20.9%	79.1%
	Grade 10	6.9%	11.6%	20.7%	79.3%
	Grade 11	9.2%	14.1%	24.8%	75.2%
	Grade 12	6.8%	13.0%	26.1%	73.9%

**Arlington
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack	All	3.1%	4.2%	8.7%	91.3%
	Grade 7	1.9%	3.4%	4.2%	95.8%
	Grade 8	3.4%	3.9%	4.9%	95.1%
	Grade 9	2.6%	3.4%	7.7%	92.3%
	Grade 10	4.8%	5.9%	13.3%	86.7%
	Grade 11	3.5%	3.5%	13.4%	86.6%
	Grade 12	2.5%	5.7%	12.1%	87.9%
	Cocaine	All	2.5%	3.7%	8.3%
Grade 7		1.2%	2.7%	3.5%	96.5%
Grade 8		2.0%	2.5%	3.5%	96.5%
Grade 9		2.6%	3.4%	7.8%	92.2%
Grade 10		3.7%	5.2%	12.7%	87.3%
Grade 11		3.5%	3.5%	13.6%	86.4%
Grade 12		2.6%	5.8%	12.2%	87.8%
Crack		All	1.0%	1.4%	2.6%
	Grade 7	0.8%	1.2%	3.1%	96.9%
	Grade 8	2.0%	2.5%	3.6%	96.4%
	Grade 9	0.4%	0.9%	1.7%	98.3%
	Grade 10	1.9%	2.3%	4.6%	95.4%
	Grade 11	0.5%	0.5%	1.5%	98.5%
	Grade 12	0.6%	0.6%	0.6%	99.4%
	Hallucinogens	All	1.3%	2.2%	4.3%
Grade 7		0.4%	0.4%	1.6%	98.4%
Grade 8		1.0%	1.0%	2.5%	97.5%
Grade 9		1.3%	2.6%	3.9%	96.1%
Grade 10		2.2%	2.6%	5.6%	94.4%
Grade 11		1.5%	4.6%	8.2%	91.8%
Grade 12		1.3%	3.2%	5.8%	94.2%
Uppers		All	1.0%	2.1%	3.7%
	Grade 7	0.8%	1.2%	2.8%	97.2%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.0%	1.7%	3.4%	96.6%
	Grade 10	1.9%	2.7%	4.6%	95.4%
	Grade 11	3.1%	5.7%	7.8%	92.2%
	Grade 12	1.3%	2.6%	4.6%	95.4%
	Downers	All	1.1%	2.4%	3.4%
Grade 7		0.0%	1.2%	2.1%	97.9%
Grade 8		0.5%	0.5%	1.1%	98.9%
Grade 9		0.4%	1.8%	3.1%	96.9%
Grade 10		2.7%	3.4%	4.9%	95.1%
Grade 11		2.1%	5.2%	5.7%	94.3%
Grade 12		1.3%	3.3%	4.7%	95.3%

**Arlington
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	1.1%	2.1%	97.9%
	Grade 7	0.4%	0.8%	1.2%	98.8%
	Grade 8	0.5%	0.5%	1.5%	98.5%
	Grade 9	0.4%	1.3%	1.7%	98.3%
	Grade 10	0.8%	1.1%	3.0%	97.0%
	Grade 11	1.5%	2.5%	4.6%	95.4%
	Grade 12	0.7%	0.7%	0.7%	99.3%
	Steroids	All	0.6%	1.0%	1.5%
Grade 7		0.4%	0.8%	1.6%	98.4%
Grade 8		0.5%	0.5%	1.0%	99.0%
Grade 9		0.4%	0.4%	0.4%	99.6%
Grade 10		0.8%	1.5%	2.3%	97.7%
Grade 11		1.0%	1.6%	2.6%	97.4%
Grade 12		0.7%	1.3%	2.0%	98.0%
Ecstasy		All	2.7%	3.9%	7.9%
	Grade 7	1.2%	1.2%	2.0%	98.0%
	Grade 8	1.6%	2.1%	4.8%	95.2%
	Grade 9	2.7%	4.0%	9.4%	90.6%
	Grade 10	4.2%	6.1%	11.7%	88.3%
	Grade 11	2.1%	6.2%	10.3%	89.7%
	Grade 12	5.2%	5.2%	11.0%	89.0%
	Heroin	All	1.1%	1.4%	2.7%
Grade 7		1.2%	2.0%	3.6%	96.4%
Grade 8		1.5%	1.5%	2.6%	97.4%
Grade 9		0.9%	1.3%	2.2%	97.8%
Grade 10		0.7%	0.7%	2.6%	97.4%
Grade 11		2.1%	2.1%	4.1%	95.9%
Grade 12		0.7%	0.7%	0.7%	99.3%

**Arlington
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	6.3%	8.4%	17.4%	82.6%
	Grade 7	0.6%	1.3%	5.3%	94.7%
	Grade 8	2.5%	3.7%	9.0%	91.0%
	Grade 9	3.6%	4.1%	11.2%	88.8%
	Grade 10	6.3%	9.3%	23.2%	76.8%
	Grade 11	10.8%	15.4%	29.0%	71.0%
	Grade 12	18.8%	22.9%	36.8%	63.2%
Alcohol					
	All	18.7%	29.4%	50.2%	49.8%
	Grade 7	4.7%	11.0%	33.2%	66.8%
	Grade 8	10.2%	17.6%	38.1%	61.9%
	Grade 9	16.0%	30.8%	53.3%	46.7%
	Grade 10	23.1%	36.6%	59.2%	40.8%
	Grade 11	28.3%	39.2%	57.5%	42.5%
	Grade 12	41.0%	55.9%	73.4%	26.6%
Inhalants					
	All	3.6%	6.4%	13.4%	86.6%
	Grade 7	5.0%	9.3%	18.6%	81.4%
	Grade 8	3.7%	5.3%	11.4%	88.6%
	Grade 9	3.6%	6.0%	11.3%	88.7%
	Grade 10	3.8%	5.9%	14.2%	85.8%
	Grade 11	2.9%	5.4%	9.5%	90.5%
	Grade 12	2.2%	4.9%	13.0%	87.0%
Any Illicit Drug					
	All	8.1%	11.0%	17.4%	82.6%
	Grade 7	0.9%	1.2%	5.2%	94.8%
	Grade 8	3.7%	5.3%	8.1%	91.9%
	Grade 9	5.3%	7.1%	14.2%	85.8%
	Grade 10	13.0%	17.2%	23.8%	76.2%
	Grade 11	10.7%	16.0%	24.3%	75.7%
	Grade 12	21.1%	27.8%	39.5%	60.5%
Marijuana & Other Illicit Drug					
	All	7.0%	9.8%	16.0%	84.0%
	Grade 7	0.6%	0.9%	3.8%	96.2%
	Grade 8	2.9%	3.7%	5.8%	94.2%
	Grade 9	4.2%	6.0%	11.9%	88.1%
	Grade 10	10.1%	14.8%	23.2%	76.8%
	Grade 11	10.0%	15.4%	23.3%	76.7%
	Grade 12	19.7%	25.7%	39.4%	60.6%
Marijuana Only					
	All	3.3%	5.1%	9.7%	90.3%
	Grade 7	0.0%	0.3%	2.8%	97.2%
	Grade 8	1.2%	1.6%	3.2%	96.8%
	Grade 9	2.9%	4.1%	8.7%	91.3%
	Grade 10	3.3%	6.3%	12.1%	87.9%
	Grade 11	6.2%	9.9%	16.5%	83.5%
	Grade 12	9.0%	12.6%	21.5%	78.5%

**Arlington
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	0.7%	1.3%	2.8%	97.2%
	Grade 7	0.6%	0.6%	1.0%	99.0%
	Grade 8	0.4%	1.3%	1.7%	98.3%
	Grade 9	0.6%	0.6%	1.8%	98.2%
	Grade 10	0.8%	1.3%	4.2%	95.8%
	Grade 11	0.8%	0.8%	2.9%	97.1%
	Grade 12	1.4%	3.6%	6.8%	93.2%
Cocaine					
	All	0.6%	1.1%	2.5%	97.5%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.0%	0.9%	1.3%	98.7%
	Grade 9	0.6%	0.6%	1.8%	98.2%
	Grade 10	0.9%	0.9%	3.8%	96.2%
	Grade 11	0.8%	0.8%	2.9%	97.1%
	Grade 12	1.4%	3.6%	6.8%	93.2%
Crack					
	All	0.4%	0.6%	1.1%	98.9%
	Grade 7	0.7%	0.7%	1.0%	99.0%
	Grade 8	0.4%	0.9%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.4%	0.9%	2.6%	97.4%
	Grade 11	0.4%	0.4%	0.8%	99.2%
	Grade 12	0.5%	0.5%	1.4%	98.6%
Hallucinogens					
	All	1.1%	1.8%	3.2%	96.8%
	Grade 7	0.3%	0.3%	0.7%	99.3%
	Grade 8	0.9%	1.3%	2.1%	97.9%
	Grade 9	0.6%	0.6%	1.8%	98.2%
	Grade 10	3.4%	3.4%	5.9%	94.1%
	Grade 11	1.3%	2.5%	4.2%	95.8%
	Grade 12	0.9%	3.7%	6.5%	93.5%
Uppers					
	All	1.0%	2.0%	3.0%	97.0%
	Grade 7	0.3%	0.3%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.0%	0.6%	0.6%	99.4%
	Grade 10	3.4%	3.4%	3.8%	96.2%
	Grade 11	0.0%	2.1%	3.8%	96.2%
	Grade 12	3.3%	7.1%	11.3%	88.7%
Downers					
	All	1.4%	2.2%	3.1%	96.9%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.4%	0.4%	0.9%	99.1%
	Grade 9	0.0%	0.6%	0.6%	99.4%
	Grade 10	3.4%	3.8%	4.3%	95.7%
	Grade 11	0.8%	2.5%	3.8%	96.2%
	Grade 12	4.7%	7.0%	11.3%	88.7%

**Arlington
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.3%	0.3%	0.6%	99.4%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	0.9%	1.3%	98.7%
	Grade 11	0.4%	0.4%	1.7%	98.3%
	Grade 12	0.0%	0.5%	0.9%	99.1%
Steroids					
	All	0.6%	0.9%	1.4%	98.6%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.0%	0.9%	1.3%	98.7%
	Grade 9	0.6%	0.6%	1.9%	98.1%
	Grade 10	1.7%	2.1%	2.1%	97.9%
	Grade 11	0.4%	0.4%	1.3%	98.7%
	Grade 12	0.5%	1.4%	1.9%	98.1%
Ecstasy					
	All	1.0%	2.0%	3.7%	96.3%
	Grade 7	0.0%	0.3%	1.0%	99.0%
	Grade 8	0.0%	0.0%	1.3%	98.7%
	Grade 9	0.6%	0.6%	3.1%	96.9%
	Grade 10	3.5%	5.2%	6.1%	93.9%
	Grade 11	0.0%	2.1%	2.5%	97.5%
	Grade 12	2.8%	5.2%	10.3%	89.7%
Heroin					
	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.0%	0.3%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	1.7%	1.7%	2.9%	97.1%
	Grade 11	0.0%	0.4%	0.8%	99.2%
	Grade 12	0.5%	0.9%	1.9%	98.1%

**Arlington
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.9%	20.2%	36.2%	63.8%
	Grade 7	6.9%	10.4%	23.3%	76.7%
	Grade 8	6.7%	12.7%	25.9%	74.1%
	Grade 9	13.1%	19.2%	38.3%	61.7%
	Grade 10	16.0%	22.6%	38.2%	61.8%
	Grade 11	19.1%	26.0%	44.1%	55.9%
	Grade 12	23.1%	32.2%	47.2%	52.8%
Alcohol					
	All	32.3%	44.6%	68.9%	31.1%
	Grade 7	22.5%	28.9%	51.6%	48.4%
	Grade 8	24.2%	35.7%	65.2%	34.8%
	Grade 9	30.7%	44.7%	69.1%	30.9%
	Grade 10	36.2%	49.3%	73.7%	26.3%
	Grade 11	35.4%	49.4%	74.5%	25.5%
	Grade 12	46.5%	60.2%	79.3%	20.7%
Inhalants					
	All	6.6%	9.7%	19.7%	80.3%
	Grade 7	12.6%	16.9%	30.2%	69.8%
	Grade 8	10.8%	16.0%	27.4%	72.6%
	Grade 9	4.7%	7.4%	19.4%	80.6%
	Grade 10	5.8%	7.8%	16.1%	83.9%
	Grade 11	3.8%	6.4%	14.9%	85.1%
	Grade 12	2.7%	4.5%	9.9%	90.1%
Any Illicit Drug					
	All	18.4%	25.4%	36.4%	63.6%
	Grade 7	9.2%	10.8%	16.7%	83.3%
	Grade 8	10.8%	14.0%	22.1%	77.9%
	Grade 9	19.3%	27.5%	38.4%	61.6%
	Grade 10	20.7%	29.0%	41.8%	58.2%
	Grade 11	23.0%	33.0%	48.4%	51.6%
	Grade 12	27.9%	38.1%	51.0%	49.0%
Marijuana & Other Illicit Drug					
	All	16.9%	24.0%	34.8%	65.2%
	Grade 7	7.9%	10.0%	14.7%	85.3%
	Grade 8	9.6%	13.0%	20.3%	79.7%
	Grade 9	18.8%	26.3%	37.7%	62.3%
	Grade 10	17.7%	26.4%	39.5%	60.5%
	Grade 11	21.5%	31.8%	46.4%	53.6%
	Grade 12	25.8%	36.4%	49.5%	50.5%
Marijuana Only					
	All	7.5%	12.1%	19.5%	80.5%
	Grade 7	2.7%	3.1%	5.8%	94.2%
	Grade 8	3.4%	5.6%	10.8%	89.2%
	Grade 9	8.9%	14.3%	21.7%	78.3%
	Grade 10	7.6%	13.1%	20.7%	79.3%
	Grade 11	10.1%	16.8%	28.5%	71.5%
	Grade 12	12.0%	19.6%	29.4%	70.6%

**Arlington
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack	All	2.1%	3.2%	6.2%	93.8%
	Grade 7	2.1%	3.5%	5.2%	94.8%
	Grade 8	2.1%	2.3%	3.6%	96.4%
	Grade 9	1.5%	2.9%	5.4%	94.6%
	Grade 10	2.5%	3.3%	7.3%	92.7%
	Grade 11	2.3%	3.1%	8.3%	91.7%
	Grade 12	2.5%	4.4%	8.0%	92.0%
	Cocaine	All	1.8%	2.8%	5.8%
Grade 7		1.2%	2.9%	4.4%	95.6%
Grade 8		1.3%	1.5%	2.8%	97.2%
Grade 9		1.6%	2.5%	5.1%	94.9%
Grade 10		1.9%	3.0%	6.9%	93.1%
Grade 11		2.1%	2.7%	8.0%	92.0%
Grade 12		2.5%	4.4%	8.1%	91.9%
Crack		All	0.8%	1.0%	2.0%
	Grade 7	1.2%	1.5%	4.0%	96.0%
	Grade 8	1.5%	1.7%	2.6%	97.4%
	Grade 9	0.2%	0.8%	1.4%	98.6%
	Grade 10	1.0%	1.1%	2.0%	98.0%
	Grade 11	0.4%	0.6%	1.4%	98.6%
	Grade 12	0.4%	0.4%	0.9%	99.1%
	Hallucinogens	All	1.8%	2.9%	5.6%
Grade 7		1.5%	1.7%	3.6%	96.4%
Grade 8		1.3%	1.3%	2.6%	97.4%
Grade 9		2.4%	3.9%	6.1%	93.9%
Grade 10		1.8%	2.9%	6.8%	93.2%
Grade 11		2.2%	4.0%	6.7%	93.3%
Grade 12		1.5%	3.5%	7.4%	92.6%
Uppers		All	2.6%	4.4%	6.2%
	Grade 7	1.5%	2.7%	4.2%	95.8%
	Grade 8	0.9%	1.5%	2.4%	97.6%
	Grade 9	2.8%	4.2%	5.4%	94.6%
	Grade 10	2.9%	5.5%	7.9%	92.1%
	Grade 11	3.0%	5.4%	8.7%	91.3%
	Grade 12	4.8%	7.0%	9.4%	90.6%
	Downers	All	2.9%	4.6%	6.4%
Grade 7		1.3%	2.5%	3.8%	96.2%
Grade 8		0.9%	2.2%	3.1%	96.9%
Grade 9		3.6%	4.6%	5.7%	94.3%
Grade 10		3.9%	6.2%	8.4%	91.6%
Grade 11		2.6%	4.4%	7.6%	92.4%
Grade 12		4.9%	7.6%	10.5%	89.5%

**Arlington
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.8%	1.4%	2.2%	97.8%
	Grade 7	0.7%	1.5%	2.4%	97.6%
	Grade 8	0.9%	1.1%	1.7%	98.3%
	Grade 9	0.6%	2.0%	2.3%	97.7%
	Grade 10	1.3%	1.8%	3.1%	96.9%
	Grade 11	1.0%	1.4%	2.9%	97.1%
	Grade 12	0.2%	0.2%	0.7%	99.3%
	Steroids	All	0.8%	1.1%	1.9%
Grade 7		0.7%	1.2%	2.2%	97.8%
Grade 8		1.1%	1.3%	2.0%	98.0%
Grade 9		0.6%	0.6%	1.2%	98.8%
Grade 10		0.8%	1.3%	2.5%	97.5%
Grade 11		0.8%	1.2%	2.0%	98.0%
Grade 12		0.9%	1.3%	2.0%	98.0%
Ecstasy		All	3.5%	5.5%	10.1%
	Grade 7	2.5%	2.8%	5.3%	94.7%
	Grade 8	1.8%	2.9%	5.5%	94.5%
	Grade 9	3.8%	6.0%	10.7%	89.3%
	Grade 10	4.6%	7.5%	13.3%	86.7%
	Grade 11	3.2%	6.1%	11.3%	88.7%
	Grade 12	5.0%	7.3%	13.4%	86.6%
	Heroin	All	0.8%	1.2%	2.3%
Grade 7		1.5%	2.2%	4.6%	95.4%
Grade 8		1.1%	1.5%	2.6%	97.4%
Grade 9		0.6%	1.0%	1.4%	98.6%
Grade 10		0.5%	0.8%	2.4%	97.6%
Grade 11		1.4%	1.4%	2.4%	97.6%
Grade 12		0.2%	0.2%	0.6%	99.4%

**Arlington
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	9.4%	13.7%	25.2%	74.8%
	Grade 7	2.8%	4.0%	11.0%	89.0%
	Grade 8	3.5%	6.2%	13.4%	86.6%
	Grade 9	9.1%	12.7%	26.5%	73.5%
	Grade 10	10.7%	16.8%	30.0%	70.0%
	Grade 11	13.8%	19.8%	34.9%	65.1%
	Grade 12	19.3%	26.6%	40.3%	59.7%
Alcohol					
	All	25.0%	34.9%	58.0%	42.0%
	Grade 7	12.8%	17.0%	39.8%	60.2%
	Grade 8	17.4%	26.4%	49.5%	50.5%
	Grade 9	23.7%	34.7%	61.7%	38.3%
	Grade 10	28.7%	39.2%	62.2%	37.8%
	Grade 11	31.7%	45.8%	67.6%	32.4%
	Grade 12	40.7%	52.3%	71.7%	28.3%
Inhalants					
	All	4.7%	7.5%	15.5%	84.5%
	Grade 7	6.7%	11.2%	22.5%	77.5%
	Grade 8	7.3%	11.0%	20.2%	79.8%
	Grade 9	3.3%	5.9%	14.4%	85.6%
	Grade 10	5.1%	7.6%	14.5%	85.5%
	Grade 11	2.8%	4.3%	9.3%	90.7%
	Grade 12	2.4%	3.8%	10.3%	89.7%
Any Illicit Drug					
	All	12.1%	16.8%	24.6%	75.4%
	Grade 7	2.9%	3.5%	7.9%	92.1%
	Grade 8	6.7%	8.5%	13.5%	86.5%
	Grade 9	13.6%	18.2%	26.6%	73.4%
	Grade 10	14.4%	21.1%	30.2%	69.8%
	Grade 11	16.1%	25.1%	34.9%	65.1%
	Grade 12	22.3%	28.5%	39.8%	60.2%
Marijuana & Other Illicit Drug					
	All	10.7%	15.4%	22.9%	77.1%
	Grade 7	1.9%	3.0%	6.6%	93.4%
	Grade 8	4.9%	6.8%	11.2%	88.8%
	Grade 9	12.4%	17.1%	24.5%	75.5%
	Grade 10	11.8%	18.7%	28.4%	71.6%
	Grade 11	15.5%	24.2%	33.6%	66.4%
	Grade 12	20.6%	25.9%	37.8%	62.2%
Marijuana Only					
	All	5.1%	8.3%	13.4%	86.6%
	Grade 7	0.2%	0.4%	3.1%	96.9%
	Grade 8	1.8%	2.7%	5.7%	94.3%
	Grade 9	6.6%	10.4%	15.2%	84.8%
	Grade 10	4.3%	9.2%	15.0%	85.0%
	Grade 11	9.4%	15.6%	22.8%	77.2%
	Grade 12	9.8%	13.6%	21.5%	78.5%

**Arlington
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.5%	2.2%	4.5%	95.5%
	Grade 7	0.6%	1.3%	1.9%	98.1%
	Grade 8	1.4%	1.9%	2.8%	97.2%
	Grade 9	1.3%	2.3%	4.4%	95.6%
	Grade 10	1.4%	1.6%	5.4%	94.6%
	Grade 11	1.3%	1.3%	4.6%	95.4%
	Grade 12	3.2%	5.1%	9.2%	90.8%
Cocaine					
	All	1.2%	1.8%	4.2%	95.8%
	Grade 7	0.2%	0.9%	1.8%	98.2%
	Grade 8	0.7%	1.0%	1.9%	98.1%
	Grade 9	1.3%	2.1%	4.2%	95.8%
	Grade 10	0.8%	1.4%	4.8%	95.2%
	Grade 11	1.1%	1.1%	4.4%	95.6%
	Grade 12	3.2%	5.1%	9.3%	90.7%
Crack					
	All	0.6%	0.7%	1.4%	98.6%
	Grade 7	0.4%	0.4%	1.3%	98.7%
	Grade 8	1.0%	1.5%	2.2%	97.8%
	Grade 9	0.3%	0.5%	0.8%	99.2%
	Grade 10	0.6%	0.6%	2.0%	98.0%
	Grade 11	0.4%	0.4%	1.1%	98.9%
	Grade 12	0.7%	0.7%	1.0%	99.0%
Hallucinogens					
	All	0.9%	1.8%	3.6%	96.4%
	Grade 7	0.7%	0.9%	1.5%	98.5%
	Grade 8	0.7%	1.0%	2.2%	97.8%
	Grade 9	0.3%	1.9%	3.4%	96.6%
	Grade 10	2.0%	2.6%	5.2%	94.8%
	Grade 11	1.1%	1.8%	3.8%	96.2%
	Grade 12	1.0%	2.8%	6.0%	94.0%
Uppers					
	All	1.2%	2.2%	3.4%	96.6%
	Grade 7	0.2%	0.2%	1.4%	98.6%
	Grade 8	0.2%	0.5%	0.7%	99.3%
	Grade 9	1.1%	1.9%	2.9%	97.1%
	Grade 10	2.6%	4.5%	5.3%	94.7%
	Grade 11	0.5%	1.8%	3.2%	96.8%
	Grade 12	3.3%	5.4%	7.9%	92.1%
Downers					
	All	1.4%	2.4%	3.5%	96.5%
	Grade 7	0.0%	0.5%	1.2%	98.8%
	Grade 8	0.8%	1.0%	1.3%	98.8%
	Grade 9	1.1%	2.2%	3.0%	97.0%
	Grade 10	3.0%	4.1%	5.1%	94.9%
	Grade 11	0.7%	1.4%	3.0%	97.0%
	Grade 12	3.5%	6.1%	8.4%	91.6%

**Arlington
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.7%	1.1%	98.9%
	Grade 7	0.2%	0.4%	0.7%	99.3%
	Grade 8	0.2%	0.5%	1.0%	99.0%
	Grade 9	0.5%	1.3%	1.6%	98.4%
	Grade 10	0.6%	0.6%	1.4%	98.6%
	Grade 11	0.4%	0.7%	1.1%	98.9%
	Grade 12	0.3%	0.5%	0.8%	99.2%
Steroids	All	0.8%	1.2%	2.0%	98.0%
	Grade 7	0.7%	0.9%	1.6%	98.4%
	Grade 8	0.2%	0.7%	1.5%	98.5%
	Grade 9	0.8%	0.8%	1.6%	98.4%
	Grade 10	1.4%	2.0%	3.4%	96.6%
	Grade 11	0.9%	1.4%	2.0%	98.0%
	Grade 12	1.0%	1.5%	1.8%	98.2%
Ecstasy	All	2.2%	3.5%	6.0%	94.0%
	Grade 7	0.9%	1.1%	2.3%	97.7%
	Grade 8	1.2%	1.7%	3.2%	96.8%
	Grade 9	2.5%	3.3%	5.8%	94.2%
	Grade 10	3.5%	6.7%	10.2%	89.8%
	Grade 11	1.1%	2.3%	5.0%	95.0%
	Grade 12	4.0%	6.5%	10.3%	89.7%
Heroin	All	0.4%	0.6%	1.5%	98.5%
	Grade 7	0.4%	0.9%	1.8%	98.2%
	Grade 8	0.7%	0.7%	1.7%	98.3%
	Grade 9	0.0%	0.3%	0.5%	99.5%
	Grade 10	0.6%	0.6%	2.4%	97.6%
	Grade 11	0.4%	0.7%	1.1%	98.9%
	Grade 12	0.5%	0.5%	1.3%	98.7%

**Arlington
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.7%	20.7%	37.5%	62.5%
	Grade 7	6.6%	10.1%	22.2%	77.8%
	Grade 8	8.2%	15.0%	30.7%	69.3%
	Grade 9	13.4%	19.6%	38.6%	61.4%
	Grade 10	16.7%	22.3%	40.8%	59.2%
	Grade 11	20.1%	26.9%	45.5%	54.5%
	Grade 12	25.7%	33.2%	49.0%	51.0%
Alcohol					
	All	32.3%	46.7%	69.7%	30.3%
	Grade 7	18.0%	27.7%	48.8%	51.2%
	Grade 8	23.1%	34.9%	64.5%	35.5%
	Grade 9	31.7%	49.7%	70.3%	29.7%
	Grade 10	38.1%	54.8%	79.4%	20.6%
	Grade 11	36.1%	47.4%	71.6%	28.4%
	Grade 12	50.2%	67.7%	85.2%	14.8%
Inhalants					
	All	7.1%	10.4%	20.7%	79.3%
	Grade 7	13.4%	17.2%	28.9%	71.1%
	Grade 8	10.0%	15.2%	25.6%	74.4%
	Grade 9	6.1%	8.7%	21.4%	78.6%
	Grade 10	5.3%	6.9%	17.2%	82.8%
	Grade 11	4.5%	8.3%	18.2%	81.8%
	Grade 12	2.8%	5.5%	11.4%	88.6%
Any Illicit Drug					
	All	19.7%	27.0%	39.1%	60.9%
	Grade 7	10.0%	11.7%	17.9%	82.1%
	Grade 8	11.0%	15.5%	23.5%	76.5%
	Grade 9	19.4%	28.4%	41.0%	59.0%
	Grade 10	24.8%	32.7%	47.0%	53.0%
	Grade 11	23.6%	31.5%	49.4%	50.6%
	Grade 12	31.6%	44.9%	58.8%	41.2%
Marijuana & Other Illicit Drug					
	All	18.4%	25.9%	37.9%	62.1%
	Grade 7	9.6%	11.4%	15.3%	84.7%
	Grade 8	10.7%	15.1%	22.1%	77.9%
	Grade 9	19.2%	27.2%	41.1%	58.9%
	Grade 10	21.3%	29.9%	45.1%	54.9%
	Grade 11	21.3%	30.3%	47.1%	52.9%
	Grade 12	29.6%	44.3%	59.2%	40.8%
Marijuana Only					
	All	7.6%	12.2%	20.8%	79.2%
	Grade 7	3.8%	4.5%	6.8%	93.2%
	Grade 8	3.5%	6.4%	11.8%	88.2%
	Grade 9	8.3%	13.1%	22.8%	77.2%
	Grade 10	9.4%	13.9%	23.1%	76.9%
	Grade 11	8.2%	13.5%	27.7%	72.3%
	Grade 12	13.2%	23.1%	34.9%	65.1%

**Arlington
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.3%	3.4%	6.1%	93.9%
	Grade 7	2.9%	4.0%	5.8%	94.2%
	Grade 8	2.0%	2.4%	3.4%	96.6%
	Grade 9	1.3%	2.3%	4.6%	95.4%
	Grade 10	3.2%	4.5%	8.3%	91.7%
	Grade 11	2.9%	4.2%	9.7%	90.3%
	Grade 12	1.4%	3.2%	5.6%	94.4%
Cocaine					
	All	1.9%	3.0%	5.7%	94.3%
	Grade 7	1.9%	3.3%	4.1%	95.9%
	Grade 8	1.4%	2.1%	3.1%	96.9%
	Grade 9	1.3%	2.0%	4.3%	95.7%
	Grade 10	2.9%	4.0%	8.0%	92.0%
	Grade 11	2.9%	3.9%	9.4%	90.6%
	Grade 12	1.4%	3.2%	5.6%	94.4%
Crack					
	All	0.8%	1.1%	2.0%	98.0%
	Grade 7	1.9%	2.2%	4.8%	95.2%
	Grade 8	1.4%	1.4%	1.7%	98.3%
	Grade 9	0.0%	0.7%	1.3%	98.7%
	Grade 10	1.1%	1.6%	2.2%	97.8%
	Grade 11	0.3%	0.7%	1.3%	98.7%
	Grade 12	0.0%	0.0%	0.7%	99.3%
Hallucinogens					
	All	2.6%	3.9%	6.7%	93.3%
	Grade 7	1.5%	1.5%	3.3%	96.7%
	Grade 8	1.7%	2.1%	3.1%	96.9%
	Grade 9	4.3%	5.0%	7.3%	92.7%
	Grade 10	3.0%	4.1%	8.9%	91.1%
	Grade 11	3.0%	5.6%	9.0%	91.0%
	Grade 12	1.4%	4.7%	8.6%	91.4%
Uppers					
	All	3.5%	5.7%	8.0%	92.0%
	Grade 7	2.3%	4.2%	5.0%	95.0%
	Grade 8	1.4%	2.1%	3.5%	96.5%
	Grade 9	4.0%	5.7%	6.7%	93.3%
	Grade 10	3.5%	5.4%	8.9%	91.1%
	Grade 11	4.4%	8.2%	12.9%	87.1%
	Grade 12	5.4%	9.4%	13.0%	87.0%
Downers					
	All	4.0%	6.0%	8.2%	91.8%
	Grade 7	2.3%	3.4%	4.2%	95.8%
	Grade 8	0.7%	2.5%	3.9%	96.1%
	Grade 9	5.5%	6.1%	6.8%	93.2%
	Grade 10	4.9%	7.6%	10.4%	89.6%
	Grade 11	4.0%	7.3%	11.3%	88.7%
	Grade 12	6.4%	9.4%	14.2%	85.8%

**Arlington
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.0%	1.6%	2.6%	97.4%
	Grade 7	1.1%	1.9%	2.6%	97.4%
	Grade 8	1.0%	1.0%	1.4%	98.6%
	Grade 9	0.3%	1.6%	2.0%	98.0%
	Grade 10	2.2%	3.0%	4.3%	95.7%
	Grade 11	1.3%	1.7%	4.7%	95.3%
	Grade 12	0.0%	0.0%	0.7%	99.3%
Steroids					
	All	0.6%	0.8%	1.3%	98.7%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	1.4%	1.7%	2.1%	97.9%
	Grade 9	0.3%	0.3%	1.0%	99.0%
	Grade 10	0.6%	0.8%	0.8%	99.2%
	Grade 11	0.3%	0.3%	1.4%	98.6%
	Grade 12	0.4%	0.7%	1.8%	98.2%
Ecstasy					
	All	3.7%	6.0%	11.3%	88.7%
	Grade 7	2.3%	2.7%	5.1%	94.9%
	Grade 8	1.0%	2.8%	5.9%	94.1%
	Grade 9	4.4%	7.1%	13.2%	86.8%
	Grade 10	5.8%	7.8%	13.9%	86.1%
	Grade 11	3.7%	8.5%	13.6%	86.4%
	Grade 12	4.3%	6.4%	15.4%	84.6%
Heroin					
	All	1.0%	1.5%	2.5%	97.5%
	Grade 7	1.5%	2.2%	4.8%	95.2%
	Grade 8	0.7%	1.4%	1.7%	98.3%
	Grade 9	1.0%	1.3%	2.0%	98.0%
	Grade 10	1.1%	1.9%	3.0%	97.0%
	Grade 11	1.7%	1.7%	3.0%	97.0%
	Grade 12	0.0%	0.4%	0.7%	99.3%

**Arlington
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	9.9%	14.5%	27.3%	72.7%
	Grade 7	2.9%	4.9%	11.9%	88.1%
	Grade 8	4.2%	7.4%	16.1%	83.9%
	Grade 9	9.3%	13.1%	29.2%	70.8%
	Grade 10	10.3%	16.0%	31.1%	68.9%
	Grade 11	15.1%	22.1%	37.6%	62.4%
	Grade 12	20.4%	27.5%	42.5%	57.5%
Alcohol					
	All	25.4%	37.0%	60.5%	39.5%
	Grade 7	12.2%	18.3%	40.4%	59.6%
	Grade 8	15.6%	25.3%	50.9%	49.1%
	Grade 9	25.4%	39.2%	63.8%	36.2%
	Grade 10	29.9%	42.6%	68.6%	31.4%
	Grade 11	32.1%	45.3%	67.2%	32.8%
	Grade 12	41.3%	55.9%	76.2%	23.8%
Inhalants					
	All	4.7%	7.5%	16.4%	83.6%
	Grade 7	7.1%	10.9%	22.6%	77.4%
	Grade 8	6.1%	10.1%	19.4%	80.6%
	Grade 9	4.5%	7.3%	17.6%	82.4%
	Grade 10	4.6%	5.8%	13.7%	86.3%
	Grade 11	2.8%	5.2%	12.5%	87.5%
	Grade 12	2.2%	4.6%	10.5%	89.5%
Any Illicit Drug					
	All	12.7%	17.8%	27.0%	73.0%
	Grade 7	4.1%	5.1%	9.3%	90.7%
	Grade 8	6.1%	8.0%	13.0%	87.0%
	Grade 9	13.6%	19.6%	29.5%	70.5%
	Grade 10	14.9%	21.6%	33.1%	66.9%
	Grade 11	16.6%	24.3%	37.0%	63.0%
	Grade 12	23.3%	31.9%	45.3%	54.7%
Marijuana & Other Illicit Drug					
	All	11.4%	16.6%	25.6%	74.4%
	Grade 7	3.4%	4.6%	7.7%	92.3%
	Grade 8	5.0%	6.8%	11.1%	88.9%
	Grade 9	13.0%	18.7%	28.7%	71.3%
	Grade 10	12.3%	19.1%	30.9%	69.1%
	Grade 11	15.3%	23.5%	35.6%	64.4%
	Grade 12	21.7%	30.4%	44.2%	55.8%
Marijuana Only					
	All	5.4%	8.8%	15.3%	84.7%
	Grade 7	1.2%	1.3%	3.3%	96.7%
	Grade 8	2.3%	3.0%	6.4%	93.6%
	Grade 9	6.2%	10.3%	16.8%	83.2%
	Grade 10	5.0%	9.6%	17.5%	82.5%
	Grade 11	8.5%	13.8%	23.8%	76.2%
	Grade 12	10.6%	17.1%	27.5%	72.5%

**Arlington
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.2%	1.9%	3.9%	96.1%
	Grade 7	0.9%	1.6%	2.4%	97.6%
	Grade 8	1.1%	1.6%	2.2%	97.8%
	Grade 9	1.1%	1.9%	3.8%	96.2%
	Grade 10	1.5%	2.0%	5.9%	94.1%
	Grade 11	1.7%	2.0%	5.4%	94.6%
	Grade 12	0.9%	2.2%	4.3%	95.7%
Cocaine					
	All	1.0%	1.6%	3.6%	96.4%
	Grade 7	0.7%	1.4%	1.9%	98.1%
	Grade 8	0.5%	1.1%	1.6%	98.4%
	Grade 9	1.1%	1.5%	3.4%	96.6%
	Grade 10	1.2%	1.7%	5.4%	94.6%
	Grade 11	1.7%	2.0%	5.4%	94.6%
	Grade 12	0.9%	2.3%	4.3%	95.7%
Crack					
	All	0.3%	0.6%	1.2%	98.8%
	Grade 7	0.4%	0.5%	2.0%	98.0%
	Grade 8	0.9%	1.3%	1.5%	98.5%
	Grade 9	0.0%	0.6%	1.0%	99.0%
	Grade 10	0.6%	0.9%	2.0%	98.0%
	Grade 11	0.2%	0.2%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.4%	99.6%
Hallucinogens					
	All	1.3%	2.1%	3.8%	96.2%
	Grade 7	0.9%	0.9%	1.8%	98.2%
	Grade 8	0.6%	0.9%	1.5%	98.5%
	Grade 9	2.3%	2.9%	4.8%	95.2%
	Grade 10	1.9%	2.3%	4.8%	95.2%
	Grade 11	1.0%	2.4%	4.5%	95.5%
	Grade 12	1.0%	2.9%	5.9%	94.1%
Uppers					
	All	1.9%	3.4%	4.8%	95.2%
	Grade 7	1.1%	1.8%	2.7%	97.3%
	Grade 8	0.2%	0.4%	0.9%	99.1%
	Grade 9	2.3%	3.5%	4.5%	95.5%
	Grade 10	2.2%	4.2%	6.0%	94.0%
	Grade 11	2.1%	4.5%	6.4%	93.6%
	Grade 12	4.0%	6.5%	9.4%	90.6%
Downers					
	All	2.1%	3.4%	4.9%	95.1%
	Grade 7	0.9%	1.8%	2.4%	97.6%
	Grade 8	0.0%	0.4%	0.9%	99.1%
	Grade 9	3.2%	4.2%	4.9%	95.1%
	Grade 10	3.3%	4.9%	6.3%	93.7%
	Grade 11	1.9%	3.8%	6.3%	93.7%
	Grade 12	3.1%	6.0%	9.4%	90.6%

**Arlington
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.4%	0.7%	1.3%	98.7%
	Grade 7	0.5%	1.1%	1.4%	98.6%
	Grade 8	0.2%	0.4%	0.6%	99.4%
	Grade 9	0.2%	0.8%	1.2%	98.8%
	Grade 10	0.9%	1.1%	2.2%	97.8%
	Grade 11	0.5%	0.7%	1.9%	98.1%
	Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.4%	0.9%	1.5%	98.5%
	Grade 9	0.4%	0.4%	1.2%	98.8%
	Grade 10	1.0%	1.4%	2.4%	97.6%
	Grade 11	0.3%	0.3%	1.0%	99.0%
	Grade 12	0.2%	0.6%	1.4%	98.6%
Ecstasy					
	All	2.1%	3.5%	6.8%	93.2%
	Grade 7	0.9%	0.9%	2.7%	97.3%
	Grade 8	0.9%	1.7%	3.7%	96.3%
	Grade 9	2.8%	3.8%	7.3%	92.7%
	Grade 10	3.3%	6.0%	9.6%	90.4%
	Grade 11	1.6%	4.4%	7.3%	92.7%
	Grade 12	2.9%	5.0%	10.7%	89.3%
Heroin					
	All	0.6%	0.8%	1.5%	98.5%
	Grade 7	0.5%	0.9%	1.8%	98.2%
	Grade 8	0.7%	1.1%	1.3%	98.7%
	Grade 9	0.6%	0.8%	1.4%	98.6%
	Grade 10	0.6%	0.6%	2.0%	98.0%
	Grade 11	0.9%	0.9%	1.6%	98.4%
	Grade 12	0.2%	0.2%	1.0%	99.0%

**Arlington
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	17.8%	24.3%	40.9%	59.1%
	Grade 7	11.3%	14.2%	29.2%	70.8%
	Grade 8	11.7%	20.7%	38.7%	61.3%
	Grade 9	18.4%	25.4%	42.1%	57.9%
	Grade 10	18.5%	25.9%	42.6%	57.4%
	Grade 11	19.6%	23.0%	43.2%	56.8%
	Grade 12	28.2%	37.3%	49.1%	50.9%
Alcohol					
	All	36.9%	49.9%	71.5%	28.5%
	Grade 7	23.6%	30.9%	54.5%	45.5%
	Grade 8	36.4%	49.1%	72.7%	27.3%
	Grade 9	34.2%	51.8%	72.8%	27.2%
	Grade 10	39.0%	54.3%	72.6%	27.4%
	Grade 11	36.7%	47.6%	74.8%	25.2%
	Grade 12	54.1%	67.0%	81.7%	18.3%
Inhalants					
	All	9.4%	12.9%	22.5%	77.5%
	Grade 7	18.5%	24.1%	35.2%	64.8%
	Grade 8	18.9%	24.3%	36.0%	64.0%
	Grade 9	5.2%	6.9%	19.0%	81.0%
	Grade 10	7.4%	12.3%	22.1%	77.9%
	Grade 11	5.4%	8.1%	14.1%	85.9%
	Grade 12	2.8%	3.7%	9.3%	90.7%
Any Illicit Drug					
	All	24.6%	33.0%	44.3%	55.7%
	Grade 7	11.7%	12.6%	22.5%	77.5%
	Grade 8	20.5%	27.7%	38.4%	61.6%
	Grade 9	24.1%	35.3%	46.6%	53.4%
	Grade 10	31.9%	39.2%	50.0%	50.0%
	Grade 11	27.5%	38.9%	53.0%	47.0%
	Grade 12	30.6%	42.3%	53.2%	46.8%
Marijuana & Other Illicit Drug					
	All	22.7%	30.8%	41.9%	58.1%
	Grade 7	10.6%	12.5%	20.2%	79.8%
	Grade 8	18.8%	25.0%	33.9%	66.1%
	Grade 9	23.0%	32.7%	43.4%	56.6%
	Grade 10	27.2%	36.4%	49.4%	50.6%
	Grade 11	26.7%	37.0%	50.0%	50.0%
	Grade 12	28.7%	38.9%	51.9%	48.1%
Marijuana Only					
	All	8.2%	13.1%	20.0%	80.0%
	Grade 7	1.8%	2.7%	8.0%	92.0%
	Grade 8	4.5%	9.8%	15.2%	84.8%
	Grade 9	9.5%	15.5%	24.1%	75.9%
	Grade 10	10.8%	14.4%	19.2%	80.8%
	Grade 11	10.0%	17.3%	27.3%	72.7%
	Grade 12	11.7%	18.0%	24.3%	75.7%

**Arlington
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	4.1%	5.9%	10.1%	89.9%
	Grade 7	4.8%	5.8%	8.7%	91.3%
	Grade 8	3.6%	3.6%	6.4%	93.6%
	Grade 9	2.7%	5.4%	7.2%	92.8%
	Grade 10	5.0%	6.3%	9.4%	90.6%
	Grade 11	3.4%	4.8%	11.7%	88.3%
	Grade 12	5.6%	10.2%	19.4%	80.6%
Cocaine					
	All	2.9%	4.9%	9.2%	90.8%
	Grade 7	1.0%	2.9%	5.9%	94.1%
	Grade 8	1.9%	1.9%	4.7%	95.3%
	Grade 9	2.8%	5.5%	7.3%	92.7%
	Grade 10	3.8%	5.7%	8.9%	91.1%
	Grade 11	2.8%	3.5%	10.6%	89.4%
	Grade 12	5.6%	10.3%	19.6%	80.4%
Crack					
	All	2.0%	2.1%	3.4%	96.6%
	Grade 7	5.2%	5.2%	8.2%	91.8%
	Grade 8	2.8%	2.8%	4.7%	95.3%
	Grade 9	0.9%	0.9%	0.9%	99.1%
	Grade 10	1.9%	1.9%	2.6%	97.4%
	Grade 11	1.4%	2.1%	4.2%	95.8%
	Grade 12	0.0%	0.0%	1.0%	99.0%
Hallucinogens					
	All	3.4%	5.7%	9.6%	90.4%
	Grade 7	2.0%	3.0%	6.1%	93.9%
	Grade 8	3.7%	3.7%	6.5%	93.5%
	Grade 9	0.9%	5.4%	6.3%	93.7%
	Grade 10	5.1%	7.0%	15.3%	84.7%
	Grade 11	5.0%	7.1%	12.1%	87.9%
	Grade 12	3.9%	7.8%	10.8%	89.2%
Uppers					
	All	3.8%	5.8%	8.2%	91.8%
	Grade 7	1.1%	2.2%	4.3%	95.7%
	Grade 8	3.9%	5.8%	6.8%	93.2%
	Grade 9	3.7%	5.6%	5.6%	94.4%
	Grade 10	6.4%	7.1%	10.3%	89.7%
	Grade 11	2.1%	4.3%	10.0%	90.0%
	Grade 12	5.0%	10.0%	13.0%	87.0%
Downers					
	All	4.2%	6.1%	8.2%	91.8%
	Grade 7	1.1%	1.1%	3.2%	96.8%
	Grade 8	4.0%	7.1%	8.1%	91.9%
	Grade 9	3.7%	4.6%	4.6%	95.4%
	Grade 10	5.7%	8.9%	12.0%	88.0%
	Grade 11	2.9%	4.3%	7.1%	92.9%
	Grade 12	8.2%	11.3%	15.5%	84.5%

**Arlington
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.9%	2.8%	3.8%	96.2%
	Grade 7	1.0%	1.0%	2.0%	98.0%
	Grade 8	2.9%	2.9%	3.8%	96.2%
	Grade 9	1.8%	4.5%	4.5%	95.5%
	Grade 10	3.2%	3.8%	5.1%	94.9%
	Grade 11	1.4%	2.1%	4.2%	95.8%
	Grade 12	1.0%	1.0%	2.0%	98.0%
Steroids					
	All	1.9%	2.5%	3.2%	96.8%
	Grade 7	1.1%	1.1%	2.1%	97.9%
	Grade 8	2.9%	2.9%	3.9%	96.1%
	Grade 9	1.8%	1.8%	2.8%	97.2%
	Grade 10	1.9%	2.6%	3.2%	96.8%
	Grade 11	2.2%	3.6%	4.4%	95.6%
	Grade 12	1.0%	2.9%	2.9%	97.1%
Ecstasy					
	All	6.1%	8.8%	14.3%	85.7%
	Grade 7	4.3%	6.4%	7.4%	92.6%
	Grade 8	3.0%	5.9%	8.9%	91.1%
	Grade 9	7.6%	12.4%	18.1%	81.9%
	Grade 10	9.2%	11.8%	20.3%	79.7%
	Grade 11	4.4%	5.9%	13.2%	86.8%
	Grade 12	7.0%	9.0%	15.0%	85.0%
Heroin					
	All	1.1%	1.8%	3.5%	96.5%
	Grade 7	3.0%	4.0%	8.9%	91.1%
	Grade 8	1.0%	1.0%	3.8%	96.2%
	Grade 9	0.0%	0.9%	0.9%	99.1%
	Grade 10	1.9%	3.2%	5.7%	94.3%
	Grade 11	0.7%	1.4%	2.1%	97.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Arlington
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.3%	17.9%	36.7%	63.3%
	Grade 7	5.9%	8.5%	21.8%	78.2%
	Grade 8	6.5%	9.0%	31.0%	69.0%
	Grade 9	16.4%	21.6%	40.9%	59.1%
	Grade 10	18.1%	21.8%	42.1%	57.9%
	Grade 11	14.9%	22.3%	43.1%	56.9%
	Grade 12	21.4%	28.6%	44.9%	55.1%
Alcohol					
	All	29.8%	40.8%	66.7%	33.3%
	Grade 7	19.1%	26.6%	50.5%	49.5%
	Grade 8	17.5%	27.3%	63.0%	37.0%
	Grade 9	34.7%	47.4%	72.8%	27.2%
	Grade 10	35.5%	50.0%	73.8%	26.2%
	Grade 11	35.8%	44.3%	70.6%	29.4%
	Grade 12	38.6%	52.5%	69.3%	30.7%
Inhalants					
	All	7.1%	10.5%	20.6%	79.4%
	Grade 7	13.2%	17.4%	28.4%	71.6%
	Grade 8	10.2%	15.3%	25.5%	74.5%
	Grade 9	5.2%	9.2%	22.0%	78.0%
	Grade 10	6.5%	8.3%	18.0%	82.0%
	Grade 11	3.0%	6.0%	13.1%	86.9%
	Grade 12	2.0%	3.0%	11.0%	89.0%
Any Illicit Drug					
	All	17.9%	24.4%	36.9%	63.1%
	Grade 7	8.3%	9.8%	16.1%	83.9%
	Grade 8	9.6%	11.5%	24.4%	75.6%
	Grade 9	21.1%	30.9%	45.1%	54.9%
	Grade 10	24.0%	30.9%	47.5%	52.5%
	Grade 11	21.3%	30.7%	45.0%	55.0%
	Grade 12	26.7%	37.6%	45.5%	54.5%
Marijuana & Other Illicit Drug					
	All	15.8%	22.5%	35.6%	64.4%
	Grade 7	6.5%	8.6%	15.1%	84.9%
	Grade 8	7.4%	10.1%	22.1%	77.9%
	Grade 9	21.3%	30.8%	45.6%	54.4%
	Grade 10	19.5%	26.5%	45.6%	54.4%
	Grade 11	18.6%	28.1%	41.7%	58.3%
	Grade 12	23.0%	34.0%	45.0%	55.0%
Marijuana Only					
	All	7.2%	11.2%	19.6%	80.4%
	Grade 7	2.0%	2.6%	6.1%	93.9%
	Grade 8	2.5%	3.8%	12.0%	88.0%
	Grade 9	9.1%	14.8%	25.0%	75.0%
	Grade 10	10.5%	15.1%	25.1%	74.9%
	Grade 11	8.9%	15.3%	25.6%	74.4%
	Grade 12	11.7%	18.4%	25.2%	74.8%

**Arlington
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.6%	2.3%	5.4%	94.6%
	Grade 7	2.7%	3.3%	4.9%	95.1%
	Grade 8	0.7%	0.7%	2.7%	97.3%
	Grade 9	0.6%	1.8%	4.8%	95.2%
	Grade 10	1.4%	2.8%	7.5%	92.5%
	Grade 11	1.5%	2.1%	6.7%	93.3%
	Grade 12	4.1%	4.1%	6.1%	93.9%
Cocaine					
	All	1.2%	1.9%	5.1%	94.9%
	Grade 7	1.7%	2.8%	5.1%	94.9%
	Grade 8	0.0%	0.0%	2.1%	97.9%
	Grade 9	0.6%	1.2%	4.2%	95.8%
	Grade 10	0.9%	2.3%	7.0%	93.0%
	Grade 11	1.6%	2.1%	6.7%	93.3%
	Grade 12	4.1%	4.1%	6.2%	93.8%
Crack					
	All	0.5%	0.7%	1.5%	98.5%
	Grade 7	1.2%	1.2%	2.4%	97.6%
	Grade 8	0.7%	0.7%	2.1%	97.9%
	Grade 9	0.0%	0.6%	1.8%	98.2%
	Grade 10	1.0%	1.4%	1.9%	98.1%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens					
	All	2.5%	2.9%	6.3%	93.7%
	Grade 7	2.3%	2.3%	4.6%	95.4%
	Grade 8	2.8%	2.8%	4.8%	95.2%
	Grade 9	1.8%	3.0%	6.0%	94.0%
	Grade 10	3.3%	3.3%	7.7%	92.3%
	Grade 11	2.6%	2.6%	6.8%	93.2%
	Grade 12	2.1%	4.1%	9.3%	90.7%
Uppers					
	All	3.0%	4.5%	6.9%	93.1%
	Grade 7	1.8%	3.0%	4.2%	95.8%
	Grade 8	1.4%	1.4%	2.8%	97.2%
	Grade 9	3.7%	4.9%	7.3%	92.7%
	Grade 10	4.8%	6.7%	10.6%	89.4%
	Grade 11	3.2%	4.8%	7.5%	92.5%
	Grade 12	2.0%	7.1%	10.2%	89.8%
Downers					
	All	3.2%	4.8%	6.8%	93.2%
	Grade 7	1.2%	1.8%	3.1%	96.9%
	Grade 8	0.7%	1.4%	2.8%	97.2%
	Grade 9	3.8%	5.0%	6.3%	93.7%
	Grade 10	5.9%	8.3%	11.2%	88.8%
	Grade 11	3.1%	5.2%	7.8%	92.2%
	Grade 12	5.5%	8.8%	12.1%	87.9%

**Arlington
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.8%	1.3%	2.3%	97.7%
	Grade 7	1.2%	1.7%	2.9%	97.1%
	Grade 8	0.7%	0.7%	0.7%	99.3%
	Grade 9	0.6%	1.8%	1.8%	98.2%
	Grade 10	1.5%	2.0%	3.9%	96.1%
	Grade 11	0.5%	0.5%	2.6%	97.4%
	Grade 12	0.0%	0.0%	1.0%	99.0%
Steroids					
	All	0.6%	0.8%	1.3%	98.7%
	Grade 7	0.6%	1.2%	1.2%	98.8%
	Grade 8	1.4%	2.1%	3.5%	96.5%
	Grade 9	0.6%	0.6%	1.2%	98.8%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.5%	0.5%	1.1%	98.9%
	Grade 12	0.0%	0.0%	1.0%	99.0%
Ecstasy					
	All	3.2%	5.7%	10.9%	89.1%
	Grade 7	1.8%	1.8%	5.4%	94.6%
	Grade 8	2.8%	3.5%	7.6%	92.4%
	Grade 9	3.7%	8.6%	14.7%	85.3%
	Grade 10	5.3%	7.7%	14.0%	86.0%
	Grade 11	2.7%	5.4%	11.8%	88.2%
	Grade 12	2.1%	6.3%	9.5%	90.5%
Heroin					
	All	0.8%	1.3%	2.3%	97.7%
	Grade 7	0.6%	1.1%	3.4%	96.6%
	Grade 8	0.7%	1.4%	2.1%	97.9%
	Grade 9	0.6%	1.2%	1.2%	98.8%
	Grade 10	0.9%	1.4%	3.3%	96.7%
	Grade 11	1.6%	2.1%	2.7%	97.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Arlington
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	11.0%	16.2%	28.5%	71.5%
	Grade 7	3.7%	5.6%	13.2%	86.8%
	Grade 8	5.0%	10.0%	17.7%	82.3%
	Grade 9	9.2%	13.9%	29.5%	70.5%
	Grade 10	11.5%	18.0%	31.9%	68.1%
	Grade 11	17.0%	22.9%	38.0%	62.0%
	Grade 12	21.8%	29.4%	43.7%	56.3%
Alcohol					
	All	27.6%	39.5%	61.9%	38.1%
	Grade 7	13.5%	19.5%	40.9%	59.1%
	Grade 8	20.2%	30.3%	54.1%	45.9%
	Grade 9	25.1%	39.5%	63.2%	36.8%
	Grade 10	31.8%	44.4%	68.3%	31.7%
	Grade 11	32.7%	46.9%	68.5%	31.5%
	Grade 12	45.6%	59.7%	78.7%	21.3%
Inhalants					
	All	5.3%	8.2%	16.9%	83.1%
	Grade 7	8.1%	12.4%	23.8%	76.2%
	Grade 8	8.1%	12.0%	21.3%	78.7%
	Grade 9	4.4%	6.4%	16.0%	84.0%
	Grade 10	4.8%	6.9%	14.9%	85.1%
	Grade 11	3.6%	6.0%	13.3%	86.7%
	Grade 12	2.6%	4.9%	10.7%	89.3%
Any Illicit Drug					
	All	14.5%	20.0%	28.8%	71.2%
	Grade 7	4.8%	5.7%	10.2%	89.8%
	Grade 8	8.2%	11.3%	15.9%	84.1%
	Grade 9	14.5%	20.4%	29.5%	70.5%
	Grade 10	16.8%	24.1%	33.6%	66.4%
	Grade 11	18.5%	26.8%	39.4%	60.6%
	Grade 12	25.8%	34.6%	47.9%	52.1%
Marijuana & Other Illicit Drug					
	All	13.4%	18.9%	27.2%	72.8%
	Grade 7	4.3%	5.3%	8.2%	91.8%
	Grade 8	7.5%	10.1%	14.0%	86.0%
	Grade 9	13.5%	18.9%	27.9%	72.1%
	Grade 10	14.4%	22.3%	31.7%	68.3%
	Grade 11	17.7%	26.3%	38.2%	61.8%
	Grade 12	24.5%	33.1%	46.8%	53.2%
Marijuana Only					
	All	5.9%	9.6%	15.6%	84.4%
	Grade 7	1.4%	1.7%	3.8%	96.2%
	Grade 8	2.7%	4.4%	7.3%	92.7%
	Grade 9	6.9%	11.1%	17.0%	83.0%
	Grade 10	5.1%	9.8%	16.0%	84.0%
	Grade 11	9.1%	14.8%	24.7%	75.3%
	Grade 12	11.1%	17.3%	27.3%	72.7%

**Arlington
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.8%	2.7%	5.1%	94.9%
	Grade 7	1.1%	2.0%	2.9%	97.1%
	Grade 8	1.8%	2.3%	3.0%	97.0%
	Grade 9	1.6%	2.5%	4.5%	95.5%
	Grade 10	2.3%	2.7%	6.2%	93.8%
	Grade 11	2.1%	2.6%	6.7%	93.3%
	Grade 12	2.2%	4.5%	8.0%	92.0%
Cocaine					
	All	1.5%	2.4%	4.7%	95.3%
	Grade 7	0.5%	1.5%	1.8%	98.2%
	Grade 8	1.1%	1.6%	2.3%	97.7%
	Grade 9	1.6%	2.4%	4.3%	95.7%
	Grade 10	2.0%	2.6%	5.9%	94.1%
	Grade 11	1.9%	2.3%	6.4%	93.6%
	Grade 12	2.2%	4.5%	8.0%	92.0%
Crack					
	All	0.7%	0.9%	1.7%	98.3%
	Grade 7	0.9%	1.1%	2.8%	97.2%
	Grade 8	1.3%	1.6%	2.0%	98.0%
	Grade 9	0.2%	0.6%	0.8%	99.2%
	Grade 10	0.6%	0.8%	2.0%	98.0%
	Grade 11	0.5%	0.7%	1.6%	98.4%
	Grade 12	0.5%	0.5%	1.2%	98.8%
Hallucinogens					
	All	1.4%	2.6%	4.5%	95.5%
	Grade 7	0.6%	0.7%	1.7%	98.3%
	Grade 8	0.7%	1.1%	2.0%	98.0%
	Grade 9	2.2%	3.4%	5.0%	95.0%
	Grade 10	2.0%	3.0%	6.4%	93.6%
	Grade 11	1.6%	3.8%	5.7%	94.3%
	Grade 12	1.2%	3.6%	6.7%	93.3%
Uppers					
	All	2.0%	3.4%	4.9%	95.1%
	Grade 7	0.8%	1.3%	2.3%	97.7%
	Grade 8	0.5%	1.1%	1.6%	98.4%
	Grade 9	2.0%	3.2%	3.8%	96.2%
	Grade 10	2.5%	4.3%	5.7%	94.3%
	Grade 11	1.6%	4.2%	6.9%	93.1%
	Grade 12	4.7%	7.1%	9.9%	90.1%
Downers					
	All	2.3%	3.7%	5.1%	94.9%
	Grade 7	0.8%	1.5%	2.1%	97.9%
	Grade 8	0.7%	1.7%	2.2%	97.8%
	Grade 9	2.8%	3.6%	4.3%	95.7%
	Grade 10	3.2%	4.7%	6.1%	93.9%
	Grade 11	1.6%	3.3%	5.9%	94.1%
	Grade 12	4.7%	7.3%	10.5%	89.5%

**Arlington
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.6%	1.0%	1.6%	98.4%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	0.5%	0.7%	1.3%	98.7%
	Grade 9	0.4%	1.4%	1.8%	98.2%
	Grade 10	1.2%	1.5%	2.3%	97.7%
	Grade 11	0.9%	1.2%	2.5%	97.5%
	Grade 12	0.2%	0.3%	0.7%	99.3%
Steroids					
	All	0.8%	1.1%	1.9%	98.1%
	Grade 7	0.6%	0.7%	1.5%	98.5%
	Grade 8	0.6%	0.9%	1.3%	98.7%
	Grade 9	0.6%	0.6%	1.4%	98.6%
	Grade 10	1.4%	2.0%	3.1%	96.9%
	Grade 11	0.7%	1.1%	2.0%	98.0%
	Grade 12	0.9%	1.6%	2.1%	97.9%
Ecstasy					
	All	2.6%	4.1%	7.3%	92.7%
	Grade 7	1.3%	1.7%	2.8%	97.2%
	Grade 8	0.7%	1.9%	3.5%	96.5%
	Grade 9	3.3%	3.9%	7.2%	92.8%
	Grade 10	4.2%	6.8%	10.9%	89.1%
	Grade 11	1.8%	4.4%	7.3%	92.7%
	Grade 12	4.5%	6.5%	12.7%	87.3%
Heroin					
	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.9%	1.5%	2.7%	97.3%
	Grade 8	0.7%	0.9%	1.6%	98.4%
	Grade 9	0.4%	0.6%	1.2%	98.8%
	Grade 10	0.6%	0.9%	2.3%	97.7%
	Grade 11	0.7%	0.7%	1.6%	98.4%
	Grade 12	0.3%	0.5%	1.2%	98.8%

3. Margin Tables

Arlington
SPRING 2010

Arlington Spring 2010

The FREQ Procedure

GENDER		
q1	Frequency	Percent
Female	2340	50.16
Male	2326	49.84

Frequency Missing = 8.3679050061

GRADE		
q2	Frequency	Percent
Grade 7	804	17.19
Grade 8	800	17.12
Grade 9	966	20.68
Grade 10	763	16.33
Grade 11	703	15.05
Grade 12	637	13.64

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	1918	41.42
Yes	2712	58.58

Frequency Missing = 44.643435286

AGE		
q4	Frequency	Percent
11 or younger	5	0.10
12	168	3.62
13	765	16.47
14	809	17.43
15	879	18.93
16	801	17.26
17	711	15.30
18	464	9.99
19 or older	42	0.90

Frequency Missing = 31.497492363

ETHNICITY		
q5	Frequency	Percent
African/American	980	21.52
Asian/American	299	6.56
Mexican/American	1384	30.42
Native/American	41	0.89
Other	319	7.01
White	1529	33.59

Frequency Missing = 122.98650519

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	1440	31.34
Mostly B's	2271	49.42
Mostly C's	766	16.68
Mostly D's	67	1.47
Mostly F's	50	1.09

Frequency Missing = 78.774483549

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	418	9.06
2-3 years	644	13.96
>4 years	3551	76.98

Frequency Missing = 61.24109073

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	3628	78.42
Yes	998	21.58

Frequency Missing = 47.401939055

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	2965	64.62
Yes	1623	35.38

Frequency Missing = 86.256881646

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	726	15.80
No	1813	39.44
Yes	2057	44.75

Frequency Missing = 77.368312227

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	564	12.22
No	1969	42.64
Yes	2085	45.14

Frequency Missing = 55.757257457

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	2147	49.81
Yes	2163	50.19

Frequency Missing = 363.69409896

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	3128	78.58
Yes	853	21.42

Frequency Missing = 692.7161971

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	3270	84.64
Yes	594	15.36

Frequency Missing = 809.97337435

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Arlington
Spring 2010**

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	3165	82.36
Yes	678	17.64

Frequency Missing = 831.10152559

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	3560	93.84
Yes	234	6.16

Frequency Missing = 880.63218243

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	3633	96.01
Yes	151	3.99

Frequency Missing = 889.90724454

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	3585	95.44
Yes	171	4.56

Frequency Missing = 917.391641

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	3067	79.40
Yes	796	20.60

Frequency Missing = 811.54690663

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	3272	84.81
Yes	586	15.19

Frequency Missing = 815.54548902

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	3303	85.11
Yes	578	14.89

Frequency Missing = 792.65074048

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	3016	77.88
Yes	857	22.12

Frequency Missing = 800.72330443

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	2566	63.74
Yes	1460	36.26

Frequency Missing = 648.25590767

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	2794	70.83
Yes	1151	29.17

Frequency Missing = 729.27504775

DO YOU FEEL SAFE IN YOUR HOME		
q13a Frequency Percent		
Very Safe	3674	79.64
Somewhat Safe	817	17.72
Not Very Safe	58	1.27
Not Safe At All	22	0.47
Don't Know	42	0.91

Frequency Missing = 60.897564084

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b Frequency Percent		
Very Safe	1682	36.63
Somewhat Safe	2357	51.33
Not Very Safe	366	7.98
Not Safe At All	109	2.36
Don't Know	78	1.70

Frequency Missing = 82.173797227

DO YOU FEEL SAFE AT SCHOOL		
q13c Frequency Percent		
Very Safe	1664	36.25
Somewhat Safe	2235	48.69
Not Very Safe	388	8.46
Not Safe At All	163	3.54
Don't Know	140	3.06

Frequency Missing = 83.955150964

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a Frequency Percent		
None	214	4.67
A Few	1225	26.71
Some	1310	28.55
Most	1508	32.87
All	330	7.20

Frequency Missing = 87.632268992

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Arlington
Spring 2010**

HOW MANY FRIENDS CARRY WEAPONS		
q14b Frequency Percent		
None	2898	64.14
A Few	994	22.00
Some	427	9.45
Most	148	3.28
All	51	1.14

Frequency Missing = 156.0182619

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c Frequency Percent		
None	108	2.41
A Few	589	13.12
Some	1049	23.39
Most	1995	44.46
All	746	16.62

Frequency Missing = 186.89291135

HOW MANY FRIENDS BELONG TO A GANG		
q14d Frequency Percent		
None	2973	65.25
A Few	830	18.21
Some	460	10.10
Most	225	4.93
All	69	1.51

Frequency Missing = 117.70821668

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e Frequency Percent		
None	2572	56.29
A Few	1270	27.81
Some	485	10.61
Most	166	3.64
All	76	1.65

Frequency Missing = 105.16553545

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15 Frequency Percent		
No	2693	64.59
Yes	1477	35.41

Frequency Missing = 504.62875318

RECENT INHALANT USE - SPRAY PAINT		
Q16A Frequency Percent		
Never Heard/Used	4386	95.78
In Your Lifetime	133	2.89
Since School Began	28	0.61
In the Past Month	33	0.71

Frequency Missing = 94.554419192

RECENT INHALANT USE - WHITEOUT, CORRECTION FLUID, MAGIC MARKERS		
Q16B Frequency Percent		
Never Heard/Used	4009	88.85
In Your Lifetime	303	6.72
Since School Began	80	1.76
In the Past Month	120	2.66

Frequency Missing = 162.05465428

RECENT INHALANT USE - COMPUTER DUSTING SPRAYS		
Q16C Frequency Percent		
Never Heard/Used	4381	97.91
In Your Lifetime	47	1.06
Since School Began	22	0.49
In the Past Month	24	0.54

Frequency Missing = 199.91184686

RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON		
Q16D Frequency Percent		
Never Heard/Used	4159	92.24
In Your Lifetime	200	4.45
Since School Began	68	1.51
In the Past Month	82	1.81

Frequency Missing = 164.55857043

RECENT INHALANT USE - GLUE		
Q16E Frequency Percent		
Never Heard/Used	4296	97.22
In Your Lifetime	62	1.41
Since School Began	25	0.56
In the Past Month	36	0.82

Frequency Missing = 254.84547617

RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS		
Q16F Frequency Percent		
Never Heard/Used	4327	98.22
In Your Lifetime	40	0.90
Since School Began	17	0.40
In the Past Month	21	0.48

Frequency Missing = 269.19068672

RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER		
Q16G Frequency Percent		
Never Heard/Used	4262	96.80
In Your Lifetime	74	1.67
Since School Began	22	0.51
In the Past Month	45	1.02

Frequency Missing = 270.83329371

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Arlington Spring 2010

RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS

Q16H Frequency Percent		
Never Heard/Used	4342	96.09
In Your Lifetime	97	2.15
Since School Began	27	0.59
In the Past Month	53	1.18

Frequency Missing = 154.92174625

RECENT CIGARETTE USE

Q17A Frequency Percent		
Never Heard/Used	3230	71.05
In Your Lifetime	611	13.44
Since School Began	221	4.87
In the Past Month	484	10.64

Frequency Missing = 128.59794775

RECENT SMOKELESS TOBACCO USE

Q17B Frequency Percent		
Never Heard/Used	4130	92.78
In Your Lifetime	130	2.92
Since School Began	62	1.40
In the Past Month	129	2.89

Frequency Missing = 222.22036131

RECENT BEER USE

Q17C Frequency Percent		
Never Heard/Used	2293	52.01
In Your Lifetime	885	20.07
Since School Began	393	8.91
In the Past Month	838	19.01

Frequency Missing = 264.57188805

RECENT WINE COOLER USE

Q17D Frequency Percent		
Never Heard/Used	2527	56.56
In Your Lifetime	800	17.90
Since School Began	432	9.66
In the Past Month	710	15.88

Frequency Missing = 206.28295684

RECENT WINE USE

Q17E Frequency Percent		
Never Heard/Used	2475	56.67
In Your Lifetime	955	21.85
Since School Began	395	9.04
In the Past Month	543	12.44

Frequency Missing = 306.01034131

RECENT LIQUOR USE

Q17F Frequency Percent		
Never Heard/Used	2489	55.68
In Your Lifetime	716	16.01
Since School Began	446	9.98
In the Past Month	819	18.33

Frequency Missing = 204.77206601

RECENT INHALANT USE

Q17G Frequency Percent		
Never Heard/Used	4045	90.77
In Your Lifetime	254	5.69
Since School Began	50	1.13
In the Past Month	108	2.41

Frequency Missing = 217.27699699

RECENT MARIJUANA USE

Q18A Frequency Percent		
Never Heard/Used	3226	70.92
In Your Lifetime	426	9.37
Since School Began	266	5.84
In the Past Month	630	13.86

Frequency Missing = 126.05861455

RECENT COCAINE USE

Q18B Frequency Percent		
Never Heard/Used	4251	95.20
In Your Lifetime	111	2.48
Since School Began	38	0.85
In the Past Month	66	1.47

Frequency Missing = 208.57719964

RECENT CRACK USE

Q18C Frequency Percent		
Never Heard/Used	4325	98.34
In Your Lifetime	35	0.80
Since School Began	10	0.22
In the Past Month	28	0.64

Frequency Missing = 276.27984835

RECENT HALLUCINOGEN USE

Q18E Frequency Percent		
Never Heard/Used	4204	95.09
In Your Lifetime	100	2.25
Since School Began	45	1.01
In the Past Month	73	1.65

Frequency Missing = 252.92280593

RECENT UPPER USE

Q18F Frequency Percent		
Never Heard/Used	4133	94.70
In Your Lifetime	72	1.64
Since School Began	65	1.48
In the Past Month	95	2.18

Frequency Missing = 309.57960011

RECENT DOWNER USE

Q18G Frequency Percent		
Never Heard/Used	4084	94.58
In Your Lifetime	66	1.53
Since School Began	60	1.38
In the Past Month	108	2.50

Frequency Missing = 356.12853341

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Arlington Spring 2010

RECENT ROHYPNOL USE

Q18H Frequency Percent

Never Heard/Used	4346	98.27
In Your Lifetime	30	0.68
Since School Began	19	0.43
In the Past Month	28	0.63

Frequency Missing = 251.45977234

RECENT STEROID USE

Q18I Frequency Percent

Never Heard/Used	4259	98.27
In Your Lifetime	30	0.69
Since School Began	14	0.32
In the Past Month	31	0.72

Frequency Missing = 340.10430654

RECENT ECSTASY USE

Q18J Frequency Percent

Never Heard/Used	3978	91.84
In Your Lifetime	158	3.65
Since School Began	75	1.73
In the Past Month	121	2.78

Frequency Missing = 342.85526305

RECENT HEROIN USE

Q18K Frequency Percent

Never Heard/Used	4325	98.12
In Your Lifetime	40	0.92
Since School Began	13	0.30
In the Past Month	29	0.67

Frequency Missing = 266.15201762

TOBACCO USE IN PAST MONTH

q19a Frequency Percent

Never Heard/Used	3889	86.35
1-2 times	286	6.35
3-10 times	144	3.19
11+ times	185	4.11

Frequency Missing = 170.73186911

ALCOHOL USE IN PAST MONTH

q19b Frequency Percent

Never Heard/Used	2957	65.84
1-2 times	925	20.59
3-10 times	458	10.20
11+ times	152	3.37

Frequency Missing = 183.34637702

INHALANT USE IN PAST MONTH

q19c Frequency Percent

Never Heard/Used	4267	96.33
1-2 times	115	2.60
3-10 times	39	0.87
11+ times	9	0.20

Frequency Missing = 244.10187101

MARIJUANA USE IN PAST MONTH

q19d Frequency Percent

Never Heard/Used	3566	81.02
1-2 times	353	8.02
3-10 times	231	5.26
11+ times	251	5.70

Frequency Missing = 272.89157052

COCAINE USE IN PAST MONTH

q19e Frequency Percent

Never Heard/Used	4314	97.92
1-2 times	56	1.26
3-10 times	23	0.52
11+ times	13	0.29

Frequency Missing = 268.73510186

CRACK USE IN PAST MONTH

q19f Frequency Percent

Never Heard/Used	4428	99.18
1-2 times	24	0.53
3-10 times	8	0.18
11+ times	5	0.11

Frequency Missing = 209.1366852

CLOSE FRIENDS USE CIGARETTES

q20a Frequency Percent

Never heard/None	2002	45.04
A few	1368	30.77
Some	687	15.44
Most	331	7.44
All	58	1.31

Frequency Missing = 228.27833947

CLOSE FRIENDS USE SMOKELESS TOBACCO

q20b Frequency Percent

Never heard/None	3292	75.58
A few	685	15.72
Some	278	6.38
Most	80	1.84
All	21	0.48

Frequency Missing = 317.85287465

CLOSE FRIENDS USE BEER

q20c Frequency Percent

Never heard/None	1507	34.52
A few	970	22.22
Some	861	19.73
Most	779	17.84
All	248	5.68

Frequency Missing = 309.45226428

CLOSE FRIENDS USE WINE COOLERS

q20d Frequency Percent

Never heard/None	1986	45.66
A few	938	21.57
Some	723	16.63
Most	536	12.33
All	165	3.80

Frequency Missing = 324.74261338

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Arlington
Spring 2010**

CLOSE FRIENDS USE WINE		
	q20e Frequency	Percent
Never heard/None	2202	51.04
A few	1119	25.94
Some	547	12.68
Most	335	7.78
All	111	2.57

Frequency Missing = 359.43047219

CLOSE FRIENDS USE LIQUOR		
	q20f Frequency	Percent
Never heard/None	1763	40.46
A few	941	21.60
Some	727	16.69
Most	687	15.78
All	239	5.48

Frequency Missing = 316.34496472

CLOSE FRIENDS USE INHALANTS		
	q20g Frequency	Percent
Never heard/None	3479	80.48
A few	570	13.20
Some	190	4.39
Most	66	1.52
All	18	0.41

Frequency Missing = 351.16230304

CLOSE FRIENDS USE MARIJUANA		
	q20h Frequency	Percent
Never heard/None	1868	42.92
A few	811	18.63
Some	697	16.01
Most	709	16.30
All	267	6.14

Frequency Missing = 321.66914141

DIFFICULT TO GET CIGARETTES		
	q21a Frequency	Percent
Never heard of	463	10.51
Impossible	824	18.68
Very difficult	264	6.00
Somewhat diff	413	9.38
Somewhat easy	822	18.65
Very easy	1622	36.79

Frequency Missing = 265.00432614

DIFFICULT TO GET SMOKELESS TOBACCO		
	q21b Frequency	Percent
Never heard of	1024	23.63
Impossible	1047	24.17
Very difficult	408	9.42
Somewhat diff	454	10.49
Somewhat easy	508	11.74
Very easy	891	20.56

Frequency Missing = 341.57118607

DIFFICULT TO GET BEER		
	q21c Frequency	Percent
Never heard of	389	8.94
Impossible	601	13.82
Very difficult	280	6.43
Somewhat diff	503	11.58
Somewhat easy	971	22.35
Very easy	1603	36.88

Frequency Missing = 327.69125506

DIFFICULT TO GET WINE COOLERS		
	q21d Frequency	Percent
Never heard of	606	14.00
Impossible	698	16.11
Very difficult	356	8.22
Somewhat diff	527	12.17
Somewhat easy	815	18.82
Very easy	1329	30.68

Frequency Missing = 341.20428793

DIFFICULT TO GET WINE		
	q21e Frequency	Percent
Never heard of	431	10.12
Impossible	681	15.98
Very difficult	367	8.61
Somewhat diff	543	12.74
Somewhat easy	853	19.99
Very easy	1388	32.56

Frequency Missing = 409.72894863

DIFFICULT TO GET LIQUOR		
	q21f Frequency	Percent
Never heard of	437	10.05
Impossible	822	18.89
Very difficult	388	8.92
Somewhat diff	527	12.11
Somewhat easy	784	18.02
Very easy	1392	32.01

Frequency Missing = 324.48240501

DIFFICULT TO GET INHALANTS		
	q21g Frequency	Percent
Never heard of	802	18.60
Impossible	730	16.93
Very difficult	196	4.54
Somewhat diff	291	6.75
Somewhat easy	485	11.25
Very easy	1807	41.93

Frequency Missing = 364.18797216

DIFFICULT TO GET MARIJUANA		
	q21h Frequency	Percent
Never heard of	482	11.26
Impossible	1145	26.73
Very difficult	308	7.19
Somewhat diff	423	9.86
Somewhat easy	575	13.42
Very easy	1351	31.54

Frequency Missing = 390.44658359

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Arlington
Spring 2010**

DIFFICULT TO GET COCAINE		
	q21i	Frequency Percent
Never heard of	731	17.30
Impossible	1611	38.12
Very difficult	693	16.39
Somewhat diff	500	11.83
Somewhat easy	318	7.52
Very easy	374	8.84

Frequency Missing = 447.54640101

DIFFICULT TO GET CRACK		
	q21j	Frequency Percent
Never heard of	777	18.48
Impossible	1641	38.99
Very difficult	711	16.90
Somewhat diff	488	11.59
Somewhat easy	280	6.66
Very easy	311	7.38

Frequency Missing = 466.11749426

DIFFICULT TO GET HALLUCINOGENS		
	q21i	Frequency Percent
Never heard of	1480	35.12
Impossible	1187	28.17
Very difficult	522	12.38
Somewhat diff	414	9.82
Somewhat easy	280	6.64
Very easy	331	7.86

Frequency Missing = 459.17338263

DIFFICULT TO GET UPPERS		
	q21m	Frequency Percent
Never heard of	2139	51.26
Impossible	817	19.58
Very difficult	339	8.13
Somewhat diff	293	7.01
Somewhat easy	240	5.76
Very easy	344	8.25

Frequency Missing = 500.97537402

DIFFICULT TO GET DOWNERS		
	q21n	Frequency Percent
Never heard of	2131	51.01
Impossible	816	19.54
Very difficult	353	8.44
Somewhat diff	286	6.84
Somewhat easy	252	6.04
Very easy	339	8.12

Frequency Missing = 497.05815382

DIFFICULT TO GET ROHYPNOL		
	q21o	Frequency Percent
Never heard of	1942	46.68
Impossible	1026	24.66
Very difficult	453	10.88
Somewhat diff	322	7.74
Somewhat easy	172	4.12
Very easy	246	5.91

Frequency Missing = 512.90531374

DIFFICULT TO GET STEROIDS		
	q21p	Frequency Percent
Never heard of	907	21.78
Impossible	1683	40.42
Very difficult	611	14.66
Somewhat diff	427	10.25
Somewhat easy	242	5.81
Very easy	295	7.08

Frequency Missing = 509.08287503

DIFFICULT TO GET ECSTASY		
	q21q	Frequency Percent
Never heard of	1139	27.13
Impossible	1206	28.71
Very difficult	475	11.30
Somewhat diff	380	9.04
Somewhat easy	433	10.32
Very easy	567	13.51

Frequency Missing = 473.64747806

DIFFICULT TO GET HEROIN		
	q21r	Frequency Percent
Never heard of	1026	24.53
Impossible	1701	40.68
Very difficult	623	14.90
Somewhat diff	353	8.45
Somewhat easy	221	5.27
Very easy	258	6.17

Frequency Missing = 492.44057496

AGE WHEN FIRST USED CIGARETTES		
	q22a	Frequency Percent
9 or younger	182	13.53
10 years old	102	7.59
11 years old	105	7.83
12 years old	158	11.79
13 years old	197	14.68
14 years old	195	14.53
15 years old	176	13.09
16 years old	139	10.37
17 years old	63	4.65
18 or older	26	1.94

Frequency Missing = 3330.2787582

AGE WHEN FIRST USED SMOKELESS TOBACCO		
	q22b	Frequency Percent
9 or younger	20	6.47
10 years old	17	5.59
11 years old	14	4.61
12 years old	26	8.56
13 years old	42	13.86
14 years old	42	13.90
15 years old	57	18.68
16 years old	52	17.24
17 years old	19	6.42
18 or older	14	4.67

Frequency Missing = 4371.2862464

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Arlington
Spring 2010**

AGE WHEN FIRST USED BEER		
q22c	Frequency	Percent
9 or younger	401	17.80
10 years old	171	7.57
11 years old	185	8.23
12 years old	243	10.79
13 years old	320	14.19
14 years old	340	15.11
15 years old	298	13.25
16 years old	189	8.38
17 years old	73	3.23
18 or older	33	1.45

Frequency Missing = 2421.787549

AGE WHEN FIRST USED LIQUOR		
q22f	Frequency	Percent
9 or younger	114	5.70
10 years old	76	3.79
11 years old	109	5.45
12 years old	230	11.53
13 years old	351	17.60
14 years old	357	17.91
15 years old	346	17.31
16 years old	265	13.26
17 years old	113	5.64
18 or older	36	1.82

Frequency Missing = 2677.8374468

AGE WHEN FIRST USED COCAINE		
q22i	Frequency	Percent
9 or younger	4	2.05
10 years old	4	2.12
11 years old	9	4.84
12 years old	17	9.45
13 years old	24	12.94
14 years old	41	22.29
15 years old	38	20.44
16 years old	23	12.69
17 years old	17	9.34
18 or older	7	3.84

Frequency Missing = 4489.8817891

AGE WHEN FIRST USED WINE COOLERS		
q22d	Frequency	Percent
9 or younger	201	10.41
10 years old	125	6.49
11 years old	171	8.88
12 years old	244	12.63
13 years old	334	17.32
14 years old	296	15.34
15 years old	270	14.00
16 years old	183	9.49
17 years old	78	4.02
18 or older	27	1.41

Frequency Missing = 2745.5213095

AGE WHEN FIRST USED INHALANTS		
q22g	Frequency	Percent
9 or younger	69	16.88
10 years old	56	13.75
11 years old	52	12.88
12 years old	78	19.09
13 years old	61	15.02
14 years old	40	9.74
15 years old	32	7.83
16 years old	11	2.81
17 years old	4	0.87
18 or older	5	1.12

Frequency Missing = 4267.0036072

AGE WHEN FIRST USED CRACK		
q22j	Frequency	Percent
9 or younger	5	8.38
10 years old	4	6.78
11 years old	6	9.80
12 years old	13	21.70
13 years old	11	19.23
14 years old	7	11.75
15 years old	7	11.74
16 years old	3	6.02
17 years old	2	3.07
18 or older	1	1.53

Frequency Missing = 4616.3806348

AGE WHEN FIRST USED WINE		
q22e	Frequency	Percent
9 or younger	205	10.60
10 years old	146	7.55
11 years old	157	8.12
12 years old	267	13.82
13 years old	338	17.51
14 years old	286	14.80
15 years old	264	13.68
16 years old	170	8.81
17 years old	69	3.59
18 or older	29	1.52

Frequency Missing = 2744.5731657

AGE WHEN FIRST USED MARIJUANA		
q22h	Frequency	Percent
9 or younger	50	3.98
10 years old	33	2.66
11 years old	73	5.83
12 years old	146	11.58
13 years old	216	17.16
14 years old	236	18.75
15 years old	230	18.30
16 years old	177	14.12
17 years old	70	5.55
18 or older	26	2.07

Frequency Missing = 3417.1740748

AGE WHEN FIRST USED HALLUCINOGENS		
q22l	Frequency	Percent
9 or younger	6	3.07
10 years old	1	0.54
11 years old	8	3.85
12 years old	4	2.29
13 years old	30	15.41
14 years old	40	20.29
15 years old	52	26.90
16 years old	32	16.38
17 years old	18	9.01
18 or older	4	2.27

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Arlington Spring 2010

Frequency Missing = 4479.1328621

AGE WHEN FIRST USED UPPERS		
	q22m Frequency	Percent
9 or younger	5	2.27
10 years old	4	1.61
11 years old	7	3.23
12 years old	21	9.35
13 years old	24	10.58
14 years old	54	24.29
15 years old	48	21.51
16 years old	44	19.67
17 years old	14	6.31
18 or older	3	1.18

Frequency Missing = 4614.5577527

AGE WHEN FIRST USED STERIODS		
	q22p Frequency	Percent
9 or younger	18	25.95
10 years old	5	7.31
11 years old	4	5.83
12 years old	7	9.46
13 years old	10	14.52
14 years old	4	5.49
15 years old	9	12.32
16 years old	6	8.52
17 years old	8	10.60

Frequency Missing = 4612.6531431

HOW OFTEN NORMALLY USE CIGARETTES		
	q23a Frequency	Percent
Every day	112	2.55
Several times/wk	101	2.30
Several times/mo	133	3.02
About once/month	223	5.08
About once/year	204	4.65
< once/year	381	8.69
Never used	3234	73.70

Frequency Missing = 4450.0033847

AGE WHEN FIRST USED DOWNERS		
	q22n Frequency	Percent
9 or younger	5	2.05
10 years old	3	1.22
11 years old	6	2.69
12 years old	18	8.07
13 years old	31	13.64
14 years old	49	21.99
15 years old	51	22.73
16 years old	45	20.15
17 years old	14	6.28
18 or older	3	1.18

Frequency Missing = 4602.8987843

AGE WHEN FIRST USED ECSTASY		
	q22q Frequency	Percent
9 or younger	4	1.20
10 years old	5	1.59
11 years old	8	2.53
12 years old	20	5.93
13 years old	41	12.28
14 years old	65	19.33
15 years old	76	22.73
16 years old	72	21.49
17 years old	33	9.76
18 or older	11	3.17

Frequency Missing = 285.77326731

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
	q23b Frequency	Percent
Every day	19	0.44
Several times/wk	25	0.58
Several times/mo	32	0.74
About once/month	56	1.31
About once/year	55	1.28
< once/year	84	1.96
Never used	4013	93.69

Frequency Missing = 4448.9084797

AGE WHEN FIRST USED ROHYPNOL		
	q22o Frequency	Percent
9 or younger	4	6.47
10 years old	4	7.20
11 years old	4	6.41
12 years old	4	6.64
13 years old	9	14.81
14 years old	15	24.45
15 years old	13	22.42
16 years old	6	10.13
18 or older	1	1.49

Frequency Missing = 4339.4060124

AGE WHEN FIRST USED HEROIN		
	q22r Frequency	Percent
9 or younger	3	4.82
10 years old	2	3.05
11 years old	6	10.52
12 years old	9	14.85
13 years old	10	15.68
14 years old	9	14.40
15 years old	9	14.51
16 years old	8	13.52
17 years old	4	7.21
18 or older	1	1.44

Frequency Missing = 390.77156376

HOW OFTEN NORMALLY USE BEER		
	q23c Frequency	Percent
Every day	19	0.45
Several times/wk	128	2.97
Several times/mo	399	9.27
About once/month	484	11.23
About once/year	429	9.95
< once/year	487	11.31
Never used	2363	54.83

Frequency Missing = 364.06834949

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Arlington
Spring 2010**

HOW OFTEN NORMALLY USE WINE COOLERS		
	q23d Frequency	Percent
Every day	5	0.12
Several times/wk	78	1.80
Several times/mo	301	6.97
About once/month	481	11.12
About once/year	493	11.41
< once/year	407	9.41
Never used	2559	59.18

Frequency Missing = 350.57211062

HOW OFTEN NORMALLY USE INHALANTS		
	q23g Frequency	Percent
Every day	7	0.16
Several times/wk	18	0.42
Several times/mo	27	0.63
About once/month	58	1.36
About once/year	71	1.65
< once/year	142	3.32
Never used	3949	92.44

Frequency Missing = 401.8557324

HOW OFTEN NORMALLY USE CRACK		
	q23j Frequency	Percent
Every day	5	0.12
Several times/wk	7	0.17
Several times/mo	9	0.22
About once/month	9	0.23
About once/year	6	0.13
< once/year	16	0.38
Never used	4129	98.75

Frequency Missing = 492.38127149

HOW OFTEN NORMALLY USE WINE		
	q23e Frequency	Percent
Every day	5	0.11
Several times/wk	46	1.08
Several times/mo	212	5.00
About once/month	380	8.94
About once/year	575	13.54
< once/year	493	11.61
Never used	2536	59.71

Frequency Missing = 426.62824937

HOW OFTEN NORMALLY USE MARIJUANA		
	q23h Frequency	Percent
Every day	136	3.21
Several times/wk	156	3.68
Several times/mo	216	5.10
About once/month	225	5.31
About once/year	198	4.66
< once/year	214	5.05
Never used	3094	72.98

Frequency Missing = 434.18485368

HOW OFTEN NORMALLY USE HALLUCINOGENS		
	q23i Frequency	Percent
Every day	3	0.08
Several times/wk	4	0.09
Several times/mo	21	0.49
About once/month	35	0.82
About once/year	67	1.57
< once/year	57	1.34
Never used	4073	95.61

Frequency Missing = 414.51384228

HOW OFTEN NORMALLY USE LIQUOR		
	q23f Frequency	Percent
Every day	10	0.24
Several times/wk	81	1.87
Several times/mo	387	8.98
About once/month	503	11.67
About once/year	484	11.22
< once/year	369	8.56
Never used	2479	57.47

Frequency Missing = 360.25968144

HOW OFTEN NORMALLY USE COCAINE		
	q23i Frequency	Percent
Every day	6	0.14
Several times/wk	10	0.25
Several times/mo	15	0.37
About once/month	31	0.73
About once/year	24	0.58
< once/year	58	1.37
Never used	4063	96.57

Frequency Missing = 466.78249231

HOW OFTEN NORMALLY USE UPPERS		
	q23m Frequency	Percent
Every day	8	0.18
Several times/wk	13	0.32
Several times/mo	27	0.65
About once/month	66	1.60
About once/year	43	1.03
< once/year	48	1.16
Never used	3948	95.06

Frequency Missing = 521.24804313

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Arlington
Spring 2010**

HOW OFTEN NORMALLY USE DOWNERS		
	q23n Frequency	Percent
Every day	9	0.22
Several times/wk	14	0.34
Several times/mo	33	0.80
About once/month	56	1.35
About once/year	48	1.17
< once/year	43	1.03
Never used	3935	95.09

Frequency Missing = 535.55932198

HOW OFTEN NORMALLY USE ROHYPNOL		
	q23o Frequency	Percent
Every day	2	0.04
Several times/wk	5	0.12
Several times/mo	7	0.18
About once/month	11	0.26
About once/year	14	0.34
< once/year	21	0.50
Never used	4136	98.57

Frequency Missing = 478.30373798

HOW OFTEN NORMALLY USE STEROIDS		
	q23p Frequency	Percent
Every day	3	0.06
Several times/wk	3	0.08
Several times/mo	3	0.07
About once/month	6	0.15
About once/year	16	0.38
< once/year	27	0.65
Never used	4052	98.61

Frequency Missing = 564.32267852

HOW OFTEN NORMALLY USE ECSTASY		
	q23q Frequency	Percent
Every day	3	0.07
Several times/wk	12	0.29
Several times/mo	36	0.88
About once/month	76	1.84
About once/year	87	2.10
< once/year	90	2.17
Never used	3841	92.65

Frequency Missing = 528.83402637

HOW OFTEN NORMALLY USE HEROIN		
	q23r Frequency	Percent
Every day	1	0.02
Several times/wk	9	0.22
Several times/mo	4	0.09
About once/month	12	0.30
About once/year	10	0.24
< once/year	21	0.50
Never used	4128	98.63

Frequency Missing = 488.17193785

AMOUNT OF BEER AT ONE TIME		
	q24a Frequency	Percent
Never drink this	2270	52.44
12+ drinks	128	2.96
9-11 drinks	121	2.80
5-8 drinks	241	5.57
3-4 drinks	293	6.77
2 drinks	295	6.81
1 drink	391	9.03
< 1 drink	589	13.62

Frequency Missing = 345.15932217

AMOUNT OF WINE COOLERS AT ONE TIME		
	q24b Frequency	Percent
Never drink this	2415	56.33
12+ drinks	75	1.74
9-11 drinks	66	1.55
5-8 drinks	158	3.69
3-4 drinks	322	7.52
2 drinks	393	9.17
1 drink	457	10.66
< 1 drink	400	9.34

Frequency Missing = 387.43264118

AMOUNT OF WINE AT ONE TIME		
	q24c Frequency	Percent
Never drink this	2436	57.15
12+ drinks	39	0.92
9-11 drinks	26	0.60
5-8 drinks	64	1.49
3-4 drinks	166	3.89
2 drinks	269	6.31
1 drink	560	13.13
< 1 drink	704	16.50

Frequency Missing = 411.16365699

AMOUNT OF LIQUOR AT ONE TIME		
	q24d Frequency	Percent
Never drink this	2335	54.54
12+ drinks	101	2.36
9-11 drinks	96	2.25
5-8 drinks	260	6.08
3-4 drinks	395	9.23
2 drinks	311	7.26
1 drink	356	8.31
< 1 drink	427	9.98

Frequency Missing = 393.22760833

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Arlington
Spring 2010**

**HOW MANY 5+ DRINKS IN PAST
30 DAYS**

	q25	Frequency	Percent
Never 5+ at time	2045	46.22	
None	1564	35.33	
1 day	272	6.15	
2 days	175	3.95	
3 to 5 days	183	4.13	
6 to 9 days	81	1.83	
10 or more days	106	2.39	

Frequency Missing = 248.33490982

**GET ALCOHOLIC BEVERAGES
FROM HOME**

	q26a	Frequency	Percent
Do not Drink	1950	44.86	
Never	1062	24.43	
Seldom	952	21.91	
Most of the Time	279	6.43	
Always	103	2.38	

Frequency Missing = 327.34968043

**GET ALCOHOLIC BEVERAGES
FROM FRIENDS**

	q26b	Frequency	Percent
Do not Drink	1826	42.42	
Never	841	19.53	
Seldom	690	16.03	
Most of the Time	678	15.76	
Always	269	6.26	

Frequency Missing = 369.79816371

**GET ALCOHOLIC BEVERAGES
FROM A STORE**

	q26c	Frequency	Percent
Do not Drink	1869	43.62	
Never	1721	40.16	
Seldom	331	7.72	
Most of the Time	264	6.16	
Always	100	2.34	

Frequency Missing = 389.67862829

**GET ALCOHOLIC BEVERAGES
AT PARTIES**

	q26d	Frequency	Percent
Do not Drink	1726	40.38	
Never	755	17.66	
Seldom	571	13.35	
Most of the Time	684	16.00	
Always	539	12.60	

Frequency Missing = 400.20300605

**GET ALCOHOLIC BEVERAGES
FROM OTHER SOURCES**

	q26e	Frequency	Percent
Do not Drink	1894	44.62	
Never	1164	27.42	
Seldom	613	14.44	
Most of the Time	338	7.96	
Always	236	5.56	

Frequency Missing = 429.78660378

USE MARIJUANA AS JOINTS

	q27a	Frequency	Percent
Never	3437	79.45	
Seldom	408	9.42	
Half the time	191	4.42	
Most of the time	142	3.28	
Always	108	2.50	
Don't know	40	0.93	

Frequency Missing = 347.91741133

USE MARIJUANA AS BLUNTS

	q27b	Frequency	Percent
Never	3227	75.05	
Seldom	284	6.60	
Half the time	199	4.62	
Most of the time	277	6.45	
Always	278	6.46	
Don't know	35	0.83	

Frequency Missing = 374.26104855

**USE MARIJUANA IN BONGS OR
WATER PIPES**

	q27c	Frequency	Percent
Never	3588	84.06	
Seldom	280	6.56	
Half the time	149	3.48	
Most of the time	150	3.51	
Always	81	1.89	
Don't know	21	0.50	

Frequency Missing = 405.28783606

USE MARIJUANA IN PIPES

	q27d	Frequency	Percent
Never	3573	84.51	
Seldom	243	5.75	
Half the time	141	3.33	
Most of the time	166	3.92	
Always	85	2.00	
Don't know	20	0.48	

Frequency Missing = 446.46004297

USE MARIJUANA OTHER WAYS

	q27e	Frequency	Percent
Never	3701	87.83	
Seldom	239	5.68	
Half the time	72	1.72	
Most of the time	62	1.47	
Always	58	1.37	
Don't know	82	1.94	

Frequency Missing = 459.78876395

**USED METHAMPHETAMINE EVEN
ONE TIME**

	q28	Frequency	Percent
Never heard/used	4264	96.57	
At least once/month	42	0.96	
At least once/year	25	0.56	
At least once/life	85	1.91	

Frequency Missing = 258.80572768

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Arlington Spring 2010

RECENT PRESCRIPTION DRUG USE - CODEINE

q29a Frequency Percent		
Never heard/used	3721	86.48
At least once/month	220	5.12
At least once/year	173	4.03
At least once/life	188	4.36

Frequency Missing = 371.8818483

RECENT PRESCRIPTION DRUG USE - XANAX ETC

q29e Frequency Percent		
Never heard/used	3999	95.15
At least once/month	79	1.89
At least once/year	66	1.57
At least once/life	58	1.39

Frequency Missing = 471.27887063

DANGEROUS FOR KIDS TO USE INHALANTS

q31c Frequency Percent		
Very	2939	71.11
Somewhat	672	16.26
Not very	216	5.22
Not at all	82	1.99
Don't know	224	5.41

Frequency Missing = 540.70376631

RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC

q29b Frequency Percent		
Never heard/used	4105	96.59
At least once/month	48	1.14
At least once/year	46	1.09
At least once/life	50	1.19

Frequency Missing = 424.60675261

TAKE DXM, TRIPLE CS, ETC. TO GET HIGH

q30 Frequency Percent		
Never heard/used	4051	94.52
At least once/month	74	1.73
At least once/year	67	1.56
At least once/life	94	2.19

Frequency Missing = 388.02876345

DANGEROUS FOR KIDS TO USE MARIJUANA

q31d Frequency Percent		
Very	2270	54.96
Somewhat	641	15.52
Not very	568	13.75
Not at all	507	12.27
Don't know	145	3.51

Frequency Missing = 542.76682503

RECENT PRESCRIPTION DRUG USE - VICODIN ETC

q29c Frequency Percent		
Never heard/used	3999	95.45
At least once/month	58	1.37
At least once/year	71	1.71
At least once/life	62	1.47

Frequency Missing = 484.32750703

DANGEROUS FOR KIDS TO USE TOBACCO

q31a Frequency Percent		
Very	2287	53.47
Somewhat	1146	26.79
Not very	494	11.54
Not at all	139	3.24
Don't know	212	4.97

Frequency Missing = 396.23397069

DANGEROUS FOR KIDS TO USE COCAINE

q31e Frequency Percent		
Very	3401	83.70
Somewhat	373	9.17
Not very	75	1.85
Not at all	27	0.67
Don't know	187	4.60

Frequency Missing = 610.82533412

RECENT PRESCRIPTION DRUG USE - VALIUM ETC

q29d Frequency Percent		
Never heard/used	4098	97.27
At least once/month	35	0.83
At least once/year	39	0.93
At least once/life	41	0.97

Frequency Missing = 460.4706776

DANGEROUS FOR KIDS TO USE ALCOHOL

q31b Frequency Percent		
Very	2000	47.42
Somewhat	1326	31.44
Not very	607	14.40
Not at all	144	3.41
Don't know	141	3.34

Frequency Missing = 455.32102956

DANGEROUS FOR KIDS TO USE CRACK

q31f Frequency Percent		
Very	3456	85.59
Somewhat	324	8.03
Not very	53	1.30
Not at all	24	0.59
Don't know	181	4.49

Frequency Missing = 635.99649637

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Arlington
Spring 2010**

DANGEROUS FOR KIDS TO USE ECSTASY		
q31g	Frequency	Percent
Very	3027	74.55
Somewhat	540	13.30
Not very	147	3.63
Not at all	81	1.99
Don't know	266	6.54

Frequency Missing = 613.72208687

DANGEROUS FOR KIDS TO USE STEROIDS		
q31h	Frequency	Percent
Very	2970	72.82
Somewhat	623	15.28
Not very	188	4.60
Not at all	63	1.54
Don't know	235	5.76

Frequency Missing = 595.28699715

DANGEROUS FOR KIDS TO USE HEROIN		
q31i	Frequency	Percent
Very	3559	87.40
Somewhat	247	6.07
Not very	28	0.69
Not at all	31	0.75
Don't know	207	5.09

Frequency Missing = 601.69006478

DANGEROUS FOR KIDS TO USE METHAMPHETAMINE		
q31j	Frequency	Percent
Very	3475	84.01
Somewhat	237	5.74
Not very	34	0.82
Not at all	27	0.65
Don't know	363	8.78

Frequency Missing = 537.41008177

DAYS SKIPPED SINCE SEPTEMBER		
q32a	Frequency	Percent
None	3360	77.93
1-3 days	699	16.21
4-9 days	171	3.97
10+ days	82	1.89

Frequency Missing = 362.63211226

DAYS ILL SINCE SEPTEMBER		
q32b	Frequency	Percent
None	1004	23.42
1-3 days	2212	51.62
4-9 days	860	20.06
10+ days	210	4.90

Frequency Missing = 388.19796669

OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER		
q32c	Frequency	Percent
None	1674	39.57
1-3 days	2091	49.42
4-9 days	361	8.54
10+ days	105	2.47

Frequency Missing = 442.70810321

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q32d	Frequency	Percent
None	3334	78.22
1-3 days	627	14.72
4-9 days	173	4.06
10+ days	128	2.99

Frequency Missing = 412.36596393

SOMEONE CALLED HOME SINCE SEPTEMBER		
q32e	Frequency	Percent
None	3493	82.52
1-3 days	532	12.57
4-9 days	113	2.67
10+ days	95	2.24

Frequency Missing = 441.16110504

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q32f	Frequency	Percent
None	4136	99.10
1-3 days	21	0.49
4-9 days	7	0.17
10+ days	10	0.24

Frequency Missing = 500.7458014

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q32g	Frequency	Percent
None	4099	98.44
1-3 days	45	1.09
4-9 days	10	0.23
10+ days	10	0.24

Frequency Missing = 510.01573314

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q33a	Frequency	Percent
None	3977	93.36
1-3 times	254	5.95
4-9 times	16	0.38
10+ times	13	0.30

Frequency Missing = 413.90019795

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Arlington
Spring 2010**

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q33b Frequency Percent		
None	3910	93.70
1-3 times	191	4.58
4-9 times	42	1.01
10+ times	30	0.71

Frequency Missing = 500.94087027

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q33f Frequency Percent		
None	3775	92.67
1-3 times	189	4.63
4-9 times	43	1.06
10+ times	67	1.64

Frequency Missing = 600.72001537

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q34b Frequency Percent		
None	3704	86.55
1-3 days	307	7.18
4-9 days	112	2.62
10+ days	156	3.65

Frequency Missing = 394.15729224

CRITICIZED BY DATE BECAUSE OF DRINKING		
q33c Frequency Percent		
None	3845	92.84
1-3 times	245	5.90
4-9 times	35	0.84
10+ times	17	0.42

Frequency Missing = 532.35214052

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q33g Frequency Percent		
None	3721	92.79
1-3 times	219	5.47
4-9 times	42	1.05
10+ times	28	0.69

Frequency Missing = 664.1632261

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q34c Frequency Percent		
None	4139	97.37
1-3 days	80	1.88
4-9 days	11	0.25
10+ days	21	0.49

Frequency Missing = 423.42789756

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q33d Frequency Percent		
None	3998	97.42
1-3 times	94	2.28
4-9 times	8	0.18
10+ times	4	0.11

Frequency Missing = 569.90807812

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q33h Frequency Percent		
None	3925	97.72
1-3 times	71	1.76
4-9 times	8	0.21
10+ times	13	0.31

Frequency Missing = 657.8040169

CLASS DAYS HIGH ON OTHER DRUG(S)		
q34d Frequency Percent		
None	3998	93.79
1-3 days	158	3.71
4-9 days	47	1.10
10+ days	60	1.40

Frequency Missing = 410.83445235

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q33e Frequency Percent		
None	3869	93.89
1-3 times	214	5.19
4-9 times	21	0.51
10+ times	17	0.41

Frequency Missing = 553.21716529

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q34a Frequency Percent		
None	3941	91.64
1-3 days	272	6.33
4-9 days	40	0.94
10+ days	47	1.09

Frequency Missing = 373.37174747

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q35a Frequency Percent		
Never	1747	40.65
Seldom	438	10.20
Half the time	326	7.59
Most of the time	506	11.77
Always	693	16.12
Don't know	76	1.76
Didn't attend	512	11.92

Frequency Missing = 375.60159688

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Arlington
Spring 2010**

DRUG USE AT PARTIES THIS SCHOOL YEAR		
	q35b	Frequency Percent
Never	2140	49.90
Seldom	409	9.53
Half the time	333	7.77
Most of the time	379	8.84
Always	406	9.46
Don't know	105	2.46
Didn't attend	516	12.04

Frequency Missing = 386.42709725

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
	q36	Frequency Percent
No	3779	93.34
Yes	270	6.66

Frequency Missing = 624.81645659

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
	q37a	Frequency Percent
No	2729	64.99
Yes	1470	35.01

Frequency Missing = 474.86746878

WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL		
	q37b	Frequency Percent
No	2764	66.24
Yes	1409	33.76

Frequency Missing = 501.87476295

WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL		
	q37c	Frequency Percent
No	2529	61.47
Yes	1585	38.53

Frequency Missing = 560.04007008

WOULD SEEK HELP FROM PARENTS		
	q37d	Frequency Percent
No	1720	41.62
Yes	2413	58.38

Frequency Missing = 541.70569794

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
	q37e	Frequency Percent
No	2192	53.75
Yes	1887	46.25

Frequency Missing = 594.84794812

WOULD SEEK HELP FROM FRIENDS		
	q37f	Frequency Percent
No	1242	30.19
Yes	2871	69.81

Frequency Missing = 561.24583247

WOULD SEEK HELP FROM ANOTHER ADULT		
	q37g	Frequency Percent
No	1612	39.13
Yes	2508	60.87

Frequency Missing = 553.27019276

WOULD NOT SEEK HELP		
	q37h	Frequency Percent
No	3478	85.39
Yes	595	14.61

Frequency Missing = 601.11102374

DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS		
	q38a	Frequency Percent
No	1912	49.94
Yes	1917	50.06

Frequency Missing = 844.71088143

DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM		
	q38b	Frequency Percent
No	1998	52.95
Yes	1775	47.05

Frequency Missing = 901.40180531

DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR		
	q38c	Frequency Percent
No	2769	74.30
Yes	958	25.70

Frequency Missing = 946.78921491

DRUG/ALCOHOL INFO--SCIENCE CLASS		
	q38d	Frequency Percent
No	2386	64.47
Yes	1315	35.53

Frequency Missing = 973.03606466

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Arlington
Spring 2010**

**DRUG/ALCOHOL
INFO--SOCIAL
STUDIES CLASS**

q38e	Frequency	Percent
No	3219	87.11
Yes	476	12.89

Frequency Missing = 428.32462532

Frequency Missing = 978.16203705

**DRUG/ALCOHOL
INFO--SCHOOL
STUDENT GROUP OR
CLUB**

q38f	Frequency	Percent
No	3212	87.12
Yes	475	12.88

Frequency Missing = 987.04175283

**DRUG/ALCOHOL
INFO--INVITED
SCHOOL GUEST**

q38g	Frequency	Percent
No	2248	61.05
Yes	1435	38.95

Frequency Missing = 990.79191307

**DRUG/ALCOHOL
INFO--ANOTHER
SCHOOL SOURCE**

q38h	Frequency	Percent
No	2519	67.95
Yes	1188	32.05

Frequency Missing = 966.24323147

**PARENTS FEEL ABOUT KIDS
SMOKING CIGARETTES
q39a Frequency Percent**

Strong disapprove	3380	79.61
Mild disapprove	315	7.43
Neither	246	5.78
Mildly approve	46	1.08
Strongly approve	40	0.93
Don't know	219	5.17

**PARENTS FEEL ABOUT KIDS
DRINKING BEER
q39b Frequency Percent**

Strong disapprove	2802	66.54
Mild disapprove	621	14.75
Neither	401	9.52
Mildly approve	143	3.41
Strongly approve	46	1.10
Don't know	198	4.69

Frequency Missing = 463.7429047

**PARENTS FEEL ABOUT KIDS
USING MARIJUANA
q39c Frequency Percent**

Strong disapprove	3404	81.57
Mild disapprove	234	5.61
Neither	207	4.95
Mildly approve	74	1.77
Strongly approve	61	1.47
Don't know	193	4.63

Frequency Missing = 500.5565802

**TESTED FOR DRUG
USE AT SCHOOL
q40 Frequency Percent**

No	3951	93.88
Yes	258	6.12

Frequency Missing = 465.55194684

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
SPRING 2010**

**Texas School Survey
of Drug and Alcohol Use
2010
Part II: State Results**

**State : Grades 7-12 Large
SPRING 2010**

1. General Substance Tables

**State : Grades 7-12 Large
SPRING 2010**

**State : Grades 7-12 Large
SPRING 2010**

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product?					
	All	12.5%	17.6%	30.5%	69.5%
	Grade 7	4.8%	6.6%	15.1%	84.9%
	Grade 8	7.5%	11.1%	23.2%	76.8%
	Grade 9	11.0%	15.6%	28.9%	71.1%
	Grade 10	13.9%	20.1%	34.9%	65.1%
	Grade 11	17.8%	25.0%	39.7%	60.3%
	Grade 12	22.7%	30.4%	45.1%	54.9%
Cigarettes?					
	All	11.2%	16.0%	28.7%	71.3%
	Grade 7	4.3%	6.1%	14.1%	85.9%
	Grade 8	6.5%	9.9%	21.7%	78.3%
	Grade 9	9.7%	14.1%	27.3%	72.7%
	Grade 10	12.3%	18.2%	32.8%	67.2%
	Grade 11	16.1%	22.9%	37.2%	62.8%
	Grade 12	20.9%	28.0%	42.8%	57.2%
Smokeless tobacco?					
	All	3.7%	5.5%	9.5%	90.5%
	Grade 7	1.3%	1.9%	3.9%	96.1%
	Grade 8	2.2%	3.4%	6.3%	93.7%
	Grade 9	3.2%	4.7%	8.2%	91.8%
	Grade 10	4.5%	6.6%	11.3%	88.7%
	Grade 11	5.3%	8.2%	13.7%	86.3%
	Grade 12	6.2%	9.1%	15.1%	84.9%

**State : Grades 7-12 Large
SPRING 2010**

Table T-2: How often do you normally use ..

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?							
All	72.5%	2.9%	2.7%	3.7%	5.3%	4.7%	8.1%
Grade 7	86.6%	0.5%	1.0%	1.6%	2.6%	2.8%	4.9%
Grade 8	79.7%	0.8%	1.8%	2.6%	4.5%	3.9%	6.8%
Grade 9	74.6%	1.8%	2.2%	3.5%	5.3%	4.5%	8.3%
Grade 10	68.5%	3.4%	3.3%	4.3%	5.6%	5.4%	9.4%
Grade 11	63.5%	5.0%	3.8%	4.8%	7.0%	6.2%	9.7%
Grade 12	58.2%	7.2%	4.7%	6.0%	7.7%	6.0%	10.2%
Cigarettes?							
All	74.0%	2.3%	2.4%	3.5%	5.2%	4.5%	8.0%
Grade 7	87.3%	0.4%	0.8%	1.6%	2.5%	2.7%	4.7%
Grade 8	81.0%	0.7%	1.5%	2.4%	4.3%	3.7%	6.5%
Grade 9	75.9%	1.4%	2.0%	3.2%	4.9%	4.4%	8.2%
Grade 10	70.0%	2.7%	2.8%	4.2%	5.6%	5.3%	9.3%
Grade 11	65.7%	4.0%	3.4%	4.4%	6.9%	5.8%	9.7%
Grade 12	60.2%	5.8%	4.4%	5.8%	7.8%	5.7%	10.3%
Smokeless tobacco?							
All	91.4%	0.8%	0.7%	0.9%	1.5%	1.6%	3.0%
Grade 7	96.8%	0.2%	0.3%	0.3%	0.5%	0.8%	1.1%
Grade 8	94.6%	0.1%	0.5%	0.7%	1.2%	0.9%	2.0%
Grade 9	92.6%	0.5%	0.5%	0.8%	1.5%	1.3%	2.7%
Grade 10	90.0%	1.0%	1.1%	1.1%	1.3%	1.9%	3.5%
Grade 11	87.0%	1.5%	1.1%	1.4%	2.2%	2.5%	4.4%
Grade 12	85.9%	1.8%	1.0%	1.3%	2.4%	2.6%	5.1%

Table T-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Cigarettes	10.9	11.6	12.4	13.0	13.7	14.6
Smokeless tobacco	11.1	11.9	12.7	13.6	14.4	15.1
Any Tobacco	10.8	11.5	12.3	13.0	13.7	14.5

**State : Grades 7-12 Large
SPRING 2010**

Table T-4: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Any tobacco product?							
	All	14.7%	17.7%	6.4%	9.4%	16.8%	35.0%
	Grade 7	21.1%	34.0%	9.3%	10.1%	11.4%	14.1%
	Grade 8	17.6%	24.6%	9.3%	11.0%	16.7%	20.9%
	Grade 9	15.3%	16.8%	7.3%	11.5%	19.3%	29.8%
	Grade 10	12.4%	12.2%	5.3%	10.5%	21.2%	38.4%
	Grade 11	10.7%	9.6%	4.2%	7.9%	19.8%	47.8%
	Grade 12	10.0%	5.8%	2.1%	4.1%	11.4%	66.6%
Cigarettes?							
	All	15.0%	18.3%	6.7%	9.8%	17.0%	33.2%
	Grade 7	21.4%	34.9%	9.4%	10.1%	11.1%	13.1%
	Grade 8	18.0%	25.8%	9.4%	11.3%	16.3%	19.3%
	Grade 9	15.7%	17.6%	7.8%	11.9%	19.5%	27.5%
	Grade 10	12.7%	12.6%	5.7%	11.3%	21.9%	35.8%
	Grade 11	10.7%	9.8%	4.5%	8.9%	21.1%	45.0%
	Grade 12	10.1%	5.9%	2.1%	4.3%	11.8%	65.8%
Smokeless Tobacco?							
	All	26.1%	22.4%	8.2%	9.8%	11.9%	21.6%
	Grade 7	32.9%	39.3%	9.8%	7.2%	5.1%	5.6%
	Grade 8	29.7%	31.5%	10.3%	10.1%	9.3%	9.2%
	Grade 9	27.4%	22.1%	10.2%	11.6%	13.0%	15.7%
	Grade 10	23.6%	16.8%	8.0%	12.1%	15.6%	24.0%
	Grade 11	21.3%	12.8%	6.7%	10.9%	16.6%	31.7%
	Grade 12	19.7%	8.2%	3.3%	6.2%	12.3%	50.4%

**State : Grades 7-12 Large
SPRING 2010**

Table T-5: About how many of your close friends...

	None	A Few	Some	Most	ALL
Use any tobacco product?					
All	43.3%	30.4%	16.1%	8.6%	1.6%
Grade 7	69.1%	21.3%	6.6%	2.5%	0.5%
Grade 8	55.3%	28.5%	10.8%	4.5%	0.9%
Grade 9	42.0%	32.9%	15.9%	7.8%	1.4%
Grade 10	34.6%	33.0%	20.0%	10.8%	1.7%
Grade 11	29.7%	34.2%	21.0%	12.5%	2.7%
Grade 12	24.3%	33.3%	24.4%	15.5%	2.6%
Smoke cigarettes?					
All	46.1%	30.7%	14.6%	7.3%	1.3%
Grade 7	70.7%	20.7%	5.8%	2.3%	0.5%
Grade 8	57.9%	28.0%	9.4%	3.9%	0.8%
Grade 9	45.6%	32.4%	14.0%	6.8%	1.2%
Grade 10	37.9%	34.2%	17.6%	8.9%	1.3%
Grade 11	33.1%	34.9%	19.7%	10.3%	1.9%
Grade 12	26.4%	35.1%	23.2%	13.2%	2.2%
Use a smokeless tobacco product?					
All	69.8%	17.8%	8.4%	3.3%	0.7%
Grade 7	87.4%	9.0%	2.6%	0.8%	0.3%
Grade 8	79.3%	13.8%	4.9%	1.6%	0.4%
Grade 9	70.3%	18.2%	8.1%	2.9%	0.6%
Grade 10	63.2%	20.7%	10.8%	4.4%	0.9%
Grade 11	59.0%	22.9%	11.5%	5.2%	1.4%
Grade 12	55.7%	23.8%	14.1%	5.5%	0.9%

**State : Grades 7-12 Large
SPRING 2010**

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	76.7%	8.0%	6.5%	1.1%	0.9%	6.8%
Grade 7	84.7%	3.4%	2.1%	0.4%	0.8%	8.6%
Grade 8	83.1%	4.2%	3.5%	0.8%	0.8%	7.6%
Grade 9	79.1%	7.1%	4.9%	1.1%	0.8%	6.9%
Grade 10	76.4%	8.3%	7.3%	1.2%	0.8%	6.0%
Grade 11	70.8%	11.8%	9.2%	1.4%	1.0%	5.9%
Grade 12	62.3%	14.9%	13.8%	2.3%	1.2%	5.6%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	53.2%	25.6%	12.2%	3.5%	5.5%
Grade 7	71.3%	17.0%	5.0%	1.3%	5.3%
Grade 8	61.5%	21.9%	7.9%	2.4%	6.4%
Grade 9	53.9%	26.2%	10.9%	3.0%	6.1%
Grade 10	47.3%	28.8%	14.8%	3.5%	5.7%
Grade 11	42.9%	30.8%	16.4%	5.2%	4.7%
Grade 12	38.2%	30.6%	20.0%	6.5%	4.7%

**State : Grades 7-12 Large
SPRING 2010**

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product?					
	All	29.0%	40.2%	61.8%	38.2%
	Grade 7	15.0%	20.6%	42.1%	57.9%
	Grade 8	21.7%	30.2%	55.1%	44.9%
	Grade 9	28.7%	40.2%	62.8%	37.2%
	Grade 10	33.0%	47.0%	69.3%	30.7%
	Grade 11	35.8%	50.3%	70.2%	29.8%
	Grade 12	43.4%	57.5%	75.0%	25.0%
Beer?					
	All	19.9%	29.2%	48.2%	51.8%
	Grade 7	8.6%	12.8%	30.3%	69.7%
	Grade 8	13.6%	20.4%	41.6%	58.4%
	Grade 9	18.8%	28.1%	47.9%	52.1%
	Grade 10	22.7%	34.8%	54.2%	45.8%
	Grade 11	26.1%	38.5%	57.0%	43.0%
	Grade 12	32.7%	44.9%	62.3%	37.7%
Wine coolers?					
	All	17.5%	26.6%	43.7%	56.3%
	Grade 7	8.7%	12.5%	25.3%	74.7%
	Grade 8	13.0%	19.3%	36.0%	64.0%
	Grade 9	17.4%	26.6%	44.4%	55.6%
	Grade 10	20.5%	32.5%	50.8%	49.2%
	Grade 11	21.5%	33.8%	52.3%	47.7%
	Grade 12	26.2%	38.4%	57.1%	42.9%
Wine?					
	All	12.4%	20.6%	40.4%	59.6%
	Grade 7	7.0%	10.5%	24.7%	75.3%
	Grade 8	9.7%	15.7%	34.4%	65.6%
	Grade 9	12.3%	21.1%	41.4%	58.6%
	Grade 10	15.1%	24.7%	46.9%	53.1%
	Grade 11	14.2%	24.3%	46.7%	53.3%
	Grade 12	17.1%	29.3%	50.9%	49.1%
Liquor?					
	All	18.8%	28.6%	43.5%	56.5%
	Grade 7	6.6%	10.2%	19.9%	80.1%
	Grade 8	11.5%	17.9%	32.3%	67.7%
	Grade 9	18.0%	27.2%	42.7%	57.3%
	Grade 10	22.5%	35.0%	52.3%	47.7%
	Grade 11	25.0%	39.2%	56.3%	43.7%
	Grade 12	32.5%	47.0%	63.1%	36.9%

**State : Grades 7-12 Large
SPRING 2010**

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	44.4%	0.6%	4.2%	12.4%	14.4%	13.5%	10.5%
	Grade 7	65.3%	0.5%	2.3%	4.5%	7.6%	9.5%	10.3%
	Grade 8	53.0%	0.6%	3.3%	8.1%	11.5%	12.6%	10.9%
	Grade 9	43.7%	0.8%	4.2%	12.0%	13.9%	13.8%	11.7%
	Grade 10	36.6%	0.5%	4.8%	15.4%	16.6%	15.5%	10.7%
	Grade 11	34.6%	0.5%	4.7%	15.5%	19.4%	15.0%	10.2%
	Grade 12	29.1%	0.8%	6.4%	20.7%	19.1%	15.2%	8.8%
Beer?								
	All	54.3%	0.3%	3.3%	9.6%	11.9%	10.5%	10.2%
	Grade 7	73.1%	0.3%	1.5%	3.2%	5.9%	6.9%	9.1%
	Grade 8	62.3%	0.2%	2.4%	5.8%	9.4%	9.8%	10.1%
	Grade 9	55.2%	0.4%	3.0%	9.0%	11.5%	10.1%	10.8%
	Grade 10	47.3%	0.2%	3.6%	11.8%	13.5%	12.8%	10.7%
	Grade 11	44.7%	0.3%	3.9%	12.6%	16.1%	12.2%	10.2%
	Grade 12	38.9%	0.4%	5.6%	17.1%	16.2%	11.9%	10.0%
Wine coolers?								
	All	59.9%	0.2%	2.1%	7.3%	11.0%	11.0%	8.6%
	Grade 7	80.0%	0.2%	1.0%	2.6%	4.7%	5.6%	5.8%
	Grade 8	69.4%	0.2%	2.0%	4.4%	7.7%	8.9%	7.4%
	Grade 9	59.8%	0.3%	2.1%	7.0%	10.9%	10.6%	9.2%
	Grade 10	51.1%	0.2%	2.3%	9.9%	14.0%	13.2%	9.4%
	Grade 11	50.2%	0.1%	2.5%	8.9%	14.1%	14.1%	10.1%
	Grade 12	44.3%	0.1%	2.8%	12.2%	15.8%	14.9%	9.9%
Wine?								
	All	61.9%	0.1%	1.4%	5.1%	8.2%	12.5%	10.9%
	Grade 7	79.3%	0.1%	0.8%	2.1%	4.0%	6.8%	6.9%
	Grade 8	69.0%	0.1%	1.3%	3.7%	6.5%	9.9%	9.5%
	Grade 9	61.2%	0.1%	1.6%	5.0%	8.4%	12.5%	11.3%
	Grade 10	55.1%	0.0%	1.5%	6.8%	9.8%	14.4%	12.2%
	Grade 11	54.2%	0.0%	1.6%	6.0%	10.1%	14.9%	13.2%
	Grade 12	48.9%	0.1%	1.5%	7.4%	11.3%	17.7%	13.2%
Liquor?								
	All	59.0%	0.2%	2.5%	8.7%	11.4%	10.7%	7.5%
	Grade 7	82.7%	0.1%	1.0%	2.3%	4.0%	4.9%	5.0%
	Grade 8	70.8%	0.2%	1.7%	4.7%	7.6%	8.4%	6.6%
	Grade 9	59.7%	0.3%	2.5%	8.3%	10.4%	10.5%	8.4%
	Grade 10	49.8%	0.2%	3.0%	11.9%	13.5%	12.9%	8.7%
	Grade 11	45.9%	0.2%	3.1%	11.1%	17.4%	13.8%	8.5%
	Grade 12	39.3%	0.3%	4.1%	15.8%	17.7%	14.8%	8.0%

**State : Grades 7-12 Large
SPRING 2010**

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever Used	5 or More	1 to 4	Less than 1
Beer						
	All	51.0%	49.0%	12.3%	23.9%	12.8%
	Grade 7	67.6%	32.4%	3.7%	15.5%	13.2%
	Grade 8	57.2%	42.8%	6.8%	21.6%	14.4%
	Grade 9	51.3%	48.7%	10.4%	24.3%	13.9%
	Grade 10	45.2%	54.8%	15.2%	27.1%	12.5%
	Grade 11	42.6%	57.4%	18.7%	27.8%	10.9%
	Grade 12	38.4%	61.6%	21.6%	28.5%	11.4%
Wine Coolers						
	All	56.3%	43.7%	8.8%	26.2%	8.7%
	Grade 7	75.5%	24.5%	3.2%	13.2%	8.1%
	Grade 8	64.6%	35.4%	6.1%	20.2%	9.1%
	Grade 9	55.7%	44.3%	8.2%	26.5%	9.6%
	Grade 10	48.1%	51.9%	11.5%	31.7%	8.6%
	Grade 11	47.5%	52.5%	12.0%	32.0%	8.5%
	Grade 12	42.0%	58.0%	12.9%	36.9%	8.2%
Wine						
	All	58.9%	41.1%	3.6%	21.8%	15.6%
	Grade 7	74.9%	25.1%	2.0%	11.5%	11.6%
	Grade 8	64.5%	35.5%	3.0%	17.5%	14.9%
	Grade 9	57.6%	42.4%	3.7%	22.3%	16.4%
	Grade 10	52.7%	47.3%	4.3%	25.7%	17.3%
	Grade 11	52.2%	47.8%	4.6%	26.0%	17.2%
	Grade 12	48.6%	51.4%	4.3%	30.3%	16.8%
Liquor						
	All	55.4%	44.6%	11.6%	24.0%	9.0%
	Grade 7	79.5%	20.5%	2.9%	10.1%	7.6%
	Grade 8	66.5%	33.5%	6.2%	17.9%	9.3%
	Grade 9	56.0%	44.0%	10.7%	23.1%	10.2%
	Grade 10	46.3%	53.7%	15.8%	28.3%	9.7%
	Grade 11	42.1%	57.9%	16.7%	32.2%	9.1%
	Grade 12	36.2%	63.8%	19.5%	36.3%	8.0%

**State : Grades 7-12 Large
SPRING 2010**

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol	All	79.7%	6.9%	4.5%	4.6%	2.0%	2.3%
	Grade 7	91.3%	3.4%	1.8%	1.7%	0.6%	1.2%
	Grade 8	86.0%	5.7%	3.0%	2.7%	1.2%	1.5%
	Grade 9	81.1%	6.3%	4.5%	4.0%	1.7%	2.3%
	Grade 10	76.3%	7.9%	5.1%	5.4%	2.4%	2.8%
	Grade 11	73.2%	9.2%	5.7%	6.4%	2.7%	2.8%
	Grade 12	66.7%	9.7%	7.4%	8.6%	4.1%	3.5%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Beer	10.6	11.2	12.1	12.8	13.6	14.3
Wine Coolers	11.1	11.7	12.5	13.2	13.8	14.5
Wine	11.1	11.7	12.4	13.0	13.7	14.5
Liquor	11.4	12.2	13.0	13.7	14.4	15.1
Any Alcohol	10.6	11.2	12.0	12.6	13.3	14.0

**State : Grades 7-12 Large
SPRING 2010**

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	12.8%	13.6%	6.1%	11.5%	20.6%	35.4%
	Grade 7	19.2%	27.1%	8.9%	11.1%	13.4%	20.3%
	Grade 8	15.5%	18.0%	8.1%	12.3%	18.3%	27.8%
	Grade 9	12.6%	12.6%	6.0%	12.3%	20.7%	35.8%
	Grade 10	10.3%	8.6%	4.9%	11.6%	23.0%	41.5%
	Grade 11	9.2%	7.4%	4.4%	10.2%	23.0%	45.7%
	Grade 12	8.7%	5.9%	3.9%	11.5%	26.2%	43.8%
Wine coolers?							
	All	17.4%	15.7%	7.2%	12.1%	18.7%	28.9%
	Grade 7	28.6%	29.9%	9.3%	9.8%	9.5%	13.0%
	Grade 8	21.8%	21.9%	9.1%	12.2%	14.9%	20.1%
	Grade 9	16.9%	15.0%	7.9%	13.2%	19.3%	27.7%
	Grade 10	13.1%	10.1%	6.4%	13.4%	21.4%	35.7%
	Grade 11	11.3%	8.4%	5.1%	11.5%	23.4%	40.2%
	Grade 12	10.8%	6.1%	4.6%	12.6%	25.6%	40.2%
Wine?							
	All	15.0%	16.3%	8.0%	12.9%	18.2%	29.5%
	Grade 7	21.7%	31.8%	10.6%	10.9%	10.6%	14.4%
	Grade 8	18.3%	22.4%	9.9%	12.5%	14.9%	21.9%
	Grade 9	15.1%	15.3%	8.5%	14.0%	18.2%	28.9%
	Grade 10	12.8%	10.8%	7.1%	13.3%	20.9%	35.2%
	Grade 11	10.9%	8.7%	5.9%	12.9%	22.6%	39.0%
	Grade 12	10.2%	6.5%	5.3%	13.9%	23.7%	40.3%
Liquor?							
	All	14.6%	18.2%	8.5%	11.7%	17.3%	29.7%
	Grade 7	23.2%	36.3%	10.1%	8.9%	9.1%	12.5%
	Grade 8	18.1%	25.4%	10.8%	11.0%	13.9%	20.7%
	Grade 9	14.4%	17.2%	9.4%	12.6%	17.4%	29.1%
	Grade 10	11.3%	11.4%	8.1%	12.3%	20.0%	36.9%
	Grade 11	9.8%	9.0%	6.1%	12.3%	21.4%	41.3%
	Grade 12	9.3%	6.9%	5.7%	13.4%	23.6%	41.1%
Any alcohol product?							
	All	11.6%	11.2%	5.0%	10.0%	19.9%	42.3%
	Grade 7	17.7%	23.2%	8.1%	11.3%	14.9%	24.7%
	Grade 8	13.8%	14.6%	7.0%	11.1%	18.6%	34.8%
	Grade 9	11.4%	9.9%	4.6%	10.2%	20.4%	43.5%
	Grade 10	9.2%	6.9%	3.5%	9.7%	20.8%	49.9%
	Grade 11	8.1%	6.1%	3.3%	8.3%	21.4%	52.9%
	Grade 12	8.0%	4.6%	2.9%	9.2%	24.3%	51.0%

**State : Grades 7-12 Large
SPRING 2010**

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	92.5%	5.7%	0.9%	0.8%
Grade 7	94.6%	4.2%	0.6%	0.6%
Grade 8	92.7%	5.8%	0.8%	0.8%
Grade 9	91.7%	6.5%	1.0%	0.8%
Grade 10	91.5%	6.9%	0.9%	0.7%
Grade 11	92.2%	5.6%	1.2%	1.0%
Grade 12	92.5%	5.2%	1.1%	1.2%
Gotten into trouble with teachers because of your drinking?				
All	98.9%	0.7%	0.1%	0.3%
Grade 7	99.0%	0.5%	0.2%	0.3%
Grade 8	98.8%	0.9%	0.1%	0.2%
Grade 9	98.8%	0.7%	0.2%	0.2%
Grade 10	98.9%	0.7%	0.1%	0.2%
Grade 11	98.8%	0.8%	0.1%	0.3%
Grade 12	98.7%	0.9%	0.1%	0.3%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.6
Alcohol Non-use	3.6
Average days conduct problems reported	
Alcohol Users:	3.2
Alcohol Non-use	1.1

**State : Grades 7-12 Large
SPRING 2010**

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	90.8%	6.9%	1.2%	1.0%
Grade 9	95.4%	3.6%	0.6%	0.4%
Grade 10	93.3%	5.2%	1.0%	0.5%
Grade 11	89.4%	8.1%	1.4%	1.1%
Grade 12	83.4%	12.1%	2.1%	2.4%
Gotten into trouble with the police because of drinking?				
All	97.3%	2.2%	0.3%	0.2%
Grade 7	98.9%	0.8%	0.1%	0.2%
Grade 8	98.1%	1.4%	0.3%	0.2%
Grade 9	97.5%	1.9%	0.3%	0.3%
Grade 10	97.0%	2.6%	0.2%	0.2%
Grade 11	96.3%	3.2%	0.3%	0.2%
Grade 12	95.3%	4.0%	0.4%	0.3%

**State : Grades 7-12 Large
SPRING 2010**

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	29.0%	23.1%	19.2%	20.3%	8.4%
	Grade 7	55.5%	23.8%	10.9%	6.9%	2.8%
	Grade 8	39.1%	26.2%	17.2%	12.8%	4.7%
	Grade 9	26.1%	25.1%	20.9%	20.1%	7.7%
	Grade 10	19.0%	22.4%	22.7%	25.0%	10.8%
	Grade 11	16.2%	21.1%	22.4%	28.7%	11.4%
	Grade 12	13.9%	18.6%	21.4%	31.4%	14.7%
Beer?						
	All	34.3%	23.1%	18.5%	17.9%	6.3%
	Grade 7	61.5%	21.9%	9.2%	5.6%	1.8%
	Grade 8	45.6%	25.5%	15.3%	10.3%	3.4%
	Grade 9	32.3%	25.4%	20.0%	16.9%	5.4%
	Grade 10	23.8%	23.3%	22.8%	22.1%	8.0%
	Grade 11	20.4%	21.9%	22.6%	26.2%	8.9%
	Grade 12	17.8%	19.5%	22.1%	29.0%	11.5%
Wine coolers?						
	All	46.6%	20.7%	15.8%	12.3%	4.6%
	Grade 7	73.2%	14.9%	6.6%	3.8%	1.5%
	Grade 8	58.6%	19.8%	11.6%	7.3%	2.8%
	Grade 9	45.2%	22.4%	16.3%	12.1%	4.1%
	Grade 10	36.8%	22.0%	19.6%	15.5%	6.2%
	Grade 11	32.5%	23.5%	20.6%	17.0%	6.4%
	Grade 12	28.9%	21.8%	22.0%	19.8%	7.5%
Wine?						
	All	54.7%	23.0%	12.6%	7.0%	2.8%
	Grade 7	75.3%	15.4%	5.4%	2.8%	1.0%
	Grade 8	63.5%	20.7%	9.2%	4.9%	1.8%
	Grade 9	53.4%	23.9%	12.8%	7.2%	2.7%
	Grade 10	47.0%	25.7%	15.5%	8.3%	3.5%
	Grade 11	44.7%	26.1%	15.8%	9.2%	4.1%
	Grade 12	40.6%	26.9%	18.1%	10.2%	4.1%
Liquor?						
	All	42.2%	20.7%	16.0%	15.4%	5.8%
	Grade 7	73.5%	15.1%	6.1%	3.8%	1.5%
	Grade 8	56.0%	21.5%	11.9%	7.9%	2.7%
	Grade 9	40.7%	23.3%	16.7%	14.3%	5.1%
	Grade 10	30.7%	22.0%	20.0%	19.6%	7.7%
	Grade 11	25.2%	22.2%	21.4%	22.9%	8.4%
	Grade 12	21.7%	19.7%	21.2%	26.5%	10.8%

**State : Grades 7-12 Large
SPRING 2010**

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	93.8%	5.4%	0.5%	0.3%
Grade 7	97.0%	2.5%	0.2%	0.2%
Grade 8	95.4%	4.0%	0.3%	0.3%
Grade 9	93.4%	5.5%	0.7%	0.4%
Grade 10	92.3%	6.9%	0.6%	0.2%
Grade 11	92.4%	6.5%	0.8%	0.4%
Grade 12	91.7%	7.2%	0.6%	0.4%
Been criticized by someone you were dating because of drinking?				
All	93.1%	5.7%	0.7%	0.6%
Grade 7	97.3%	2.3%	0.2%	0.2%
Grade 8	95.1%	4.0%	0.4%	0.5%
Grade 9	92.9%	5.7%	0.8%	0.6%
Grade 10	91.1%	7.5%	0.9%	0.6%
Grade 11	91.0%	7.4%	0.8%	0.8%
Grade 12	90.2%	8.0%	0.9%	0.8%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	42.8%	9.9%	7.0%	11.4%	15.8%	1.9%	11.1%
Grade 7	67.2%	8.6%	5.2%	4.4%	3.2%	2.5%	9.0%
Grade 8	56.6%	12.0%	6.8%	7.6%	5.9%	2.1%	9.0%
Grade 9	41.3%	11.3%	8.6%	12.3%	12.7%	2.2%	11.7%
Grade 10	32.9%	11.0%	7.7%	14.9%	19.8%	1.7%	12.0%
Grade 11	28.5%	8.2%	7.5%	14.6%	25.7%	1.6%	13.9%
Grade 12	25.3%	8.0%	6.2%	15.9%	31.9%	1.1%	11.7%

**State : Grades 7-12 Large
SPRING 2010**

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home?						
	All	45.7%	25.2%	20.2%	6.2%	2.7%
	Grade 7	58.8%	22.8%	13.4%	3.6%	1.3%
	Grade 8	50.2%	23.3%	18.4%	6.0%	2.1%
	Grade 9	46.3%	23.7%	20.5%	6.5%	2.9%
	Grade 10	40.8%	25.5%	23.3%	7.1%	3.3%
	Grade 11	40.1%	27.5%	22.5%	6.7%	3.2%
	Grade 12	34.9%	29.6%	24.1%	8.0%	3.5%
From friends?						
	All	42.9%	19.5%	16.0%	15.6%	6.0%
	Grade 7	60.4%	25.7%	7.5%	5.1%	1.3%
	Grade 8	49.4%	24.3%	13.9%	9.5%	2.8%
	Grade 9	43.1%	20.4%	17.0%	14.5%	5.0%
	Grade 10	36.3%	17.1%	19.3%	19.7%	7.6%
	Grade 11	34.8%	14.9%	19.4%	21.5%	9.3%
	Grade 12	29.7%	12.5%	19.9%	26.1%	11.8%
From a store?						
	All	45.0%	41.4%	7.2%	4.2%	2.2%
	Grade 7	60.6%	35.0%	2.7%	1.1%	0.7%
	Grade 8	51.6%	41.2%	4.5%	1.8%	0.9%
	Grade 9	45.8%	42.4%	6.3%	3.8%	1.7%
	Grade 10	38.7%	44.8%	8.9%	5.2%	2.5%
	Grade 11	37.0%	42.4%	10.3%	6.6%	3.6%
	Grade 12	32.7%	42.9%	11.9%	7.8%	4.7%
At parties?						
	All	41.1%	16.8%	13.0%	14.9%	14.3%
	Grade 7	56.5%	21.0%	10.1%	7.7%	4.6%
	Grade 8	47.1%	19.7%	13.4%	11.8%	8.0%
	Grade 9	41.4%	17.2%	13.2%	15.1%	13.0%
	Grade 10	35.2%	15.6%	13.7%	17.6%	17.9%
	Grade 11	33.7%	13.8%	13.3%	18.2%	20.9%
	Grade 12	29.5%	11.9%	14.3%	20.2%	24.1%
Other source?						
	All	45.3%	26.9%	13.1%	7.9%	6.8%
	Grade 7	59.0%	25.8%	8.3%	4.2%	2.8%
	Grade 8	50.9%	26.5%	10.9%	6.5%	5.2%
	Grade 9	45.6%	25.8%	13.6%	8.1%	6.8%
	Grade 10	40.1%	27.4%	14.6%	9.3%	8.6%
	Grade 11	38.9%	27.6%	15.5%	9.2%	8.8%
	Grade 12	33.8%	29.0%	16.9%	10.6%	9.7%

**State : Grades 7-12 Large
SPRING 2010**

Table A-14: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	64.0%	14.8%	10.3%	3.4%	1.2%	6.5%
Grade 7	75.8%	8.3%	4.7%	1.6%	1.1%	8.6%
Grade 8	69.9%	11.3%	7.6%	2.6%	1.1%	7.6%
Grade 9	64.3%	15.3%	9.5%	3.3%	1.1%	6.4%
Grade 10	60.5%	16.6%	11.9%	4.2%	1.2%	5.7%
Grade 11	57.6%	18.2%	13.5%	4.1%	1.2%	5.3%
Grade 12	52.7%	20.5%	15.8%	4.9%	1.2%	4.9%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	47.7%	30.2%	14.3%	3.7%	4.1%
Grade 7	59.6%	22.6%	10.7%	2.8%	4.3%
Grade 8	49.8%	26.2%	14.6%	4.4%	4.9%
Grade 9	46.4%	29.7%	15.6%	4.0%	4.3%
Grade 10	44.2%	33.1%	14.9%	3.6%	4.1%
Grade 11	43.2%	34.7%	14.9%	3.9%	3.3%
Grade 12	41.9%	36.5%	15.0%	3.2%	3.5%

**State : Grades 7-12 Large
SPRING 2010**

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	11.4%	16.9%	26.2%	73.8%
	Grade 7	3.9%	5.5%	9.5%	90.5%
	Grade 8	6.8%	9.8%	16.5%	83.5%
	Grade 9	11.1%	16.4%	25.2%	74.8%
	Grade 10	14.2%	20.6%	32.2%	67.8%
	Grade 11	15.9%	24.2%	36.8%	63.2%
	Grade 12	18.4%	27.4%	41.5%	58.5%
Cocaine?					
	All	1.5%	2.5%	5.0%	95.0%
	Grade 7	0.6%	1.1%	1.8%	98.2%
	Grade 8	1.0%	1.5%	2.7%	97.3%
	Grade 9	1.6%	2.4%	4.3%	95.7%
	Grade 10	1.7%	2.9%	5.9%	94.1%
	Grade 11	2.1%	3.6%	7.2%	92.8%
	Grade 12	2.1%	4.0%	8.9%	91.1%
Crack?					
	All	0.5%	0.7%	1.6%	98.4%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	0.4%	0.7%	1.6%	98.4%
	Grade 10	0.4%	0.7%	1.6%	98.4%
	Grade 11	0.5%	0.7%	1.6%	98.4%
	Grade 12	0.4%	0.5%	1.6%	98.4%
Hallucinogens?					
	All	1.5%	2.5%	4.6%	95.4%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.1%	1.6%	3.1%	96.9%
	Grade 9	1.8%	2.7%	4.6%	95.4%
	Grade 10	1.7%	3.0%	5.6%	94.4%
	Grade 11	2.0%	3.5%	6.5%	93.5%
	Grade 12	2.1%	3.8%	7.3%	92.7%
Uppers?					
	All	2.2%	3.4%	5.3%	94.7%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.2%	1.6%	2.6%	97.4%
	Grade 9	2.2%	3.2%	4.7%	95.3%
	Grade 10	2.9%	4.5%	7.0%	93.0%
	Grade 11	3.2%	5.0%	8.1%	91.9%
	Grade 12	3.5%	5.7%	9.0%	91.0%
Downers?					
	All	2.4%	3.6%	5.7%	94.3%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.3%	1.9%	2.8%	97.2%
	Grade 9	2.4%	3.4%	5.1%	94.9%
	Grade 10	3.0%	4.3%	7.1%	92.9%
	Grade 11	3.8%	5.6%	9.1%	90.9%
	Grade 12	3.9%	6.2%	10.1%	89.9%

**State : Grades 7-12 Large
SPRING 2010**

**Table D-1: How recently, if ever, have you used...
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol?					
	All	1.0%	1.5%	2.6%	97.4%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	1.2%	1.6%	2.6%	97.4%
	Grade 9	1.1%	1.7%	3.0%	97.0%
	Grade 10	1.3%	1.8%	3.1%	96.9%
	Grade 11	1.3%	1.8%	3.0%	97.0%
	Grade 12	1.0%	1.5%	2.9%	97.1%
Steroids?					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.4%	0.7%	1.5%	98.5%
	Grade 9	0.5%	0.7%	1.3%	98.7%
	Grade 10	0.4%	0.6%	1.3%	98.7%
	Grade 11	0.5%	0.8%	1.5%	98.5%
	Grade 12	0.7%	0.9%	1.7%	98.3%
Ecstasy?					
	All	2.5%	4.0%	6.8%	93.2%
	Grade 7	0.8%	1.3%	2.3%	97.7%
	Grade 8	1.8%	2.6%	4.5%	95.5%
	Grade 9	2.6%	3.9%	6.7%	93.3%
	Grade 10	2.9%	4.6%	8.0%	92.0%
	Grade 11	3.5%	5.8%	9.4%	90.6%
	Grade 12	3.9%	6.4%	11.2%	88.8%
Heroin?					
	All	0.5%	0.8%	1.4%	98.6%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	0.7%	1.0%	1.8%	98.2%
	Grade 9	0.5%	0.8%	1.5%	98.5%
	Grade 10	0.6%	0.8%	1.4%	98.6%
	Grade 11	0.5%	0.6%	1.2%	98.8%
	Grade 12	0.4%	0.6%	1.1%	98.9%

**State : Grades 7-12 Large
SPRING 2010**

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	76.2%	2.8%	3.2%	4.3%	4.5%	4.1%	5.0%
	Grade 7	91.5%	0.9%	1.2%	1.6%	1.5%	1.5%	1.7%
	Grade 8	84.9%	1.2%	2.4%	3.2%	3.1%	2.5%	2.8%
	Grade 9	76.6%	2.6%	3.5%	4.5%	4.6%	3.9%	4.3%
	Grade 10	70.6%	3.2%	3.7%	5.7%	5.6%	5.3%	5.8%
	Grade 11	66.5%	4.1%	4.1%	5.6%	6.7%	5.4%	7.6%
	Grade 12	63.2%	5.3%	4.3%	5.6%	6.1%	6.7%	8.8%
Cocaine?								
	All	96.1%	0.1%	0.3%	0.5%	0.7%	1.0%	1.4%
	Grade 7	98.8%	0.0%	0.1%	0.2%	0.2%	0.3%	0.3%
	Grade 8	97.7%	0.1%	0.3%	0.3%	0.5%	0.6%	0.6%
	Grade 9	96.4%	0.1%	0.3%	0.6%	0.7%	0.8%	1.1%
	Grade 10	95.1%	0.1%	0.2%	0.5%	0.8%	1.4%	1.8%
	Grade 11	94.3%	0.1%	0.3%	0.7%	1.0%	1.3%	2.2%
	Grade 12	93.5%	0.1%	0.3%	0.5%	1.2%	1.6%	2.8%
Crack?								
	All	98.7%	0.0%	0.1%	0.2%	0.2%	0.3%	0.5%
	Grade 7	98.8%	0.0%	0.1%	0.2%	0.2%	0.3%	0.3%
	Grade 8	98.6%	0.1%	0.1%	0.3%	0.3%	0.4%	0.3%
	Grade 9	98.5%	0.0%	0.1%	0.2%	0.3%	0.3%	0.5%
	Grade 10	98.9%	0.1%	0.0%	0.1%	0.2%	0.2%	0.5%
	Grade 11	98.7%	0.0%	0.1%	0.1%	0.2%	0.2%	0.6%
	Grade 12	98.9%	0.1%	0.0%	0.1%	0.1%	0.2%	0.6%
Hallucinogens?								
	All	96.2%	0.1%	0.1%	0.3%	0.8%	1.3%	1.2%
	Grade 7	98.9%	0.0%	0.1%	0.2%	0.2%	0.2%	0.4%
	Grade 8	97.6%	0.0%	0.2%	0.4%	0.5%	0.8%	0.6%
	Grade 9	96.4%	0.0%	0.1%	0.4%	0.9%	1.1%	1.1%
	Grade 10	95.3%	0.1%	0.1%	0.4%	0.9%	1.8%	1.4%
	Grade 11	94.6%	0.1%	0.1%	0.3%	1.2%	1.8%	1.9%
	Grade 12	94.0%	0.1%	0.2%	0.3%	1.0%	2.1%	2.2%
Uppers?								
	All	95.0%	0.1%	0.4%	0.8%	1.2%	1.2%	1.2%
	Grade 7	98.8%	0.1%	0.1%	0.3%	0.3%	0.2%	0.2%
	Grade 8	97.4%	0.1%	0.3%	0.5%	0.6%	0.6%	0.7%
	Grade 9	95.5%	0.1%	0.4%	0.9%	1.2%	0.9%	1.0%
	Grade 10	93.0%	0.2%	0.4%	1.4%	1.8%	1.5%	1.7%
	Grade 11	92.2%	0.2%	0.6%	1.1%	1.8%	2.2%	1.9%
	Grade 12	91.8%	0.2%	0.6%	1.0%	1.8%	2.3%	2.2%
Downers?								
	All	94.8%	0.2%	0.4%	0.9%	1.3%	1.1%	1.2%
	Grade 7	98.9%	0.0%	0.1%	0.2%	0.3%	0.2%	0.3%
	Grade 8	97.4%	0.3%	0.3%	0.4%	0.7%	0.4%	0.6%
	Grade 9	95.2%	0.2%	0.4%	0.9%	1.3%	1.0%	1.0%
	Grade 10	93.2%	0.2%	0.5%	1.4%	1.7%	1.4%	1.6%
	Grade 11	91.8%	0.4%	0.7%	1.3%	1.9%	1.9%	2.1%
	Grade 12	91.5%	0.1%	0.6%	1.3%	2.2%	2.1%	2.3%

**State : Grades 7-12 Large
SPRING 2010**

**Table D-2: How often do you normally use...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	97.9%	0.0%	0.2%	0.3%	0.4%	0.5%	0.5%
	Grade 7	98.8%	0.0%	0.1%	0.2%	0.2%	0.3%	0.3%
	Grade 8	98.1%	0.0%	0.2%	0.4%	0.5%	0.4%	0.3%
	Grade 9	97.6%	0.1%	0.2%	0.5%	0.5%	0.5%	0.6%
	Grade 10	97.6%	0.0%	0.3%	0.3%	0.5%	0.7%	0.6%
	Grade 11	97.6%	0.0%	0.2%	0.3%	0.4%	0.6%	0.8%
	Grade 12	97.8%	0.0%	0.1%	0.3%	0.4%	0.6%	0.7%
Steroids?								
	All	98.9%	0.1%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 8	98.9%	0.1%	0.1%	0.1%	0.1%	0.3%	0.4%
	Grade 9	99.1%	0.1%	0.1%	0.0%	0.1%	0.2%	0.4%
	Grade 10	98.9%	0.2%	0.1%	0.1%	0.1%	0.1%	0.5%
	Grade 11	98.8%	0.1%	0.1%	0.2%	0.2%	0.3%	0.3%
	Grade 12	98.7%	0.1%	0.1%	0.1%	0.1%	0.2%	0.6%
Ecstasy?								
	All	93.8%	0.1%	0.4%	0.9%	1.4%	1.7%	1.7%
	Grade 7	98.1%	0.1%	0.2%	0.4%	0.4%	0.5%	0.4%
	Grade 8	96.1%	0.1%	0.4%	0.7%	0.9%	1.0%	0.9%
	Grade 9	93.9%	0.1%	0.5%	1.0%	1.3%	1.6%	1.5%
	Grade 10	92.5%	0.1%	0.5%	0.9%	1.8%	2.1%	2.1%
	Grade 11	91.2%	0.1%	0.4%	1.1%	2.0%	2.9%	2.4%
	Grade 12	90.0%	0.1%	0.4%	1.2%	2.1%	2.8%	3.4%
Heroin?								
	All	98.9%	0.1%	0.1%	0.1%	0.2%	0.3%	0.4%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.2%	0.2%	0.3%
	Grade 8	98.7%	0.0%	0.2%	0.1%	0.2%	0.3%	0.4%
	Grade 9	98.8%	0.0%	0.1%	0.1%	0.2%	0.3%	0.4%
	Grade 10	99.1%	0.0%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 11	98.8%	0.1%	0.1%	0.1%	0.1%	0.3%	0.5%
	Grade 12	99.1%	0.1%	0.1%	0.0%	0.1%	0.2%	0.4%

**State : Grades 7-12 Large
SPRING 2010**

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.5	12.3	13.0	13.6	14.4	14.9
Cocaine	11.6	12.6	13.7	14.1	14.9	15.3
Crack	11.4	12.4	13.6	14.0	14.5	15.0
Hallucinogens	11.9	12.4	13.6	14.4	15.2	15.7
Uppers	11.8	12.5	13.5	14.1	14.8	15.4
Downers	11.8	12.4	13.5	14.1	14.8	15.3
Rohypnol	11.8	12.4	13.5	14.0	14.7	15.0
Steroids	10.8	11.9	12.1	14.0	14.2	14.5
Ecstasy	11.9	12.7	13.8	14.6	15.5	16.1
Heroin	11.5	12.3	13.3	13.6	14.1	15.3

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	79.2%	0.8%	1.7%	5.6%	7.9%	4.4%	0.3%
	Grade 7	93.4%	0.7%	1.7%	3.9%	0.2%	0.0%	0.0%
	Grade 8	88.0%	0.7%	2.1%	6.4%	2.7%	0.0%	0.0%
	Grade 9	80.5%	1.0%	2.0%	6.9%	9.1%	0.4%	0.0%
	Grade 10	75.3%	0.8%	1.7%	5.7%	13.2%	3.2%	0.1%
	Grade 11	68.9%	0.8%	1.3%	5.3%	13.3%	10.2%	0.1%
	Grade 12	64.4%	0.9%	1.3%	5.3%	10.4%	15.6%	2.1%
Other family situation								
	All	64.6%	2.3%	3.9%	10.4%	12.5%	5.7%	0.7%
	Grade 7	85.3%	2.5%	4.6%	6.7%	0.9%	0.0%	0.1%
	Grade 8	76.1%	2.4%	5.0%	11.9%	4.6%	0.0%	0.0%
	Grade 9	66.3%	2.6%	3.6%	12.5%	14.2%	0.7%	0.1%
	Grade 10	56.0%	2.5%	4.4%	11.8%	20.7%	4.6%	0.0%
	Grade 11	54.4%	1.6%	2.2%	10.0%	18.3%	13.2%	0.2%
	Grade 12	48.1%	1.9%	3.7%	8.4%	15.6%	18.2%	4.2%

**State : Grades 7-12 Large
SPRING 2010**

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	17.0%	27.3%	8.2%	9.1%	12.6%	25.8%
	Grade 7	25.5%	47.7%	7.8%	5.7%	5.1%	8.2%
	Grade 8	20.1%	38.8%	9.3%	8.1%	8.9%	14.8%
	Grade 9	16.6%	26.6%	8.5%	9.5%	13.4%	25.3%
	Grade 10	13.4%	19.1%	8.8%	10.8%	15.3%	32.6%
	Grade 11	12.3%	15.4%	7.5%	9.8%	16.8%	38.2%
	Grade 12	12.4%	12.2%	7.1%	11.0%	17.3%	39.9%
Cocaine?							
	All	22.6%	36.6%	14.0%	10.9%	7.1%	8.7%
	Grade 7	28.8%	52.4%	9.0%	4.5%	2.3%	3.0%
	Grade 8	24.7%	46.9%	11.9%	7.0%	4.6%	4.9%
	Grade 9	22.8%	36.4%	14.6%	10.2%	7.5%	8.5%
	Grade 10	20.3%	30.5%	15.6%	13.8%	8.8%	10.9%
	Grade 11	19.0%	26.9%	16.3%	14.8%	10.2%	12.8%
	Grade 12	19.0%	23.1%	17.7%	16.7%	10.0%	13.5%
Crack?							
	All	24.4%	37.5%	14.6%	10.6%	6.0%	6.9%
	Grade 7	30.0%	51.8%	8.6%	4.5%	2.2%	2.9%
	Grade 8	25.8%	47.1%	11.9%	6.8%	4.1%	4.3%
	Grade 9	24.4%	37.3%	14.6%	10.1%	6.6%	7.0%
	Grade 10	22.3%	31.6%	17.0%	12.7%	7.6%	8.8%
	Grade 11	21.4%	28.5%	17.5%	14.3%	8.4%	9.9%
	Grade 12	21.3%	25.0%	19.3%	16.9%	7.9%	9.5%
Hallucinogens?							
	All	38.4%	27.7%	11.5%	9.1%	6.3%	7.0%
	Grade 7	54.4%	32.7%	5.9%	2.9%	1.8%	2.3%
	Grade 8	45.7%	32.8%	9.0%	5.7%	3.3%	3.6%
	Grade 9	38.1%	28.7%	11.2%	8.6%	6.3%	7.0%
	Grade 10	31.9%	25.7%	13.9%	11.3%	7.9%	9.3%
	Grade 11	29.4%	23.2%	14.0%	13.2%	10.0%	10.2%
	Grade 12	27.9%	21.3%	15.9%	14.8%	9.7%	10.5%
Uppers?							
	All	49.6%	21.2%	8.1%	7.0%	5.9%	8.2%
	Grade 7	62.6%	27.0%	4.7%	2.3%	1.5%	2.0%
	Grade 8	57.4%	25.2%	6.1%	4.3%	3.0%	3.9%
	Grade 9	49.4%	22.3%	8.1%	6.4%	5.9%	8.0%
	Grade 10	45.3%	18.4%	10.2%	8.1%	7.6%	10.5%
	Grade 11	41.0%	17.0%	9.6%	10.1%	9.3%	12.9%
	Grade 12	38.8%	15.4%	10.9%	12.4%	9.4%	13.1%
Downers?							
	All	49.5%	21.1%	8.1%	6.9%	5.9%	8.4%
	Grade 7	62.7%	26.7%	4.7%	2.3%	1.5%	2.1%
	Grade 8	57.6%	25.1%	6.1%	4.2%	3.0%	4.1%
	Grade 9	49.2%	22.3%	8.2%	6.4%	5.8%	8.2%
	Grade 10	45.0%	18.5%	10.1%	8.0%	7.3%	11.1%
	Grade 11	40.7%	17.0%	9.9%	10.0%	9.2%	13.2%
	Grade 12	38.6%	15.7%	10.5%	12.2%	9.5%	13.4%

**State : Grades 7-12 Large
SPRING 2010**

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?							
	All	46.5%	25.3%	10.2%	7.1%	4.6%	6.3%
	Grade 7	59.2%	29.8%	4.9%	2.6%	1.4%	2.1%
	Grade 8	53.0%	29.2%	7.1%	4.4%	2.5%	3.8%
	Grade 9	45.9%	26.0%	10.2%	6.6%	5.0%	6.3%
	Grade 10	41.8%	23.1%	13.0%	8.2%	5.7%	8.3%
	Grade 11	39.4%	22.1%	12.3%	10.0%	7.1%	9.2%
	Grade 12	37.3%	20.4%	15.1%	12.0%	6.3%	8.9%
Steroids?							
	All	27.2%	38.0%	13.3%	9.7%	5.5%	6.3%
	Grade 7	32.6%	49.9%	8.4%	4.0%	2.2%	2.9%
	Grade 8	29.1%	47.1%	10.4%	6.7%	3.2%	3.6%
	Grade 9	27.7%	38.6%	13.5%	9.0%	5.4%	5.9%
	Grade 10	24.8%	33.5%	14.7%	12.3%	7.1%	7.5%
	Grade 11	23.7%	30.0%	16.3%	13.0%	7.9%	9.1%
	Grade 12	24.1%	25.6%	17.3%	14.9%	8.1%	9.9%
Ecstasy?							
	All	33.4%	28.8%	10.5%	8.5%	7.5%	11.2%
	Grade 7	53.1%	33.3%	5.7%	2.7%	2.1%	3.0%
	Grade 8	41.8%	34.5%	8.0%	5.8%	4.1%	5.8%
	Grade 9	31.6%	30.3%	11.1%	8.1%	7.8%	11.1%
	Grade 10	26.3%	26.3%	12.6%	10.5%	9.9%	14.4%
	Grade 11	22.6%	25.2%	12.6%	11.6%	11.0%	17.0%
	Grade 12	21.8%	21.5%	13.9%	13.8%	11.4%	17.6%
Heroin?							
	All	32.0%	37.4%	13.2%	7.6%	4.1%	5.7%
	Grade 7	40.8%	44.5%	7.2%	3.1%	1.7%	2.7%
	Grade 8	35.2%	44.0%	9.5%	4.8%	2.8%	3.6%
	Grade 9	31.4%	37.5%	13.3%	7.4%	4.5%	6.0%
	Grade 10	28.6%	34.0%	15.8%	8.9%	5.5%	7.1%
	Grade 11	27.2%	32.9%	16.2%	10.9%	5.0%	7.7%
	Grade 12	27.2%	29.5%	18.8%	11.4%	5.3%	7.8%

**State : Grades 7-12 Large
SPRING 2010**

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	89.1%	5.8%	2.0%	3.1%
Grade 7	95.2%	3.0%	0.7%	1.1%
Grade 8	92.1%	4.8%	1.4%	1.6%
Grade 9	88.6%	6.3%	2.3%	2.8%
Grade 10	86.1%	7.6%	2.4%	3.9%
Grade 11	85.7%	7.0%	2.9%	4.4%
Grade 12	85.6%	6.5%	2.6%	5.2%
Attended class while high from use of some other drug?				
All	94.2%	3.7%	1.0%	1.1%
Grade 7	97.0%	2.0%	0.4%	0.6%
Grade 8	95.3%	3.3%	0.7%	0.8%
Grade 9	93.5%	4.4%	1.1%	1.0%
Grade 10	92.7%	4.4%	1.3%	1.5%
Grade 11	93.2%	4.2%	1.2%	1.3%
Grade 12	93.5%	3.9%	1.2%	1.4%
Gotten into trouble with teachers because of your drug use?				
All	98.4%	1.1%	0.2%	0.3%
Grade 7	98.9%	0.7%	0.1%	0.4%
Grade 8	98.3%	1.2%	0.2%	0.3%
Grade 9	98.1%	1.4%	0.2%	0.3%
Grade 10	98.4%	1.2%	0.2%	0.2%
Grade 11	98.6%	1.0%	0.1%	0.2%
Grade 12	98.4%	1.1%	0.2%	0.3%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	4.9
Marijuana Non-use	3.8

Average days conduct problems reported	
Marijuana Users:	4.8
Marijuana Non-use	1.4

**State : Grades 7-12 Large
SPRING 2010**

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	90.5%	5.9%	1.4%	2.2%
Grade 9	95.1%	3.5%	0.6%	0.7%
Grade 10	92.8%	4.9%	1.1%	1.3%
Grade 11	88.3%	7.4%	1.8%	2.5%
Grade 12	84.1%	8.7%	2.3%	4.9%
Gotten into trouble with the police because of drug use?				
All	97.5%	1.9%	0.2%	0.3%
Grade 7	98.6%	1.0%	0.2%	0.3%
Grade 8	97.6%	1.7%	0.4%	0.3%
Grade 9	97.4%	2.0%	0.3%	0.3%
Grade 10	97.5%	2.1%	0.2%	0.3%
Grade 11	97.1%	2.4%	0.2%	0.2%
Grade 12	97.0%	2.4%	0.2%	0.3%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	48.4%	18.6%	14.3%	13.3%	5.4%
Grade 7	75.6%	12.1%	5.6%	4.7%	1.9%
Grade 8	60.6%	16.6%	10.4%	8.9%	3.5%
Grade 9	46.3%	18.4%	15.1%	14.7%	5.6%
Grade 10	37.8%	20.5%	17.5%	17.1%	7.1%
Grade 11	34.2%	21.8%	19.1%	17.8%	7.1%
Grade 12	31.9%	23.6%	19.1%	18.0%	7.4%

**State : Grades 7-12 Large
SPRING 2010**

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	94.2%	4.7%	0.7%	0.4%
Grade 7	97.1%	2.2%	0.5%	0.2%
Grade 8	94.9%	4.3%	0.4%	0.4%
Grade 9	93.3%	5.3%	0.8%	0.5%
Grade 10	92.8%	5.9%	0.9%	0.4%
Grade 11	93.2%	5.7%	0.7%	0.4%
Grade 12	93.8%	5.0%	0.7%	0.5%
Been criticized by someone you were dating because of drug use?				
All	93.4%	5.1%	0.8%	0.7%
Grade 7	97.6%	1.9%	0.3%	0.2%
Grade 8	95.1%	3.8%	0.6%	0.5%
Grade 9	92.5%	5.7%	1.0%	0.8%
Grade 10	91.4%	6.7%	1.0%	0.9%
Grade 11	91.1%	7.1%	0.9%	0.9%
Grade 12	92.3%	5.8%	0.9%	1.0%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	53.8%	9.2%	6.6%	7.6%	8.8%	2.7%	11.2%
Grade 7	77.3%	4.5%	2.7%	2.3%	2.0%	2.1%	9.1%
Grade 8	69.0%	7.7%	4.1%	4.3%	3.7%	2.3%	9.0%
Grade 9	53.3%	9.5%	7.0%	7.3%	8.0%	3.2%	11.7%
Grade 10	44.4%	11.3%	7.8%	9.8%	11.4%	2.9%	12.5%
Grade 11	38.6%	10.6%	8.8%	11.4%	13.7%	3.1%	13.8%
Grade 12	34.8%	12.5%	9.9%	12.0%	16.3%	2.8%	11.9%

**State : Grades 7-12 Large
SPRING 2010**

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	79.6%	8.1%	4.6%	4.0%	2.9%	0.8%
	Grade 7	91.2%	3.0%	2.2%	1.5%	1.5%	0.6%
	Grade 8	85.6%	4.7%	3.2%	3.6%	2.1%	0.8%
	Grade 9	79.9%	7.1%	5.0%	4.2%	3.1%	0.7%
	Grade 10	74.3%	10.5%	5.8%	4.9%	3.5%	1.1%
	Grade 11	72.8%	11.3%	5.8%	5.2%	3.9%	0.8%
	Grade 12	71.0%	13.9%	5.8%	5.1%	3.4%	0.9%
Blunts?	All	79.6%	6.6%	4.1%	4.5%	4.4%	0.8%
	Grade 7	91.6%	2.6%	2.0%	1.5%	1.6%	0.7%
	Grade 8	86.3%	3.6%	3.3%	3.4%	2.6%	0.8%
	Grade 9	79.6%	6.6%	4.4%	4.2%	4.5%	0.7%
	Grade 10	74.4%	8.0%	5.3%	5.8%	5.4%	1.1%
	Grade 11	72.3%	9.3%	5.2%	6.0%	6.3%	0.9%
	Grade 12	70.3%	10.4%	5.1%	6.7%	6.7%	0.8%
Bongs or water pipes?	All	84.7%	5.8%	3.2%	3.1%	2.5%	0.6%
	Grade 7	94.9%	1.7%	1.0%	0.8%	0.9%	0.6%
	Grade 8	91.0%	3.1%	2.0%	1.9%	1.3%	0.6%
	Grade 9	85.2%	5.4%	3.1%	3.1%	2.6%	0.6%
	Grade 10	80.7%	6.7%	4.1%	4.3%	3.5%	0.7%
	Grade 11	77.6%	9.2%	4.5%	4.6%	3.4%	0.6%
	Grade 12	76.1%	10.1%	4.9%	4.6%	3.7%	0.6%
Pipes?	All	83.6%	5.2%	3.2%	4.3%	3.2%	0.6%
	Grade 7	94.1%	1.8%	1.3%	1.2%	1.1%	0.6%
	Grade 8	90.4%	3.0%	2.1%	2.2%	1.7%	0.6%
	Grade 9	84.1%	5.1%	3.0%	4.1%	3.1%	0.5%
	Grade 10	79.8%	5.8%	3.7%	5.5%	4.3%	0.9%
	Grade 11	76.5%	7.5%	4.6%	6.5%	4.3%	0.6%
	Grade 12	73.8%	8.7%	5.0%	7.0%	5.0%	0.6%
Some other way?	All	87.6%	5.2%	1.7%	1.6%	2.0%	1.8%
	Grade 7	95.0%	1.4%	0.9%	0.7%	1.0%	1.1%
	Grade 8	91.6%	2.8%	1.4%	1.5%	1.5%	1.3%
	Grade 9	87.0%	5.2%	1.8%	1.7%	2.4%	1.9%
	Grade 10	84.5%	6.7%	2.0%	2.1%	2.7%	2.1%
	Grade 11	83.7%	7.7%	1.9%	2.1%	2.4%	2.1%
	Grade 12	82.6%	8.8%	2.2%	2.0%	2.4%	2.0%

**State : Grades 7-12 Large
SPRING 2010**

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	81.4%	5.2%	4.6%	1.2%	1.3%	6.3%
Grade 7	85.8%	2.2%	2.0%	0.5%	1.2%	8.3%
Grade 8	84.3%	3.2%	3.1%	0.9%	1.2%	7.4%
Grade 9	81.7%	5.2%	4.2%	1.4%	1.3%	6.1%
Grade 10	80.2%	6.1%	5.5%	1.5%	1.3%	5.4%
Grade 11	79.0%	7.1%	5.8%	1.5%	1.5%	5.1%
Grade 12	76.4%	7.9%	7.7%	1.4%	1.6%	5.0%

**State : Grades 7-12 Large
SPRING 2010**

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	58.9%	15.1%	11.4%	10.4%	4.3%
	Grade 7	79.7%	8.9%	3.9%	3.2%	4.4%
	Grade 8	69.2%	12.2%	7.5%	6.0%	5.1%
	Grade 9	59.3%	15.8%	10.8%	9.6%	4.5%
	Grade 10	50.9%	17.2%	15.2%	12.6%	4.2%
	Grade 11	46.8%	18.3%	15.5%	15.7%	3.7%
	Grade 12	43.7%	18.8%	16.9%	16.9%	3.8%
Cocaine?						
	All	83.7%	8.9%	1.6%	0.9%	4.9%
	Grade 7	86.8%	6.3%	1.4%	0.7%	4.7%
	Grade 8	83.9%	7.8%	1.6%	1.0%	5.7%
	Grade 9	82.1%	9.9%	1.9%	1.0%	5.1%
	Grade 10	82.4%	10.1%	1.8%	0.9%	4.8%
	Grade 11	82.8%	10.2%	1.6%	1.1%	4.3%
	Grade 12	84.2%	9.0%	1.5%	0.7%	4.6%
Crack?						
	All	85.2%	7.5%	1.3%	0.8%	5.1%
	Grade 7	87.0%	5.9%	1.2%	0.8%	5.1%
	Grade 8	84.5%	7.3%	1.4%	1.0%	5.9%
	Grade 9	83.6%	8.7%	1.7%	0.9%	5.1%
	Grade 10	84.4%	8.3%	1.4%	0.8%	5.2%
	Grade 11	85.4%	8.0%	1.3%	1.0%	4.4%
	Grade 12	86.6%	6.9%	0.9%	0.6%	5.1%
Ecstasy?						
	All	77.0%	10.9%	3.5%	1.5%	7.1%
	Grade 7	81.5%	6.2%	2.0%	1.1%	9.2%
	Grade 8	77.8%	8.6%	2.8%	1.6%	9.2%
	Grade 9	75.9%	11.3%	4.2%	1.8%	6.9%
	Grade 10	74.5%	13.1%	4.3%	1.7%	6.4%
	Grade 11	75.7%	13.6%	4.0%	1.7%	4.9%
	Grade 12	76.0%	13.5%	3.8%	1.3%	5.3%
Steroids?						
	All	75.1%	13.2%	4.1%	1.5%	6.2%
	Grade 7	79.9%	9.6%	3.0%	1.3%	6.3%
	Grade 8	76.7%	11.8%	3.1%	1.2%	7.2%
	Grade 9	75.1%	13.6%	4.0%	1.5%	5.9%
	Grade 10	72.3%	15.0%	4.8%	1.6%	6.3%
	Grade 11	72.5%	14.7%	5.4%	1.8%	5.6%
	Grade 12	73.6%	14.8%	4.6%	1.3%	5.7%
Heroin?						
	All	86.1%	5.9%	1.1%	0.7%	6.2%
	Grade 7	86.3%	4.9%	1.0%	0.8%	7.0%
	Grade 8	84.4%	6.2%	1.2%	0.7%	7.4%
	Grade 9	85.1%	6.8%	1.3%	0.9%	5.9%
	Grade 10	85.8%	6.4%	1.2%	0.6%	6.0%
	Grade 11	87.2%	5.9%	0.9%	0.9%	5.1%
	Grade 12	88.5%	5.1%	0.6%	0.6%	5.2%

**State : Grades 7-12 Large
SPRING 2010**

Table D-15: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
Methamphetamine?					
	All	0.8%	1.3%	3.0%	97.0%
	Grade 7	0.6%	0.9%	2.1%	97.9%
	Grade 8	0.9%	1.4%	2.6%	97.4%
	Grade 9	0.8%	1.3%	2.9%	97.1%
	Grade 10	0.8%	1.3%	3.1%	96.9%
	Grade 11	0.9%	1.6%	3.6%	96.4%
	Grade 12	0.7%	1.5%	3.8%	96.2%

**State : Grades 7-12 Large
SPRING 2010**

Table D-16: How recently, if ever, have you taken the following PRESCRIPTION DRUGS...

	Past Month	School Year	Ever Used	Never Used
Codeine?				
All	4.8%	8.2%	12.3%	87.7%
Grade 7	3.2%	5.1%	7.6%	92.4%
Grade 8	4.4%	6.4%	9.5%	90.5%
Grade 9	5.0%	8.6%	12.3%	87.7%
Grade 10	5.8%	9.8%	14.6%	85.4%
Grade 11	5.4%	9.7%	15.1%	84.9%
Grade 12	5.4%	9.8%	15.6%	84.4%
Oxycontin, Percodan or Percocet?				
All	1.0%	1.8%	3.1%	96.9%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.6%	1.0%	1.8%	98.2%
Grade 9	1.1%	1.9%	2.9%	97.1%
Grade 10	1.2%	2.5%	4.0%	96.0%
Grade 11	1.4%	2.6%	4.5%	95.5%
Grade 12	1.4%	2.8%	5.0%	95.0%
Vicodin, Lortab or Lorcet?				
All	1.8%	3.5%	5.3%	94.7%
Grade 7	0.4%	0.7%	1.1%	98.9%
Grade 8	0.7%	1.3%	2.1%	97.9%
Grade 9	1.6%	2.8%	4.2%	95.8%
Grade 10	2.4%	4.8%	6.9%	93.1%
Grade 11	3.0%	5.9%	8.8%	91.2%
Grade 12	3.1%	6.0%	10.0%	90.0%
Valium or Diazepam?				
All	0.7%	1.4%	2.4%	97.6%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.6%	0.9%	1.3%	98.7%
Grade 9	0.7%	1.3%	2.1%	97.9%
Grade 10	0.8%	1.7%	2.9%	97.1%
Grade 11	1.0%	1.8%	3.3%	96.7%
Grade 12	1.2%	2.3%	4.1%	95.9%
Xanax or Alprazolam?				
All	1.7%	3.0%	4.5%	95.5%
Grade 7	0.6%	0.8%	1.3%	98.7%
Grade 8	1.0%	1.4%	2.2%	97.8%
Grade 9	1.6%	2.8%	4.0%	96.0%
Grade 10	2.4%	4.1%	6.0%	94.0%
Grade 11	2.6%	4.7%	7.0%	93.0%
Grade 12	2.4%	4.5%	7.6%	92.4%

**State : Grades 7-12 Large
SPRING 2010**

Table D-17: How recently, if ever, have you taken the following OVER-THE COUNTER drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple C?				
All	1.9%	3.1%	5.4%	94.6%
Grade 7	1.6%	2.3%	3.9%	96.1%
Grade 8	2.1%	3.0%	4.9%	95.1%
Grade 9	2.2%	3.3%	5.7%	94.3%
Grade 10	2.1%	3.9%	6.4%	93.6%
Grade 11	1.8%	3.3%	5.7%	94.3%
Grade 12	1.6%	2.8%	5.7%	94.3%

**State : Grades 7-12 Large
SPRING 2010**

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Spray paint?					
	All	1.0%	1.7%	5.0%	95.0%
	Grade 7	1.1%	1.8%	5.2%	94.8%
	Grade 8	1.6%	2.5%	6.4%	93.6%
	Grade 9	1.1%	1.9%	5.4%	94.6%
	Grade 10	0.9%	1.4%	4.6%	95.4%
	Grade 11	0.6%	1.2%	4.4%	95.6%
	Grade 12	0.7%	1.0%	3.1%	96.9%
Whiteout,correction fld?					
	All	2.6%	4.2%	10.0%	90.0%
	Grade 7	4.5%	6.6%	13.2%	86.8%
	Grade 8	4.2%	6.6%	13.8%	86.2%
	Grade 9	2.7%	4.3%	10.6%	89.4%
	Grade 10	1.6%	3.0%	9.1%	90.9%
	Grade 11	1.4%	2.3%	6.8%	93.2%
	Grade 12	0.8%	1.4%	4.9%	95.1%
Computer dusting sprays?					
	All	0.9%	1.6%	3.3%	96.7%
	Grade 7	0.8%	1.2%	1.9%	98.1%
	Grade 8	0.8%	1.4%	2.9%	97.1%
	Grade 9	1.1%	1.8%	3.6%	96.4%
	Grade 10	0.8%	1.6%	3.8%	96.2%
	Grade 11	0.9%	1.6%	3.8%	96.2%
	Grade 12	0.9%	1.8%	4.2%	95.8%
Helium,butane,propane,whippets,freon?					
	All	2.2%	3.8%	7.8%	92.2%
	Grade 7	2.3%	3.6%	7.1%	92.9%
	Grade 8	2.7%	4.3%	8.5%	91.5%
	Grade 9	2.4%	3.9%	8.1%	91.9%
	Grade 10	1.9%	3.6%	8.3%	91.7%
	Grade 11	2.3%	4.0%	8.1%	91.9%
	Grade 12	1.5%	3.0%	6.8%	93.2%
Glue?					
	All	0.6%	1.0%	2.4%	97.6%
	Grade 7	1.1%	1.5%	3.2%	96.8%
	Grade 8	0.8%	1.5%	3.2%	96.8%
	Grade 9	0.5%	0.9%	2.4%	97.6%
	Grade 10	0.3%	0.6%	1.9%	98.1%
	Grade 11	0.3%	0.6%	1.7%	98.3%
	Grade 12	0.4%	0.7%	1.7%	98.3%
Toluene,paint thinner,other solvents?					
	All	0.6%	1.1%	2.4%	97.6%
	Grade 7	0.8%	1.2%	2.4%	97.6%
	Grade 8	0.9%	1.5%	2.7%	97.3%
	Grade 9	0.6%	1.1%	2.4%	97.6%
	Grade 10	0.5%	0.9%	2.4%	97.6%
	Grade 11	0.7%	1.1%	2.4%	97.6%
	Grade 12	0.3%	0.7%	1.7%	98.3%

**State : Grades 7-12 Large
SPRING 2010**

**Table I-1: How recently, if ever, have you used...
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Gasoline,octane booster,carburetor cleaner?				
All	1.1%	1.6%	3.5%	96.5%
Grade 7	1.4%	2.0%	3.8%	96.2%
Grade 8	1.6%	2.5%	4.8%	95.2%
Grade 9	1.1%	1.6%	3.6%	96.4%
Grade 10	0.9%	1.4%	3.5%	96.5%
Grade 11	0.9%	1.3%	2.9%	97.1%
Grade 12	0.4%	0.6%	1.9%	98.1%
Other aerosols/sprays?				
All	1.1%	1.8%	4.0%	96.0%
Grade 7	1.8%	2.6%	5.0%	95.0%
Grade 8	1.7%	2.8%	5.4%	94.6%
Grade 9	1.1%	1.9%	4.0%	96.0%
Grade 10	0.7%	1.3%	3.7%	96.3%
Grade 11	0.7%	1.3%	3.3%	96.7%
Grade 12	0.5%	0.7%	2.4%	97.6%
Any inhalant?				
All	6.0%	8.9%	17.2%	82.8%
Grade 7	8.4%	11.0%	19.3%	80.7%
Grade 8	8.4%	12.0%	21.1%	78.9%
Grade 9	6.4%	9.5%	17.7%	82.3%
Grade 10	4.8%	7.5%	16.5%	83.5%
Grade 11	4.2%	7.0%	14.8%	85.2%
Grade 12	3.2%	5.6%	12.5%	87.5%

**State : Grades 7-12 Large
SPRING 2010**

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	92.9%	0.2%	0.4%	0.7%	1.2%	1.6%	3.0%
Grade 7	91.7%	0.3%	0.6%	1.1%	1.8%	1.7%	2.8%
Grade 8	90.7%	0.2%	0.7%	1.2%	1.8%	2.3%	3.0%
Grade 9	92.5%	0.1%	0.3%	0.9%	1.5%	1.7%	3.1%
Grade 10	93.6%	0.1%	0.2%	0.5%	0.9%	1.4%	3.3%
Grade 11	94.0%	0.1%	0.2%	0.4%	0.8%	1.5%	3.1%
Grade 12	95.6%	0.1%	0.1%	0.2%	0.5%	0.7%	2.8%

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	83.1%	8.1%	6.0%	2.8%
Grade 7	80.9%	9.1%	7.1%	2.9%
Grade 8	79.1%	9.5%	7.7%	3.7%
Grade 9	82.6%	8.3%	6.1%	3.1%
Grade 10	83.8%	7.9%	5.4%	2.9%
Grade 11	85.5%	7.1%	5.1%	2.3%
Grade 12	87.8%	6.4%	4.1%	1.7%

**State : Grades 7-12 Large
SPRING 2010**

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.0	11.5	12.3	12.6	13.6	13.7

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.7%	1.6%	0.3%	0.4%
Grade 7	96.9%	2.2%	0.4%	0.5%
Grade 8	97.0%	2.0%	0.5%	0.5%
Grade 9	97.3%	2.0%	0.3%	0.4%
Grade 10	98.3%	1.3%	0.3%	0.2%
Grade 11	98.3%	1.2%	0.3%	0.3%
Grade 12	98.7%	0.7%	0.2%	0.4%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	4.8
Inhalants Non-use	3.9

Average days conduct problems reported	
Inhalants Users:	4.4
Inhalants Non-use	1.7

**State : Grades 7-12 Large
SPRING 2010**

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	80.8%	12.7%	4.4%	1.6%	0.5%
Grade 7	81.9%	10.9%	4.5%	2.1%	0.6%
Grade 8	78.5%	13.5%	5.5%	1.8%	0.7%
Grade 9	78.8%	13.8%	5.0%	1.9%	0.5%
Grade 10	79.5%	14.3%	4.4%	1.4%	0.5%
Grade 11	81.9%	12.8%	3.6%	1.2%	0.5%
Grade 12	85.0%	10.4%	3.1%	1.0%	0.4%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	72.8%	14.9%	4.7%	1.7%	6.0%
Grade 7	74.4%	12.9%	5.4%	1.9%	5.5%
Grade 8	71.3%	14.3%	5.5%	2.2%	6.8%
Grade 9	71.4%	15.9%	5.0%	1.8%	5.9%
Grade 10	71.6%	15.9%	4.8%	1.3%	6.4%
Grade 11	73.3%	15.6%	4.2%	1.5%	5.3%
Grade 12	75.1%	14.8%	3.0%	1.1%	6.0%

**State : Grades 7-12 Large
SPRING 2010**

Table I-9: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Inhalants?							
	All	24.0%	18.3%	5.0%	7.0%	10.9%	34.9%
	Grade 7	28.7%	29.2%	5.1%	5.6%	8.1%	23.3%
	Grade 8	25.7%	23.3%	5.4%	7.1%	9.8%	28.8%
	Grade 9	24.2%	18.1%	5.3%	6.9%	11.6%	33.9%
	Grade 10	22.3%	14.2%	5.1%	8.0%	12.5%	37.9%
	Grade 11	20.9%	12.6%	4.9%	7.5%	11.8%	42.3%
	Grade 12	21.5%	9.9%	4.2%	6.8%	11.8%	45.7%

**State : Grades 7-12 Large
SPRING 2010**

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A school health class	All 47.9%
	Grade 7 44.3%
	Grade 8 47.0%
	Grade 9 52.8%
	Grade 10 50.5%
	Grade 11 48.6%
	Grade 12 42.6%
An assembly program	All 49.5%
	Grade 7 53.5%
	Grade 8 56.8%
	Grade 9 48.0%
	Grade 10 46.4%
	Grade 11 43.6%
	Grade 12 47.9%
Guidance counselor	All 27.2%
	Grade 7 34.2%
	Grade 8 35.7%
	Grade 9 27.0%
	Grade 10 22.8%
	Grade 11 21.3%
	Grade 12 20.7%
Science class	All 30.7%
	Grade 7 34.8%
	Grade 8 30.9%
	Grade 9 36.1%
	Grade 10 30.6%
	Grade 11 26.0%
	Grade 12 23.6%
Social studies class	All 15.4%
	Grade 7 15.7%
	Grade 8 15.0%
	Grade 9 16.3%
	Grade 10 16.1%
	Grade 11 14.8%
	Grade 12 14.6%
Student group session	All 15.4%
	Grade 7 14.3%
	Grade 8 15.1%
	Grade 9 15.1%
	Grade 10 15.1%
	Grade 11 15.9%
	Grade 12 17.3%

**State : Grades 7-12 Large
SPRING 2010**

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?
(Continued)**

CATEGORY	Yes
An invited school guest	All 36.0%
	Grade 7 41.0%
	Grade 8 41.5%
	Grade 9 33.8%
	Grade 10 33.1%
	Grade 11 31.4%
	Grade 12 34.5%
Another source at school	All 32.6%
	Grade 7 32.3%
	Grade 8 33.2%
	Grade 9 34.3%
	Grade 10 33.0%
	Grade 11 31.1%
	Grade 12 31.0%
Any school source	All 61.1%
	Grade 7 61.2%
	Grade 8 63.8%
	Grade 9 62.2%
	Grade 10 61.1%
	Grade 11 59.4%
Grade 12 58.3%	

**State : Grades 7-12 Large
SPRING 2010**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY	Yes
Counselor/program in-school	All 35.0%
	Grade 7 47.7%
	Grade 8 39.0%
	Grade 9 34.0%
	Grade 10 29.2%
	Grade 11 28.7%
	Grade 12 29.0%
Another adult in school	All 34.7%
	Grade 7 42.3%
	Grade 8 37.0%
	Grade 9 33.3%
	Grade 10 31.3%
	Grade 11 30.7%
	Grade 12 32.8%
Counselor/program outside-school	All 37.0%
	Grade 7 41.1%
	Grade 8 36.6%
	Grade 9 37.0%
	Grade 10 34.9%
	Grade 11 35.2%
	Grade 12 36.8%
Your parents	All 60.7%
	Grade 7 67.4%
	Grade 8 61.6%
	Grade 9 59.6%
	Grade 10 57.2%
	Grade 11 57.5%
	Grade 12 60.2%
A medical doctor	All 45.4%
	Grade 7 53.2%
	Grade 8 46.5%
	Grade 9 44.5%
	Grade 10 41.1%
	Grade 11 42.2%
	Grade 12 43.9%
Your friends	All 69.3%
	Grade 7 60.1%
	Grade 8 66.4%
	Grade 9 69.7%
	Grade 10 73.4%
	Grade 11 74.0%
	Grade 12 74.1%

**State : Grades 7-12 Large
SPRING 2010**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)**

CATEGORY	Yes
Another adult	All 61.7%
	Grade 7 61.5%
	Grade 8 60.9%
	Grade 9 63.2%
	Grade 10 61.0%
	Grade 11 62.1%
	Grade 12 61.2%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY	Yes
Seek Help	All 8.0%
	Grade 7 7.7%
	Grade 8 8.9%
	Grade 9 9.3%
	Grade 10 8.2%
	Grade 11 7.1%
	Grade 12 6.4%

**State : Grades 7-12 Large
SPRING 2010**

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	5.3%	25.6%	26.2%	33.8%	9.0%
Grade 7	7.8%	25.0%	21.3%	31.7%	14.1%
Grade 8	6.1%	25.5%	25.8%	32.0%	10.6%
Grade 9	5.5%	26.5%	26.9%	33.0%	8.0%
Grade 10	4.4%	25.7%	29.6%	33.4%	6.8%
Grade 11	3.9%	26.1%	27.3%	35.2%	7.5%
Grade 12	3.7%	24.8%	26.5%	38.5%	6.5%
Sometimes carry weapons?					
All	66.2%	20.4%	8.8%	3.2%	1.3%
Grade 7	77.1%	15.7%	4.9%	1.5%	0.8%
Grade 8	70.3%	18.9%	6.9%	2.7%	1.2%
Grade 9	64.4%	21.6%	9.4%	3.4%	1.2%
Grade 10	63.2%	21.5%	10.2%	3.8%	1.2%
Grade 11	61.3%	22.3%	10.1%	4.5%	1.9%
Grade 12	59.5%	23.1%	12.0%	3.8%	1.6%
Care about making good grades?					
All	3.1%	13.9%	22.6%	42.8%	17.7%
Grade 7	4.2%	16.6%	20.8%	35.4%	23.0%
Grade 8	3.6%	15.7%	22.4%	39.0%	19.2%
Grade 9	3.0%	14.4%	24.0%	42.0%	16.6%
Grade 10	2.6%	13.2%	24.6%	44.8%	14.9%
Grade 11	2.5%	11.4%	21.7%	47.6%	16.8%
Grade 12	2.2%	11.1%	21.5%	49.9%	15.2%
Belong/want to belong to a gang?					
All	69.6%	17.0%	8.1%	3.9%	1.4%
Grade 7	73.9%	14.8%	6.4%	3.4%	1.5%
Grade 8	66.7%	18.5%	8.8%	4.5%	1.5%
Grade 9	64.7%	19.3%	9.6%	4.8%	1.5%
Grade 10	68.5%	17.3%	8.9%	4.0%	1.4%
Grade 11	71.1%	16.4%	7.9%	3.5%	1.2%
Grade 12	74.0%	15.2%	6.4%	3.1%	1.4%
Wish they could drop out of school?					
All	58.5%	27.2%	9.2%	3.4%	1.7%
Grade 7	67.7%	20.8%	6.5%	3.2%	1.9%
Grade 8	60.1%	25.5%	9.1%	3.4%	1.9%
Grade 9	54.6%	29.1%	10.6%	4.2%	1.5%
Grade 10	52.4%	31.5%	10.5%	3.9%	1.7%
Grade 11	55.7%	29.6%	10.0%	3.1%	1.7%
Grade 12	60.5%	27.0%	8.4%	2.4%	1.6%

**State : Grades 7-12 Large
SPRING 2010**

Table X-5: How safe do you feel when you are:

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Don't Know
In your home?					
All	81.4%	16.1%	1.2%	0.4%	1.0%
Grade 7	80.2%	17.0%	1.2%	0.4%	1.2%
Grade 8	79.3%	17.7%	1.4%	0.4%	1.1%
Grade 9	80.1%	17.0%	1.4%	0.4%	1.0%
Grade 10	81.3%	16.0%	1.1%	0.3%	1.2%
Grade 11	83.1%	14.7%	1.0%	0.5%	0.8%
Grade 12	85.1%	13.3%	0.7%	0.4%	0.5%
Out in your neighborhood?					
All	41.2%	46.8%	7.8%	2.1%	2.1%
Grade 7	36.8%	48.3%	9.5%	2.5%	2.8%
Grade 8	37.6%	48.9%	8.4%	2.2%	2.9%
Grade 9	39.1%	48.9%	7.8%	2.0%	2.2%
Grade 10	41.6%	47.2%	7.3%	1.9%	2.0%
Grade 11	45.4%	44.2%	6.9%	2.1%	1.3%
Grade 12	49.0%	42.0%	6.1%	1.9%	0.9%
At school?					
All	42.3%	44.3%	7.1%	3.4%	2.9%
Grade 7	47.3%	39.9%	6.7%	3.1%	3.0%
Grade 8	45.8%	40.9%	6.5%	3.3%	3.5%
Grade 9	37.8%	47.7%	8.0%	3.3%	3.2%
Grade 10	37.4%	47.8%	7.8%	4.0%	3.0%
Grade 11	41.1%	45.5%	7.3%	3.5%	2.6%
Grade 12	45.1%	43.7%	6.3%	3.2%	1.7%

2. Prevalence Tables

**State : Grades 7-12 Large
SPRING 2010**

**State : Grades 7-12 Large
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade
All students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.5%	17.6%	30.5%	69.5%
	Grade 7	4.8%	6.6%	15.1%	84.9%
	Grade 8	7.5%	11.1%	23.2%	76.8%
	Grade 9	11.0%	15.6%	28.9%	71.1%
	Grade 10	13.9%	20.1%	34.9%	65.1%
	Grade 11	17.8%	25.0%	39.7%	60.3%
	Grade 12	22.7%	30.4%	45.1%	54.9%
Alcohol					
	All	29.0%	40.2%	61.8%	38.2%
	Grade 7	15.0%	20.6%	42.1%	57.9%
	Grade 8	21.7%	30.2%	55.1%	44.9%
	Grade 9	28.7%	40.2%	62.8%	37.2%
	Grade 10	33.0%	47.0%	69.3%	30.7%
	Grade 11	35.8%	50.3%	70.2%	29.8%
	Grade 12	43.4%	57.5%	75.0%	25.0%
Inhalants					
	All	6.0%	8.9%	17.2%	82.8%
	Grade 7	8.4%	11.0%	19.3%	80.7%
	Grade 8	8.4%	12.0%	21.1%	78.9%
	Grade 9	6.4%	9.5%	17.7%	82.3%
	Grade 10	4.8%	7.5%	16.5%	83.5%
	Grade 11	4.2%	7.0%	14.8%	85.2%
	Grade 12	3.2%	5.6%	12.5%	87.5%
Any Illicit Drug					
	All	13.1%	18.5%	27.9%	72.1%
	Grade 7	5.2%	6.9%	11.5%	88.5%
	Grade 8	8.9%	12.1%	18.9%	81.1%
	Grade 9	12.6%	17.7%	26.7%	73.3%
	Grade 10	16.1%	22.2%	33.6%	66.4%
	Grade 11	17.7%	25.8%	38.2%	61.8%
	Grade 12	20.3%	28.8%	42.4%	57.6%
Marijuana					
	All	11.4%	16.9%	26.2%	73.8%
	Grade 7	3.9%	5.5%	9.5%	90.5%
	Grade 8	6.8%	9.8%	16.5%	83.5%
	Grade 9	11.1%	16.4%	25.2%	74.8%
	Grade 10	14.2%	20.6%	32.2%	67.8%
	Grade 11	15.9%	24.2%	36.8%	63.2%
	Grade 12	18.4%	27.4%	41.5%	58.5%
Marijuana Only					
	All	4.7%	7.7%	13.9%	86.1%
	Grade 7	1.7%	2.5%	5.1%	94.9%
	Grade 8	2.9%	4.5%	9.0%	91.0%
	Grade 9	4.6%	7.4%	13.3%	86.7%
	Grade 10	6.2%	9.7%	17.2%	82.8%
	Grade 11	6.2%	10.9%	19.3%	80.7%
	Grade 12	7.4%	12.7%	21.8%	78.2%

**State : Grades 7-12 Large
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.7%	2.7%	5.4%	94.6%
	Grade 7	0.9%	1.4%	2.5%	97.5%
	Grade 8	1.3%	1.9%	3.3%	96.7%
	Grade 9	1.7%	2.6%	4.7%	95.3%
	Grade 10	1.8%	3.1%	6.3%	93.7%
	Grade 11	2.2%	3.7%	7.3%	92.7%
	Grade 12	2.2%	4.1%	9.1%	90.9%
Cocaine					
	All	1.5%	2.5%	5.0%	95.0%
	Grade 7	0.6%	1.1%	1.8%	98.2%
	Grade 8	1.0%	1.5%	2.7%	97.3%
	Grade 9	1.6%	2.4%	4.3%	95.7%
	Grade 10	1.7%	2.9%	5.9%	94.1%
	Grade 11	2.1%	3.6%	7.2%	92.8%
	Grade 12	2.1%	4.0%	8.9%	91.1%
Crack					
	All	0.5%	0.7%	1.6%	98.4%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	0.4%	0.7%	1.6%	98.4%
	Grade 10	0.4%	0.7%	1.6%	98.4%
	Grade 11	0.5%	0.7%	1.6%	98.4%
	Grade 12	0.4%	0.5%	1.6%	98.4%
Hallucinogens					
	All	1.5%	2.5%	4.6%	95.4%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.1%	1.6%	3.1%	96.9%
	Grade 9	1.8%	2.7%	4.6%	95.4%
	Grade 10	1.7%	3.0%	5.6%	94.4%
	Grade 11	2.0%	3.5%	6.5%	93.5%
	Grade 12	2.1%	3.8%	7.3%	92.7%
Uppers					
	All	2.2%	3.4%	5.3%	94.7%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.2%	1.6%	2.6%	97.4%
	Grade 9	2.2%	3.2%	4.7%	95.3%
	Grade 10	2.9%	4.5%	7.0%	93.0%
	Grade 11	3.2%	5.0%	8.1%	91.9%
	Grade 12	3.5%	5.7%	9.0%	91.0%
Downers					
	All	2.4%	3.6%	5.7%	94.3%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.3%	1.9%	2.8%	97.2%
	Grade 9	2.4%	3.4%	5.1%	94.9%
	Grade 10	3.0%	4.3%	7.1%	92.9%
	Grade 11	3.8%	5.6%	9.1%	90.9%
	Grade 12	3.9%	6.2%	10.1%	89.9%

**State : Grades 7-12 Large
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.0%	1.5%	2.6%	97.4%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	1.2%	1.6%	2.6%	97.4%
	Grade 9	1.1%	1.7%	3.0%	97.0%
	Grade 10	1.3%	1.8%	3.1%	96.9%
	Grade 11	1.3%	1.8%	3.0%	97.0%
	Grade 12	1.0%	1.5%	2.9%	97.1%
	Steroids	All	0.5%	0.7%	1.4%
Grade 7		0.4%	0.6%	1.3%	98.7%
Grade 8		0.4%	0.7%	1.5%	98.5%
Grade 9		0.5%	0.7%	1.3%	98.7%
Grade 10		0.4%	0.6%	1.3%	98.7%
Grade 11		0.5%	0.8%	1.5%	98.5%
Grade 12		0.7%	0.9%	1.7%	98.3%
Ecstasy		All	2.5%	4.0%	6.8%
	Grade 7	0.8%	1.3%	2.3%	97.7%
	Grade 8	1.8%	2.6%	4.5%	95.5%
	Grade 9	2.6%	3.9%	6.7%	93.3%
	Grade 10	2.9%	4.6%	8.0%	92.0%
	Grade 11	3.5%	5.8%	9.4%	90.6%
	Grade 12	3.9%	6.4%	11.2%	88.8%
	Heroin	All	0.5%	0.8%	1.4%
Grade 7		0.5%	0.7%	1.4%	98.6%
Grade 8		0.7%	1.0%	1.8%	98.2%
Grade 9		0.5%	0.8%	1.5%	98.5%
Grade 10		0.6%	0.8%	1.4%	98.6%
Grade 11		0.5%	0.6%	1.2%	98.8%
Grade 12		0.4%	0.6%	1.1%	98.9%

**State : Grades 7-12 Large
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.2%	20.6%	33.7%	66.3%
	Grade 7	5.4%	7.4%	16.7%	83.3%
	Grade 8	8.5%	12.6%	25.3%	74.7%
	Grade 9	13.3%	17.8%	31.4%	68.6%
	Grade 10	16.9%	23.4%	38.6%	61.4%
	Grade 11	22.0%	29.9%	45.1%	54.9%
	Grade 12	27.8%	36.2%	49.8%	50.2%
Alcohol					
	All	29.1%	39.8%	60.9%	39.1%
	Grade 7	14.3%	20.2%	41.7%	58.3%
	Grade 8	21.5%	30.1%	55.0%	45.0%
	Grade 9	28.2%	38.7%	61.0%	39.0%
	Grade 10	32.4%	46.3%	67.8%	32.2%
	Grade 11	37.5%	50.6%	69.5%	30.5%
	Grade 12	44.6%	57.3%	74.1%	25.9%
Inhalants					
	All	5.9%	8.7%	16.7%	83.3%
	Grade 7	7.7%	10.3%	18.1%	81.9%
	Grade 8	7.3%	10.5%	19.1%	80.9%
	Grade 9	6.4%	9.1%	16.4%	83.6%
	Grade 10	4.6%	7.3%	16.7%	83.3%
	Grade 11	5.1%	8.1%	15.7%	84.3%
	Grade 12	3.8%	6.4%	13.8%	86.2%
Any Illicit Drug					
	All	14.9%	20.6%	30.8%	69.2%
	Grade 7	5.3%	7.3%	12.4%	87.6%
	Grade 8	9.3%	12.9%	20.9%	79.1%
	Grade 9	14.1%	19.4%	29.3%	70.7%
	Grade 10	18.4%	24.9%	37.7%	62.3%
	Grade 11	20.4%	29.5%	42.8%	57.2%
	Grade 12	24.0%	32.9%	46.1%	53.9%
Marijuana					
	All	13.2%	19.1%	29.6%	70.4%
	Grade 7	4.0%	6.1%	10.8%	89.2%
	Grade 8	7.7%	10.9%	19.1%	80.9%
	Grade 9	12.8%	18.2%	28.1%	71.9%
	Grade 10	16.7%	23.6%	36.9%	63.1%
	Grade 11	18.1%	27.6%	41.6%	58.4%
	Grade 12	21.8%	31.1%	45.4%	54.6%
Marijuana Only					
	All	5.4%	8.7%	15.8%	84.2%
	Grade 7	1.9%	3.0%	6.3%	93.7%
	Grade 8	3.6%	5.2%	10.9%	89.1%
	Grade 9	5.4%	8.6%	15.2%	84.8%
	Grade 10	6.9%	11.2%	20.1%	79.9%
	Grade 11	7.0%	12.2%	21.4%	78.6%
	Grade 12	8.0%	13.6%	22.9%	77.1%

**State : Grades 7-12 Large
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.9%	3.1%	6.0%	94.0%
	Grade 7	0.8%	1.2%	2.2%	97.8%
	Grade 8	1.2%	1.8%	3.3%	96.7%
	Grade 9	2.0%	3.0%	5.3%	94.7%
	Grade 10	2.2%	3.4%	7.0%	93.0%
	Grade 11	2.4%	4.3%	8.6%	91.4%
	Grade 12	3.0%	5.5%	10.9%	89.1%
Cocaine					
	All	1.7%	2.9%	5.7%	94.3%
	Grade 7	0.5%	0.9%	1.6%	98.4%
	Grade 8	1.0%	1.5%	2.9%	97.1%
	Grade 9	1.9%	2.7%	4.9%	95.1%
	Grade 10	2.1%	3.1%	6.7%	93.3%
	Grade 11	2.3%	4.3%	8.6%	91.4%
	Grade 12	2.9%	5.4%	10.7%	89.3%
Crack					
	All	0.4%	0.7%	1.6%	98.4%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.5%	0.6%	1.5%	98.5%
	Grade 9	0.3%	0.7%	1.6%	98.4%
	Grade 10	0.3%	0.7%	1.5%	98.5%
	Grade 11	0.6%	0.9%	1.8%	98.2%
	Grade 12	0.5%	0.7%	2.2%	97.8%
Hallucinogens					
	All	2.0%	3.4%	6.0%	94.0%
	Grade 7	0.7%	1.0%	1.5%	98.5%
	Grade 8	1.1%	1.8%	3.9%	96.1%
	Grade 9	2.4%	3.4%	5.7%	94.3%
	Grade 10	2.1%	4.1%	7.5%	92.5%
	Grade 11	2.9%	4.8%	8.5%	91.5%
	Grade 12	3.1%	5.6%	9.8%	90.2%
Uppers					
	All	2.5%	3.6%	5.6%	94.4%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	1.4%	1.8%	2.8%	97.2%
	Grade 9	2.3%	3.3%	5.0%	95.0%
	Grade 10	3.4%	4.9%	7.6%	92.4%
	Grade 11	3.8%	5.8%	8.9%	91.1%
	Grade 12	4.1%	6.1%	9.5%	90.5%
Downers					
	All	2.7%	4.0%	6.3%	93.7%
	Grade 7	0.5%	0.7%	1.0%	99.0%
	Grade 8	1.3%	1.9%	2.7%	97.3%
	Grade 9	2.5%	3.6%	5.5%	94.5%
	Grade 10	3.6%	4.9%	7.9%	92.1%
	Grade 11	4.3%	6.5%	10.2%	89.8%
	Grade 12	5.0%	7.6%	11.7%	88.3%

**State : Grades 7-12 Large
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.1%	1.6%	2.7%	97.3%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	1.2%	1.7%	2.8%	97.2%
	Grade 9	1.3%	1.8%	3.1%	96.9%
	Grade 10	1.3%	1.8%	2.7%	97.3%
	Grade 11	1.2%	1.7%	3.0%	97.0%
	Grade 12	1.3%	2.0%	3.3%	96.7%
	Steroids	All	0.7%	1.0%	1.8%
Grade 7		0.3%	0.5%	1.3%	98.7%
Grade 8		0.5%	0.9%	1.9%	98.1%
Grade 9		0.6%	0.8%	1.7%	98.3%
Grade 10		0.7%	1.0%	1.7%	98.3%
Grade 11		0.8%	1.3%	2.1%	97.9%
Grade 12		1.1%	1.4%	2.6%	97.4%
Ecstasy		All	2.8%	4.3%	7.2%
	Grade 7	0.7%	1.1%	2.3%	97.7%
	Grade 8	1.7%	2.6%	4.6%	95.4%
	Grade 9	2.9%	4.0%	6.6%	93.4%
	Grade 10	3.2%	4.7%	8.1%	91.9%
	Grade 11	3.9%	6.5%	10.4%	89.6%
	Grade 12	5.0%	7.5%	12.1%	87.9%
	Heroin	All	0.5%	0.7%	1.4%
Grade 7		0.4%	0.6%	1.3%	98.7%
Grade 8		0.5%	0.7%	1.4%	98.6%
Grade 9		0.5%	0.8%	1.5%	98.5%
Grade 10		0.6%	0.7%	1.5%	98.5%
Grade 11		0.5%	0.7%	1.4%	98.6%
Grade 12		0.7%	1.0%	1.6%	98.4%

**State : Grades 7-12 Large
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	10.0%	14.8%	27.4%	72.6%
	Grade 7	4.2%	5.9%	13.6%	86.4%
	Grade 8	6.5%	9.7%	21.3%	78.7%
	Grade 9	8.9%	13.5%	26.7%	73.3%
	Grade 10	11.3%	17.3%	31.8%	68.2%
	Grade 11	13.8%	20.6%	34.6%	65.4%
	Grade 12	17.5%	24.4%	40.2%	59.8%
Alcohol					
	All	28.9%	40.6%	62.7%	37.3%
	Grade 7	15.7%	21.0%	42.5%	57.5%
	Grade 8	21.9%	30.4%	55.1%	44.9%
	Grade 9	29.2%	41.6%	64.6%	35.4%
	Grade 10	33.7%	47.6%	70.7%	29.3%
	Grade 11	34.3%	50.0%	70.8%	29.2%
	Grade 12	42.0%	57.6%	75.9%	24.1%
Inhalants					
	All	6.1%	9.1%	17.6%	82.4%
	Grade 7	9.1%	11.6%	20.5%	79.5%
	Grade 8	9.5%	13.5%	23.0%	77.0%
	Grade 9	6.4%	9.8%	18.9%	81.1%
	Grade 10	4.9%	7.7%	16.4%	83.6%
	Grade 11	3.3%	5.9%	14.0%	86.0%
	Grade 12	2.6%	4.6%	11.1%	88.9%
Any Illicit Drug					
	All	11.5%	16.5%	25.2%	74.8%
	Grade 7	5.0%	6.5%	10.7%	89.3%
	Grade 8	8.5%	11.4%	17.1%	82.9%
	Grade 9	11.2%	16.1%	24.3%	75.7%
	Grade 10	14.2%	19.9%	30.2%	69.8%
	Grade 11	15.0%	22.4%	34.0%	66.0%
	Grade 12	16.5%	24.7%	38.8%	61.2%
Marijuana					
	All	9.8%	14.8%	23.2%	76.8%
	Grade 7	3.7%	5.0%	8.3%	91.7%
	Grade 8	6.0%	8.8%	14.0%	86.0%
	Grade 9	9.7%	14.7%	22.6%	77.4%
	Grade 10	12.1%	18.0%	28.2%	71.8%
	Grade 11	13.8%	21.0%	32.3%	67.7%
	Grade 12	15.0%	23.7%	37.6%	62.4%
Marijuana Only					
	All	4.1%	6.8%	12.2%	87.8%
	Grade 7	1.4%	2.1%	4.1%	95.9%
	Grade 8	2.3%	3.7%	7.2%	92.8%
	Grade 9	3.8%	6.3%	11.5%	88.5%
	Grade 10	5.7%	8.5%	14.8%	85.2%
	Grade 11	5.5%	9.6%	17.3%	82.7%
	Grade 12	6.9%	11.8%	20.8%	79.2%

**State : Grades 7-12 Large
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.4%	2.4%	4.8%	95.2%
	Grade 7	1.0%	1.6%	2.7%	97.3%
	Grade 8	1.4%	2.0%	3.4%	96.6%
	Grade 9	1.4%	2.3%	4.2%	95.8%
	Grade 10	1.5%	2.8%	5.7%	94.3%
	Grade 11	1.9%	3.2%	6.2%	93.8%
	Grade 12	1.4%	2.8%	7.2%	92.8%
Cocaine					
	All	1.3%	2.1%	4.3%	95.7%
	Grade 7	0.7%	1.2%	2.0%	98.0%
	Grade 8	1.1%	1.5%	2.6%	97.4%
	Grade 9	1.3%	2.0%	3.7%	96.3%
	Grade 10	1.4%	2.6%	5.2%	94.8%
	Grade 11	1.8%	3.1%	5.9%	94.1%
	Grade 12	1.3%	2.7%	7.1%	92.9%
Crack					
	All	0.5%	0.7%	1.6%	98.4%
	Grade 7	0.7%	0.9%	1.9%	98.1%
	Grade 8	0.7%	1.1%	2.0%	98.0%
	Grade 9	0.5%	0.8%	1.6%	98.4%
	Grade 10	0.4%	0.6%	1.7%	98.3%
	Grade 11	0.4%	0.6%	1.4%	98.6%
	Grade 12	0.3%	0.4%	1.1%	98.9%
Hallucinogens					
	All	1.0%	1.7%	3.4%	96.6%
	Grade 7	0.6%	0.7%	1.5%	98.5%
	Grade 8	1.0%	1.3%	2.5%	97.5%
	Grade 9	1.2%	2.0%	3.5%	96.5%
	Grade 10	1.3%	2.1%	4.0%	96.0%
	Grade 11	1.2%	2.3%	4.6%	95.4%
	Grade 12	0.9%	2.0%	4.6%	95.4%
Uppers					
	All	1.9%	3.1%	4.9%	95.1%
	Grade 7	0.6%	1.0%	1.5%	98.5%
	Grade 8	1.0%	1.4%	2.5%	97.5%
	Grade 9	2.0%	3.1%	4.4%	95.6%
	Grade 10	2.5%	4.2%	6.6%	93.4%
	Grade 11	2.7%	4.2%	7.2%	92.8%
	Grade 12	2.7%	5.3%	8.5%	91.5%
Downers					
	All	2.1%	3.2%	5.1%	94.9%
	Grade 7	0.5%	0.8%	1.4%	98.6%
	Grade 8	1.2%	1.9%	2.8%	97.2%
	Grade 9	2.3%	3.3%	4.8%	95.2%
	Grade 10	2.6%	3.8%	6.4%	93.6%
	Grade 11	3.2%	4.8%	8.0%	92.0%
	Grade 12	2.7%	4.8%	8.6%	91.4%

**State : Grades 7-12 Large
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.0%	1.4%	2.6%	97.4%
	Grade 7	0.5%	0.8%	1.4%	98.6%
	Grade 8	1.1%	1.5%	2.4%	97.6%
	Grade 9	1.0%	1.6%	2.8%	97.2%
	Grade 10	1.2%	1.8%	3.4%	96.6%
	Grade 11	1.3%	2.0%	3.0%	97.0%
	Grade 12	0.7%	1.1%	2.5%	97.5%
	Steroids	All	0.3%	0.5%	1.0%
Grade 7		0.4%	0.6%	1.3%	98.7%
Grade 8		0.4%	0.5%	1.3%	98.7%
Grade 9		0.3%	0.6%	1.0%	99.0%
Grade 10		0.1%	0.3%	0.9%	99.1%
Grade 11		0.2%	0.4%	0.9%	99.1%
Grade 12		0.3%	0.4%	0.8%	99.2%
Ecstasy		All	2.3%	3.7%	6.5%
	Grade 7	1.0%	1.4%	2.2%	97.8%
	Grade 8	1.9%	2.6%	4.4%	95.6%
	Grade 9	2.4%	3.8%	6.7%	93.3%
	Grade 10	2.7%	4.5%	7.8%	92.2%
	Grade 11	3.2%	5.1%	8.4%	91.6%
	Grade 12	2.8%	5.3%	10.2%	89.8%
	Heroin	All	0.5%	0.8%	1.4%
Grade 7		0.6%	0.8%	1.6%	98.4%
Grade 8		1.0%	1.3%	2.0%	98.0%
Grade 9		0.5%	0.8%	1.6%	98.4%
Grade 10		0.7%	0.9%	1.4%	98.6%
Grade 11		0.4%	0.5%	1.0%	99.0%
Grade 12		0.1%	0.1%	0.6%	99.4%

**State : Grades 7-12 Large
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade
White students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.1%	19.1%	30.3%	69.7%
	Grade 7	3.7%	4.9%	12.0%	88.0%
	Grade 8	6.3%	9.5%	19.9%	80.1%
	Grade 9	11.7%	16.2%	26.6%	73.4%
	Grade 10	16.5%	22.9%	35.8%	64.2%
	Grade 11	21.9%	29.4%	41.8%	58.2%
	Grade 12	26.2%	33.8%	47.6%	52.4%
Alcohol					
	All	26.4%	38.1%	58.5%	41.5%
	Grade 7	9.5%	15.5%	34.0%	66.0%
	Grade 8	14.9%	23.3%	48.1%	51.9%
	Grade 9	24.2%	36.1%	57.9%	42.1%
	Grade 10	31.9%	45.7%	67.8%	32.2%
	Grade 11	34.9%	50.8%	68.9%	31.1%
	Grade 12	44.7%	59.3%	76.2%	23.8%
Inhalants					
	All	5.2%	8.1%	16.2%	83.8%
	Grade 7	6.3%	8.6%	15.6%	84.4%
	Grade 8	7.1%	10.1%	18.2%	81.8%
	Grade 9	5.9%	9.2%	16.8%	83.2%
	Grade 10	4.4%	7.7%	17.2%	82.8%
	Grade 11	4.3%	7.0%	16.0%	84.0%
	Grade 12	3.1%	5.7%	13.4%	86.6%
Any Illicit Drug					
	All	11.0%	16.1%	23.6%	76.4%
	Grade 7	2.2%	3.6%	6.6%	93.4%
	Grade 8	5.0%	7.8%	12.2%	87.8%
	Grade 9	9.7%	14.2%	20.3%	79.7%
	Grade 10	14.4%	19.8%	28.9%	71.1%
	Grade 11	16.4%	24.4%	35.1%	64.9%
	Grade 12	19.3%	28.0%	40.2%	59.8%
Marijuana					
	All	9.9%	15.1%	22.4%	77.6%
	Grade 7	1.6%	2.8%	5.2%	94.8%
	Grade 8	3.8%	6.2%	10.0%	90.0%
	Grade 9	9.1%	13.7%	19.4%	80.6%
	Grade 10	13.1%	18.8%	27.7%	72.3%
	Grade 11	14.8%	23.3%	34.2%	65.8%
	Grade 12	17.8%	26.9%	39.8%	60.2%
Marijuana Only					
	All	3.7%	6.5%	11.5%	88.5%
	Grade 7	0.6%	1.1%	2.7%	97.3%
	Grade 8	1.6%	3.0%	5.7%	94.3%
	Grade 9	3.5%	6.2%	10.1%	89.9%
	Grade 10	4.9%	7.8%	13.6%	86.4%
	Grade 11	5.3%	9.6%	17.2%	82.8%
	Grade 12	6.8%	12.0%	20.7%	79.3%

**State : Grades 7-12 Large
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	0.9%	1.7%	3.6%	96.4%
	Grade 7	0.3%	0.5%	1.1%	98.9%
	Grade 8	0.4%	0.7%	1.6%	98.4%
	Grade 9	0.9%	1.4%	2.3%	97.7%
	Grade 10	1.1%	2.1%	4.6%	95.4%
	Grade 11	1.3%	2.6%	5.3%	94.7%
	Grade 12	1.7%	3.3%	6.9%	93.1%
Cocaine					
	All	0.8%	1.6%	3.2%	96.8%
	Grade 7	0.0%	0.2%	0.5%	99.5%
	Grade 8	0.3%	0.5%	1.2%	98.8%
	Grade 9	0.8%	1.2%	2.1%	97.9%
	Grade 10	1.0%	1.9%	4.1%	95.9%
	Grade 11	1.1%	2.5%	5.1%	94.9%
	Grade 12	1.6%	3.2%	6.7%	93.3%
Crack					
	All	0.2%	0.4%	1.2%	98.8%
	Grade 7	0.3%	0.3%	0.9%	99.1%
	Grade 8	0.2%	0.3%	0.9%	99.1%
	Grade 9	0.3%	0.4%	0.9%	99.1%
	Grade 10	0.2%	0.5%	1.6%	98.4%
	Grade 11	0.4%	0.5%	1.4%	98.6%
	Grade 12	0.2%	0.5%	1.4%	98.6%
Hallucinogens					
	All	1.7%	3.0%	5.5%	94.5%
	Grade 7	0.4%	0.7%	1.3%	98.7%
	Grade 8	0.7%	1.3%	3.0%	97.0%
	Grade 9	2.0%	3.0%	4.7%	95.3%
	Grade 10	2.4%	4.2%	7.4%	92.6%
	Grade 11	2.2%	4.1%	7.7%	92.3%
	Grade 12	2.5%	5.0%	9.3%	90.7%
Uppers					
	All	2.5%	4.0%	6.2%	93.8%
	Grade 7	0.3%	0.5%	0.7%	99.3%
	Grade 8	0.7%	1.2%	2.2%	97.8%
	Grade 9	2.5%	3.3%	4.8%	95.2%
	Grade 10	3.7%	5.9%	8.6%	91.4%
	Grade 11	3.8%	6.3%	10.2%	89.8%
	Grade 12	4.1%	7.2%	11.4%	88.6%
Downers					
	All	2.5%	3.9%	6.1%	93.9%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.8%	1.3%	2.0%	98.0%
	Grade 9	2.3%	3.2%	4.6%	95.4%
	Grade 10	3.4%	4.7%	7.6%	92.4%
	Grade 11	4.2%	6.2%	10.3%	89.7%
	Grade 12	4.6%	7.8%	12.4%	87.6%

**State : Grades 7-12 Large
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.3%	0.5%	1.1%	98.9%
	Grade 9	0.4%	0.8%	1.4%	98.6%
	Grade 10	0.7%	1.1%	2.2%	97.8%
	Grade 11	0.9%	1.2%	2.0%	98.0%
	Grade 12	0.8%	0.9%	2.0%	98.0%
	Steroids	All	0.5%	0.8%	1.7%
Grade 7		0.3%	0.6%	1.4%	98.6%
Grade 8		0.4%	0.8%	1.9%	98.1%
Grade 9		0.5%	0.7%	1.3%	98.7%
Grade 10		0.7%	0.9%	1.7%	98.3%
Grade 11		0.5%	1.0%	2.0%	98.0%
Grade 12		0.7%	1.0%	1.7%	98.3%
Ecstasy		All	1.9%	3.2%	5.8%
	Grade 7	0.4%	0.8%	1.3%	98.7%
	Grade 8	1.0%	1.5%	2.8%	97.2%
	Grade 9	1.6%	2.5%	4.5%	95.5%
	Grade 10	2.4%	3.8%	7.0%	93.0%
	Grade 11	3.0%	5.3%	8.8%	91.2%
	Grade 12	3.2%	5.9%	10.7%	89.3%
	Heroin	All	0.4%	0.6%	1.2%
Grade 7		0.3%	0.5%	1.0%	99.0%
Grade 8		0.2%	0.5%	1.1%	98.9%
Grade 9		0.3%	0.5%	1.2%	98.8%
Grade 10		0.4%	0.5%	1.3%	98.7%
Grade 11		0.5%	0.6%	1.2%	98.8%
Grade 12		0.5%	0.7%	1.6%	98.4%

**State : Grades 7-12 Large
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	6.9%	11.5%	23.8%	76.2%
	Grade 7	4.8%	6.1%	15.2%	84.8%
	Grade 8	5.1%	8.6%	20.4%	79.6%
	Grade 9	7.4%	10.3%	22.6%	77.4%
	Grade 10	6.9%	12.1%	28.2%	71.8%
	Grade 11	8.3%	16.3%	28.3%	71.7%
	Grade 12	9.2%	16.9%	29.3%	70.7%
Alcohol					
	All	25.3%	36.6%	59.5%	40.5%
	Grade 7	16.5%	21.4%	44.3%	55.7%
	Grade 8	20.8%	28.3%	55.7%	44.3%
	Grade 9	25.3%	36.8%	60.4%	39.6%
	Grade 10	26.9%	41.1%	65.6%	34.4%
	Grade 11	30.4%	45.0%	64.9%	35.1%
	Grade 12	33.3%	49.8%	67.9%	32.1%
Inhalants					
	All	5.5%	7.4%	13.3%	86.7%
	Grade 7	9.3%	10.9%	18.0%	82.0%
	Grade 8	7.0%	9.3%	17.1%	82.9%
	Grade 9	4.7%	6.9%	12.3%	87.7%
	Grade 10	4.9%	6.1%	12.5%	87.5%
	Grade 11	4.1%	6.5%	10.8%	89.2%
	Grade 12	2.4%	4.2%	8.2%	91.8%
Any Illicit Drug					
	All	13.1%	19.1%	30.7%	69.3%
	Grade 7	6.0%	7.9%	12.2%	87.8%
	Grade 8	9.5%	12.5%	23.0%	77.0%
	Grade 9	10.9%	16.3%	28.4%	71.6%
	Grade 10	15.1%	21.3%	36.6%	63.4%
	Grade 11	17.2%	27.3%	41.2%	58.8%
	Grade 12	21.8%	32.5%	46.8%	53.2%
Marijuana					
	All	11.7%	18.0%	29.8%	70.2%
	Grade 7	4.7%	6.7%	10.6%	89.4%
	Grade 8	7.6%	10.0%	21.0%	79.0%
	Grade 9	9.9%	15.4%	27.6%	72.4%
	Grade 10	13.2%	20.6%	36.3%	63.7%
	Grade 11	16.4%	26.7%	40.4%	59.6%
	Grade 12	20.2%	31.5%	46.7%	53.3%
Marijuana Only					
	All	7.3%	12.2%	21.7%	78.3%
	Grade 7	2.5%	4.0%	6.7%	93.3%
	Grade 8	4.9%	6.9%	15.9%	84.1%
	Grade 9	6.2%	10.2%	20.2%	79.8%
	Grade 10	8.7%	13.9%	26.0%	74.0%
	Grade 11	10.0%	18.5%	30.4%	69.6%
	Grade 12	12.7%	22.0%	33.9%	66.1%

**State : Grades 7-12 Large
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	0.6%	1.0%	1.7%	98.3%
	Grade 7	0.6%	1.2%	2.1%	97.9%
	Grade 8	0.7%	0.8%	1.6%	98.4%
	Grade 9	0.4%	0.9%	1.5%	98.5%
	Grade 10	0.7%	0.9%	1.2%	98.8%
	Grade 11	0.7%	1.0%	1.9%	98.1%
	Grade 12	0.8%	1.0%	2.2%	97.8%
Cocaine					
	All	0.6%	0.9%	1.6%	98.4%
	Grade 7	0.5%	1.2%	2.1%	97.9%
	Grade 8	0.6%	0.8%	1.6%	98.4%
	Grade 9	0.4%	0.8%	1.4%	98.6%
	Grade 10	0.7%	0.9%	1.1%	98.9%
	Grade 11	0.6%	0.8%	1.6%	98.4%
	Grade 12	0.6%	0.8%	2.0%	98.0%
Crack					
	All	0.3%	0.4%	0.7%	99.3%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	0.6%	0.6%	1.1%	98.9%
	Grade 9	0.1%	0.3%	0.6%	99.4%
	Grade 10	0.2%	0.3%	0.4%	99.6%
	Grade 11	0.3%	0.6%	0.8%	99.2%
	Grade 12	0.5%	0.5%	0.8%	99.2%
Hallucinogens					
	All	0.8%	1.2%	2.2%	97.8%
	Grade 7	0.9%	1.0%	1.4%	98.6%
	Grade 8	1.2%	1.3%	1.8%	98.2%
	Grade 9	0.7%	1.0%	1.6%	98.4%
	Grade 10	0.7%	1.1%	2.6%	97.4%
	Grade 11	0.8%	1.2%	2.4%	97.6%
	Grade 12	0.5%	1.7%	3.7%	96.3%
Uppers					
	All	1.2%	1.7%	2.6%	97.4%
	Grade 7	0.7%	0.9%	1.6%	98.4%
	Grade 8	1.2%	1.5%	2.0%	98.0%
	Grade 9	0.8%	1.2%	1.8%	98.2%
	Grade 10	1.5%	2.1%	3.3%	96.7%
	Grade 11	1.2%	1.9%	2.6%	97.4%
	Grade 12	1.9%	3.1%	4.4%	95.6%
Downers					
	All	1.5%	2.0%	3.1%	96.9%
	Grade 7	0.7%	0.8%	1.2%	98.8%
	Grade 8	1.3%	1.6%	2.2%	97.8%
	Grade 9	0.9%	1.2%	2.1%	97.9%
	Grade 10	1.6%	2.0%	3.6%	96.4%
	Grade 11	2.2%	3.3%	4.5%	95.5%
	Grade 12	2.4%	3.8%	5.6%	94.4%

**State : Grades 7-12 Large
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.8%	1.1%	98.9%
	Grade 7	0.3%	0.5%	0.7%	99.3%
	Grade 8	0.7%	0.8%	1.4%	98.6%
	Grade 9	0.5%	0.8%	1.0%	99.0%
	Grade 10	0.8%	1.1%	1.3%	98.7%
	Grade 11	0.6%	0.9%	1.2%	98.8%
	Grade 12	0.2%	0.6%	0.8%	99.2%
	Steroids	All	0.5%	0.8%	1.5%
Grade 7		0.7%	0.8%	1.4%	98.6%
Grade 8		0.5%	0.5%	1.5%	98.5%
Grade 9		0.4%	0.9%	1.4%	98.6%
Grade 10		0.2%	0.4%	1.3%	98.7%
Grade 11		0.7%	0.9%	1.4%	98.6%
Grade 12		0.7%	0.9%	2.0%	98.0%
Ecstasy		All	1.7%	2.8%	4.6%
	Grade 7	0.8%	1.4%	2.4%	97.6%
	Grade 8	1.3%	2.5%	3.8%	96.2%
	Grade 9	1.3%	2.1%	4.4%	95.6%
	Grade 10	1.7%	3.0%	4.9%	95.1%
	Grade 11	2.0%	3.6%	5.6%	94.4%
	Grade 12	3.6%	4.7%	6.8%	93.2%
	Heroin	All	0.4%	0.6%	0.9%
Grade 7		0.3%	0.6%	0.9%	99.1%
Grade 8		0.6%	0.7%	1.5%	98.5%
Grade 9		0.3%	0.4%	0.8%	99.2%
Grade 10		0.6%	1.0%	1.0%	99.0%
Grade 11		0.5%	0.6%	0.9%	99.1%
Grade 12		0.3%	0.4%	0.5%	99.5%

**State : Grades 7-12 Large
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.1%	18.4%	33.0%	67.0%
	Grade 7	5.6%	8.1%	17.6%	82.4%
	Grade 8	9.4%	13.3%	26.8%	73.2%
	Grade 9	11.7%	16.8%	32.8%	67.2%
	Grade 10	14.1%	20.8%	36.4%	63.6%
	Grade 11	17.9%	24.8%	42.3%	57.7%
	Grade 12	23.9%	31.8%	48.0%	52.0%
Alcohol					
	All	32.4%	43.3%	65.6%	34.4%
	Grade 7	18.7%	24.3%	47.6%	52.4%
	Grade 8	27.2%	36.1%	60.4%	39.6%
	Grade 9	33.1%	44.2%	67.5%	32.5%
	Grade 10	36.2%	50.3%	72.2%	27.8%
	Grade 11	38.7%	52.2%	73.6%	26.4%
	Grade 12	45.5%	58.8%	76.8%	23.2%
Inhalants					
	All	6.8%	10.0%	19.1%	80.9%
	Grade 7	9.7%	12.8%	22.6%	77.4%
	Grade 8	9.9%	14.3%	24.4%	75.6%
	Grade 9	7.2%	10.4%	19.7%	80.3%
	Grade 10	5.0%	7.9%	17.4%	82.6%
	Grade 11	4.0%	7.2%	15.1%	84.9%
	Grade 12	3.4%	5.8%	12.7%	87.3%
Any Illicit Drug					
	All	14.8%	20.2%	30.6%	69.4%
	Grade 7	7.0%	9.1%	15.1%	84.9%
	Grade 8	11.8%	15.3%	22.7%	77.3%
	Grade 9	15.0%	20.5%	30.8%	69.2%
	Grade 10	17.9%	24.5%	36.7%	63.3%
	Grade 11	19.0%	26.9%	40.3%	59.7%
	Grade 12	20.4%	28.4%	43.4%	56.6%
Marijuana					
	All	12.4%	17.9%	28.2%	71.8%
	Grade 7	5.1%	7.1%	12.3%	87.7%
	Grade 8	8.9%	12.5%	19.8%	80.2%
	Grade 9	12.9%	18.4%	28.5%	71.5%
	Grade 10	15.4%	22.1%	34.5%	65.5%
	Grade 11	16.6%	24.4%	38.2%	61.8%
	Grade 12	18.2%	26.6%	41.6%	58.4%
Marijuana Only					
	All	4.7%	7.4%	13.6%	86.4%
	Grade 7	2.1%	3.1%	6.5%	93.5%
	Grade 8	3.4%	4.9%	9.3%	90.7%
	Grade 9	4.8%	7.4%	13.5%	86.5%
	Grade 10	6.4%	10.0%	17.5%	82.5%
	Grade 11	5.8%	9.8%	17.9%	82.1%
	Grade 12	6.4%	10.6%	19.4%	80.6%

**State : Grades 7-12 Large
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.5%	4.1%	8.0%	92.0%
	Grade 7	1.5%	2.2%	3.6%	96.4%
	Grade 8	2.1%	3.0%	5.2%	94.8%
	Grade 9	2.6%	3.9%	7.4%	92.6%
	Grade 10	2.9%	4.8%	9.6%	90.4%
	Grade 11	3.4%	5.6%	11.0%	89.0%
	Grade 12	2.9%	5.7%	13.1%	86.9%
Cocaine					
	All	2.3%	3.7%	7.4%	92.6%
	Grade 7	1.1%	1.7%	2.7%	97.3%
	Grade 8	1.7%	2.4%	4.3%	95.7%
	Grade 9	2.4%	3.6%	6.7%	93.3%
	Grade 10	2.7%	4.4%	9.1%	90.9%
	Grade 11	3.3%	5.6%	10.9%	89.1%
	Grade 12	2.7%	5.5%	12.9%	87.1%
Crack					
	All	0.7%	1.0%	2.2%	97.8%
	Grade 7	0.8%	1.2%	2.3%	97.7%
	Grade 8	0.9%	1.3%	2.5%	97.5%
	Grade 9	0.6%	1.0%	2.4%	97.6%
	Grade 10	0.6%	1.0%	2.0%	98.0%
	Grade 11	0.6%	1.0%	2.0%	98.0%
	Grade 12	0.4%	0.6%	2.2%	97.8%
Hallucinogens					
	All	1.5%	2.5%	4.6%	95.4%
	Grade 7	0.7%	0.9%	1.7%	98.3%
	Grade 8	1.2%	1.8%	3.6%	96.4%
	Grade 9	2.0%	3.0%	5.2%	94.8%
	Grade 10	1.3%	2.6%	4.9%	95.1%
	Grade 11	2.1%	3.6%	6.4%	93.6%
	Grade 12	2.0%	3.3%	6.4%	93.6%
Uppers					
	All	2.2%	3.4%	5.3%	94.7%
	Grade 7	0.6%	1.0%	1.5%	98.5%
	Grade 8	1.6%	2.0%	3.1%	96.9%
	Grade 9	2.4%	3.7%	5.5%	94.5%
	Grade 10	2.6%	4.2%	6.9%	93.1%
	Grade 11	3.4%	4.8%	7.9%	92.1%
	Grade 12	3.4%	5.2%	8.2%	91.8%
Downers					
	All	2.5%	3.8%	6.1%	93.9%
	Grade 7	0.6%	1.0%	1.7%	98.3%
	Grade 8	1.7%	2.5%	3.6%	96.4%
	Grade 9	3.0%	4.3%	6.5%	93.5%
	Grade 10	3.1%	4.7%	7.8%	92.2%
	Grade 11	3.9%	5.8%	9.4%	90.6%
	Grade 12	3.4%	5.5%	9.4%	90.6%

**State : Grades 7-12 Large
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.6%	2.3%	3.9%	96.1%
	Grade 7	0.8%	1.1%	2.1%	97.9%
	Grade 8	2.0%	2.7%	4.1%	95.9%
	Grade 9	1.8%	2.7%	4.6%	95.4%
	Grade 10	1.9%	2.6%	4.4%	95.6%
	Grade 11	1.7%	2.7%	4.5%	95.5%
	Grade 12	1.3%	2.2%	4.2%	95.8%
	Steroids	All	0.4%	0.5%	1.1%
Grade 7		0.3%	0.4%	1.0%	99.0%
Grade 8		0.4%	0.6%	1.2%	98.8%
Grade 9		0.4%	0.6%	1.1%	98.9%
Grade 10		0.2%	0.4%	0.9%	99.1%
Grade 11		0.4%	0.6%	1.0%	99.0%
Grade 12		0.6%	0.8%	1.6%	98.4%
Ecstasy		All	3.3%	4.9%	8.2%
	Grade 7	1.2%	1.5%	2.8%	97.2%
	Grade 8	2.5%	3.5%	5.9%	94.1%
	Grade 9	3.7%	5.4%	8.8%	91.2%
	Grade 10	3.8%	5.8%	9.5%	90.5%
	Grade 11	4.4%	7.0%	10.9%	89.1%
	Grade 12	4.5%	7.3%	12.7%	87.3%
	Heroin	All	0.7%	0.9%	1.7%
Grade 7		0.7%	0.9%	1.9%	98.1%
Grade 8		1.2%	1.5%	2.3%	97.7%
Grade 9		0.6%	1.1%	2.0%	98.0%
Grade 10		0.8%	1.0%	1.6%	98.4%
Grade 11		0.4%	0.6%	1.2%	98.8%
Grade 12		0.3%	0.5%	0.9%	99.1%

**State : Grades 7-12 Large
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	6.7%	10.0%	18.7%	81.3%
	Grade 7	1.4%	2.2%	6.8%	93.2%
	Grade 8	3.1%	4.9%	12.0%	88.0%
	Grade 9	4.3%	7.1%	15.4%	84.6%
	Grade 10	7.0%	10.6%	20.9%	79.1%
	Grade 11	10.0%	16.2%	27.5%	72.5%
	Grade 12	16.3%	22.4%	34.3%	65.7%
Alcohol					
	All	20.4%	30.7%	51.8%	48.2%
	Grade 7	8.0%	12.8%	31.8%	68.2%
	Grade 8	13.1%	19.6%	43.7%	56.3%
	Grade 9	17.6%	27.9%	50.1%	49.9%
	Grade 10	23.0%	36.5%	59.6%	40.4%
	Grade 11	27.9%	42.9%	63.1%	36.9%
	Grade 12	37.7%	50.8%	69.4%	30.6%
Inhalants					
	All	3.7%	5.9%	11.8%	88.2%
	Grade 7	5.0%	7.3%	13.3%	86.7%
	Grade 8	5.1%	7.9%	14.0%	86.0%
	Grade 9	3.4%	5.4%	11.0%	89.0%
	Grade 10	3.0%	4.7%	11.2%	88.8%
	Grade 11	3.4%	5.6%	11.5%	88.5%
	Grade 12	2.0%	3.8%	9.0%	91.0%
Any Illicit Drug					
	All	6.8%	10.2%	16.1%	83.9%
	Grade 7	1.5%	2.3%	4.6%	95.4%
	Grade 8	3.8%	5.4%	8.6%	91.4%
	Grade 9	5.0%	8.3%	13.4%	86.6%
	Grade 10	7.8%	11.8%	18.4%	81.6%
	Grade 11	10.6%	16.5%	25.5%	74.5%
	Grade 12	14.0%	20.0%	30.6%	69.4%
Marijuana					
	All	5.7%	9.2%	15.0%	85.0%
	Grade 7	1.0%	1.6%	3.3%	96.7%
	Grade 8	2.4%	4.0%	7.2%	92.8%
	Grade 9	4.3%	7.5%	12.4%	87.6%
	Grade 10	6.5%	10.7%	16.8%	83.2%
	Grade 11	9.1%	15.6%	24.1%	75.9%
	Grade 12	12.8%	19.0%	30.4%	69.6%
Marijuana Only					
	All	2.5%	4.7%	8.7%	91.3%
	Grade 7	0.4%	0.9%	2.0%	98.0%
	Grade 8	1.0%	1.8%	4.0%	96.0%
	Grade 9	2.0%	4.0%	7.7%	92.3%
	Grade 10	2.9%	5.6%	9.8%	90.2%
	Grade 11	4.3%	8.0%	14.2%	85.8%
	Grade 12	5.5%	9.2%	17.0%	83.0%

**State : Grades 7-12 Large
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	0.6%	1.0%	2.2%	97.8%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.5%	0.7%	1.1%	98.9%
	Grade 9	0.3%	0.7%	1.4%	98.6%
	Grade 10	1.0%	1.3%	2.6%	97.4%
	Grade 11	0.8%	1.6%	3.1%	96.9%
	Grade 12	1.0%	2.0%	4.8%	95.2%
Cocaine					
	All	0.5%	0.9%	1.9%	98.1%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.3%	0.6%	1.0%	99.0%
	Grade 9	0.2%	0.6%	1.1%	98.9%
	Grade 10	0.9%	1.1%	2.1%	97.9%
	Grade 11	0.8%	1.6%	3.0%	97.0%
	Grade 12	0.9%	1.9%	4.7%	95.3%
Crack					
	All	0.2%	0.3%	0.8%	99.2%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.3%	0.3%	0.6%	99.4%
	Grade 9	0.1%	0.3%	0.6%	99.4%
	Grade 10	0.1%	0.3%	1.1%	98.9%
	Grade 11	0.2%	0.3%	0.8%	99.2%
	Grade 12	0.3%	0.4%	1.1%	98.9%
Hallucinogens					
	All	0.9%	1.4%	2.7%	97.3%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.8%	1.0%	1.7%	98.3%
	Grade 9	0.7%	1.1%	2.1%	97.9%
	Grade 10	1.1%	1.6%	3.1%	96.9%
	Grade 11	1.3%	2.3%	4.4%	95.6%
	Grade 12	1.6%	2.8%	5.1%	94.9%
Uppers					
	All	1.2%	1.9%	3.0%	97.0%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.8%	0.9%	1.5%	98.5%
	Grade 9	0.9%	1.4%	2.1%	97.9%
	Grade 10	1.7%	2.4%	3.6%	96.4%
	Grade 11	2.1%	3.2%	5.0%	95.0%
	Grade 12	2.1%	4.0%	6.6%	93.4%
Downers					
	All	1.2%	1.9%	3.1%	96.9%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.9%	1.1%	1.7%	98.3%
	Grade 9	0.9%	1.3%	1.9%	98.1%
	Grade 10	1.5%	2.1%	3.4%	96.6%
	Grade 11	2.1%	3.2%	5.4%	94.6%
	Grade 12	2.2%	3.9%	6.8%	93.2%

**State : Grades 7-12 Large
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.5%	1.0%	99.0%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.5%	0.7%	1.4%	98.6%
	Grade 9	0.4%	0.6%	1.0%	99.0%
	Grade 10	0.4%	0.6%	0.9%	99.1%
	Grade 11	0.7%	0.8%	1.5%	98.5%
	Grade 12	0.3%	0.6%	1.2%	98.8%
	Steroids	All	0.4%	0.6%	1.3%
Grade 7		0.3%	0.4%	1.1%	98.9%
Grade 8		0.3%	0.5%	1.3%	98.7%
Grade 9		0.5%	0.6%	1.2%	98.8%
Grade 10		0.6%	0.7%	1.3%	98.7%
Grade 11		0.4%	0.6%	1.4%	98.6%
Grade 12		0.5%	0.8%	1.6%	98.4%
Ecstasy		All	1.2%	2.0%	3.4%
	Grade 7	0.2%	0.4%	0.8%	99.2%
	Grade 8	0.9%	1.5%	2.1%	97.9%
	Grade 9	0.9%	1.5%	2.8%	97.2%
	Grade 10	1.6%	2.4%	3.8%	96.2%
	Grade 11	2.0%	3.2%	4.5%	95.5%
	Grade 12	1.9%	3.7%	7.3%	92.7%
	Heroin	All	0.3%	0.4%	0.7%
Grade 7		0.1%	0.2%	0.4%	99.6%
Grade 8		0.3%	0.4%	0.8%	99.2%
Grade 9		0.3%	0.3%	0.6%	99.4%
Grade 10		0.3%	0.5%	0.8%	99.2%
Grade 11		0.4%	0.4%	0.8%	99.2%
Grade 12		0.3%	0.5%	0.8%	99.2%

**State : Grades 7-12 Large
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.2%	21.0%	35.9%	64.1%
	Grade 7	6.5%	9.0%	19.6%	80.4%
	Grade 8	9.6%	14.1%	28.6%	71.4%
	Grade 9	13.7%	19.0%	34.4%	65.6%
	Grade 10	16.5%	23.7%	40.3%	59.7%
	Grade 11	21.2%	28.9%	45.0%	55.0%
	Grade 12	26.1%	34.6%	50.8%	49.2%
Alcohol					
	All	33.1%	44.7%	66.6%	33.4%
	Grade 7	18.9%	24.9%	47.9%	52.1%
	Grade 8	26.0%	35.5%	60.7%	39.3%
	Grade 9	33.3%	45.3%	68.1%	31.9%
	Grade 10	36.9%	51.1%	73.3%	26.7%
	Grade 11	39.4%	53.6%	73.4%	26.6%
	Grade 12	46.4%	61.0%	78.0%	22.0%
Inhalants					
	All	7.1%	10.3%	19.7%	80.3%
	Grade 7	10.2%	13.0%	22.6%	77.4%
	Grade 8	10.1%	14.0%	24.6%	75.4%
	Grade 9	7.6%	11.1%	20.4%	79.6%
	Grade 10	5.3%	8.5%	18.5%	81.5%
	Grade 11	4.5%	7.5%	16.2%	83.8%
	Grade 12	3.9%	6.5%	14.3%	85.7%
Any Illicit Drug					
	All	16.0%	22.3%	33.4%	66.6%
	Grade 7	7.1%	9.4%	15.3%	84.7%
	Grade 8	11.4%	15.4%	24.0%	76.0%
	Grade 9	15.6%	21.5%	32.1%	67.9%
	Grade 10	19.3%	26.2%	39.6%	60.4%
	Grade 11	20.9%	29.9%	43.8%	56.2%
	Grade 12	23.6%	33.5%	48.7%	51.3%
Marijuana					
	All	14.0%	20.3%	31.4%	68.6%
	Grade 7	5.4%	7.6%	12.8%	87.2%
	Grade 8	8.9%	12.7%	21.0%	79.0%
	Grade 9	13.9%	20.0%	30.4%	69.6%
	Grade 10	17.2%	24.4%	38.1%	61.9%
	Grade 11	18.9%	27.9%	42.4%	57.6%
	Grade 12	21.3%	31.8%	47.3%	52.7%
Marijuana Only					
	All	5.7%	9.1%	16.4%	83.6%
	Grade 7	2.3%	3.4%	6.8%	93.2%
	Grade 8	3.9%	5.8%	11.4%	88.6%
	Grade 9	5.6%	8.8%	15.6%	84.4%
	Grade 10	7.5%	11.4%	20.1%	79.9%
	Grade 11	7.1%	12.1%	21.6%	78.4%
	Grade 12	8.4%	14.4%	24.4%	75.6%

**State : Grades 7-12 Large
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.1%	3.5%	6.9%	93.1%
	Grade 7	1.3%	2.0%	3.5%	96.5%
	Grade 8	1.7%	2.5%	4.5%	95.5%
	Grade 9	2.3%	3.4%	6.1%	93.9%
	Grade 10	2.2%	3.8%	7.8%	92.2%
	Grade 11	2.7%	4.6%	9.2%	90.8%
	Grade 12	2.8%	5.3%	11.4%	88.6%
Cocaine					
	All	1.9%	3.2%	6.4%	93.6%
	Grade 7	0.9%	1.5%	2.6%	97.4%
	Grade 8	1.4%	1.9%	3.6%	96.4%
	Grade 9	2.1%	3.1%	5.6%	94.4%
	Grade 10	2.0%	3.6%	7.4%	92.6%
	Grade 11	2.6%	4.5%	9.1%	90.9%
	Grade 12	2.7%	5.2%	11.2%	88.8%
Crack					
	All	0.6%	0.9%	2.0%	98.0%
	Grade 7	0.7%	1.0%	2.1%	97.9%
	Grade 8	0.8%	1.1%	2.3%	97.7%
	Grade 9	0.5%	0.9%	2.0%	98.0%
	Grade 10	0.4%	0.8%	1.8%	98.2%
	Grade 11	0.6%	0.9%	1.9%	98.1%
	Grade 12	0.4%	0.6%	1.9%	98.1%
Hallucinogens					
	All	1.8%	3.0%	5.5%	94.5%
	Grade 7	0.8%	1.2%	2.0%	98.0%
	Grade 8	1.2%	1.8%	3.8%	96.2%
	Grade 9	2.1%	3.3%	5.5%	94.5%
	Grade 10	1.9%	3.6%	6.6%	93.4%
	Grade 11	2.3%	4.0%	7.4%	92.6%
	Grade 12	2.3%	4.4%	8.4%	91.6%
Uppers					
	All	2.6%	4.0%	6.3%	93.7%
	Grade 7	0.7%	1.1%	1.7%	98.3%
	Grade 8	1.4%	1.9%	3.1%	96.9%
	Grade 9	2.6%	3.8%	5.7%	94.3%
	Grade 10	3.4%	5.4%	8.4%	91.6%
	Grade 11	3.7%	5.7%	9.4%	90.6%
	Grade 12	4.3%	6.7%	10.4%	89.6%
Downers					
	All	2.9%	4.4%	6.9%	93.1%
	Grade 7	0.7%	1.1%	1.7%	98.3%
	Grade 8	1.5%	2.3%	3.4%	96.6%
	Grade 9	3.0%	4.3%	6.4%	93.6%
	Grade 10	3.6%	5.2%	8.5%	91.5%
	Grade 11	4.4%	6.6%	10.6%	89.4%
	Grade 12	4.8%	7.5%	12.0%	88.0%

**State : Grades 7-12 Large
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.3%	2.0%	3.4%	96.6%
	Grade 7	0.7%	1.0%	1.9%	98.1%
	Grade 8	1.5%	2.0%	3.2%	96.8%
	Grade 9	1.4%	2.1%	3.7%	96.3%
	Grade 10	1.6%	2.3%	3.9%	96.1%
	Grade 11	1.5%	2.3%	3.6%	96.4%
	Grade 12	1.4%	2.1%	3.9%	96.1%
	Steroids	All	0.5%	0.8%	1.5%
Grade 7		0.4%	0.7%	1.4%	98.6%
Grade 8		0.5%	0.7%	1.6%	98.4%
Grade 9		0.5%	0.7%	1.3%	98.7%
Grade 10		0.4%	0.6%	1.3%	98.7%
Grade 11		0.5%	0.9%	1.5%	98.5%
Grade 12		0.8%	1.0%	1.8%	98.2%
Ecstasy		All	3.2%	4.9%	8.4%
	Grade 7	1.2%	1.7%	3.1%	96.9%
	Grade 8	2.3%	3.1%	5.7%	94.3%
	Grade 9	3.3%	4.8%	8.2%	91.8%
	Grade 10	3.4%	5.4%	9.5%	90.5%
	Grade 11	4.1%	6.9%	11.5%	88.5%
	Grade 12	5.0%	8.0%	13.3%	86.7%
	Heroin	All	0.6%	0.9%	1.8%
Grade 7		0.7%	1.0%	2.0%	98.0%
Grade 8		0.9%	1.2%	2.2%	97.8%
Grade 9		0.5%	1.0%	1.9%	98.1%
Grade 10		0.7%	0.9%	1.7%	98.3%
Grade 11		0.5%	0.7%	1.4%	98.6%
Grade 12		0.5%	0.6%	1.3%	98.7%

**State : Grades 7-12 Large
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	10.4%	14.7%	25.7%	74.3%
	Grade 7	3.7%	5.1%	11.5%	88.5%
	Grade 8	5.7%	8.3%	18.4%	81.6%
	Grade 9	9.1%	12.8%	23.9%	76.1%
	Grade 10	11.1%	16.4%	28.4%	71.6%
	Grade 11	15.2%	21.7%	35.9%	64.1%
	Grade 12	20.7%	27.9%	41.2%	58.8%
Alcohol					
	All	26.3%	36.2%	57.0%	43.0%
	Grade 7	13.2%	17.8%	37.1%	62.9%
	Grade 8	19.0%	26.3%	49.6%	50.4%
	Grade 9	25.7%	36.1%	57.9%	42.1%
	Grade 10	29.3%	41.5%	63.8%	36.2%
	Grade 11	33.5%	46.8%	67.0%	33.0%
	Grade 12	41.8%	55.2%	72.3%	27.7%
Inhalants					
	All	5.4%	7.9%	15.3%	84.7%
	Grade 7	7.5%	9.6%	17.3%	82.7%
	Grade 8	7.3%	10.7%	18.9%	81.1%
	Grade 9	5.9%	8.6%	16.0%	84.0%
	Grade 10	3.9%	6.4%	14.2%	85.8%
	Grade 11	4.0%	6.3%	13.1%	86.9%
	Grade 12	2.7%	4.6%	10.7%	89.3%
Any Illicit Drug					
	All	10.4%	14.8%	22.4%	77.6%
	Grade 7	3.7%	5.1%	8.6%	91.4%
	Grade 8	6.8%	9.3%	14.4%	85.6%
	Grade 9	10.1%	14.2%	21.2%	78.8%
	Grade 10	12.2%	17.3%	26.2%	73.8%
	Grade 11	15.1%	21.9%	32.4%	67.6%
	Grade 12	16.8%	24.3%	36.2%	63.8%
Marijuana					
	All	8.8%	13.2%	20.6%	79.4%
	Grade 7	2.5%	3.8%	6.6%	93.4%
	Grade 8	4.9%	7.1%	12.0%	88.0%
	Grade 9	8.6%	12.8%	19.6%	80.4%
	Grade 10	10.3%	15.7%	24.6%	75.4%
	Grade 11	13.5%	20.3%	30.9%	69.1%
	Grade 12	15.1%	22.9%	35.0%	65.0%
Marijuana Only					
	All	3.7%	6.1%	10.9%	89.1%
	Grade 7	1.0%	1.5%	3.3%	96.7%
	Grade 8	2.0%	3.1%	6.3%	93.7%
	Grade 9	3.7%	5.9%	10.2%	89.8%
	Grade 10	4.4%	7.6%	13.2%	86.8%
	Grade 11	5.6%	9.3%	16.5%	83.5%
	Grade 12	6.2%	10.7%	18.7%	81.3%

**State : Grades 7-12 Large
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.4%	2.3%	4.6%	95.4%
	Grade 7	0.8%	1.2%	2.1%	97.9%
	Grade 8	1.0%	1.4%	2.6%	97.4%
	Grade 9	1.5%	2.3%	4.2%	95.8%
	Grade 10	1.5%	2.6%	5.2%	94.8%
	Grade 11	1.7%	3.3%	6.5%	93.5%
	Grade 12	2.0%	3.7%	8.3%	91.7%
Cocaine					
	All	1.2%	2.1%	4.2%	95.8%
	Grade 7	0.5%	0.9%	1.6%	98.4%
	Grade 8	0.7%	1.1%	2.1%	97.9%
	Grade 9	1.3%	2.0%	3.7%	96.3%
	Grade 10	1.4%	2.4%	4.8%	95.2%
	Grade 11	1.7%	3.2%	6.4%	93.6%
	Grade 12	1.9%	3.7%	8.2%	91.8%
Crack					
	All	0.4%	0.7%	1.5%	98.5%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.5%	0.8%	1.5%	98.5%
	Grade 9	0.4%	0.8%	1.6%	98.4%
	Grade 10	0.3%	0.6%	1.5%	98.5%
	Grade 11	0.3%	0.6%	1.3%	98.7%
	Grade 12	0.4%	0.5%	1.5%	98.5%
Hallucinogens					
	All	1.2%	2.0%	3.7%	96.3%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	0.8%	1.1%	2.4%	97.6%
	Grade 9	1.3%	2.1%	3.7%	96.3%
	Grade 10	1.3%	2.0%	4.1%	95.9%
	Grade 11	1.8%	3.0%	5.3%	94.7%
	Grade 12	1.7%	3.4%	6.4%	93.6%
Uppers					
	All	1.6%	2.4%	3.9%	96.1%
	Grade 7	0.4%	0.5%	0.7%	99.3%
	Grade 8	0.8%	1.0%	1.8%	98.2%
	Grade 9	1.6%	2.3%	3.5%	96.5%
	Grade 10	2.1%	3.3%	5.2%	94.8%
	Grade 11	2.3%	3.8%	6.2%	93.8%
	Grade 12	2.8%	4.4%	7.1%	92.9%
Downers					
	All	1.7%	2.6%	4.3%	95.7%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	1.0%	1.5%	2.1%	97.9%
	Grade 9	1.7%	2.4%	3.7%	96.3%
	Grade 10	2.2%	3.1%	5.0%	95.0%
	Grade 11	2.7%	4.2%	7.1%	92.9%
	Grade 12	2.9%	4.9%	8.2%	91.8%

**State : Grades 7-12 Large
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.8%	1.2%	2.1%	97.9%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.9%	1.3%	2.1%	97.9%
	Grade 9	0.9%	1.4%	2.4%	97.6%
	Grade 10	0.9%	1.3%	2.3%	97.7%
	Grade 11	1.0%	1.4%	2.6%	97.4%
	Grade 12	0.7%	1.2%	2.4%	97.6%
	Steroids	All	0.4%	0.7%	1.3%
Grade 7		0.3%	0.5%	1.2%	98.8%
Grade 8		0.3%	0.5%	1.3%	98.7%
Grade 9		0.5%	0.6%	1.3%	98.7%
Grade 10		0.4%	0.6%	1.2%	98.8%
Grade 11		0.6%	0.8%	1.5%	98.5%
Grade 12		0.7%	0.9%	1.7%	98.3%
Ecstasy		All	2.0%	3.2%	5.4%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.5%	2.1%	3.6%	96.4%
	Grade 9	2.1%	3.0%	5.1%	94.9%
	Grade 10	2.4%	4.0%	6.8%	93.2%
	Grade 11	2.7%	4.5%	7.3%	92.7%
	Grade 12	3.2%	5.3%	9.2%	90.8%
	Heroin	All	0.4%	0.6%	1.2%
Grade 7		0.4%	0.6%	1.2%	98.8%
Grade 8		0.6%	0.7%	1.3%	98.7%
Grade 9		0.5%	0.7%	1.3%	98.7%
Grade 10		0.5%	0.6%	1.2%	98.8%
Grade 11		0.3%	0.4%	1.1%	98.9%
Grade 12		0.3%	0.4%	0.9%	99.1%

**State : Grades 7-12 Large
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.7%	22.1%	37.9%	62.1%
	Grade 7	6.6%	9.5%	21.6%	78.4%
	Grade 8	10.4%	15.8%	30.9%	69.1%
	Grade 9	13.8%	19.8%	36.4%	63.6%
	Grade 10	18.0%	25.4%	44.3%	55.7%
	Grade 11	21.5%	30.0%	45.3%	54.7%
	Grade 12	25.6%	34.0%	50.7%	49.3%
Alcohol					
	All	33.4%	46.6%	69.6%	30.4%
	Grade 7	18.2%	25.5%	51.0%	49.0%
	Grade 8	26.3%	37.1%	64.4%	35.6%
	Grade 9	33.4%	46.5%	70.5%	29.5%
	Grade 10	38.6%	55.0%	77.5%	22.5%
	Grade 11	39.3%	55.6%	75.1%	24.9%
	Grade 12	45.9%	61.0%	79.4%	20.6%
Inhalants					
	All	7.1%	10.6%	20.3%	79.7%
	Grade 7	10.1%	13.4%	23.0%	77.0%
	Grade 8	10.3%	14.4%	24.9%	75.1%
	Grade 9	7.0%	10.8%	20.3%	79.7%
	Grade 10	6.1%	9.2%	20.0%	80.0%
	Grade 11	4.5%	8.0%	17.4%	82.6%
	Grade 12	4.1%	7.1%	15.3%	84.7%
Any Illicit Drug					
	All	17.4%	24.3%	36.8%	63.2%
	Grade 7	7.7%	10.2%	16.8%	83.2%
	Grade 8	12.2%	16.7%	26.4%	73.6%
	Grade 9	16.3%	23.1%	35.1%	64.9%
	Grade 10	21.8%	29.3%	44.8%	55.2%
	Grade 11	21.6%	32.0%	47.2%	52.8%
	Grade 12	25.9%	35.8%	52.1%	47.9%
Marijuana					
	All	15.6%	22.7%	35.2%	64.8%
	Grade 7	6.2%	8.7%	14.7%	85.3%
	Grade 8	9.9%	14.3%	23.9%	76.1%
	Grade 9	15.0%	21.8%	33.8%	66.2%
	Grade 10	19.9%	27.8%	43.4%	56.6%
	Grade 11	19.5%	30.2%	45.8%	54.2%
	Grade 12	23.6%	34.3%	51.4%	48.6%
Marijuana Only					
	All	6.4%	10.3%	18.7%	81.3%
	Grade 7	3.0%	4.3%	8.4%	91.6%
	Grade 8	4.3%	6.6%	13.4%	86.6%
	Grade 9	5.9%	9.6%	18.0%	82.0%
	Grade 10	8.9%	12.9%	23.2%	76.8%
	Grade 11	7.3%	13.3%	23.6%	76.4%
	Grade 12	9.5%	15.7%	26.7%	73.3%

**State : Grades 7-12 Large
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.1%	3.4%	6.6%	93.4%
	Grade 7	1.2%	1.8%	3.1%	96.9%
	Grade 8	1.8%	2.6%	4.6%	95.4%
	Grade 9	2.1%	3.2%	5.7%	94.3%
	Grade 10	2.4%	3.9%	7.9%	92.1%
	Grade 11	2.8%	4.4%	8.7%	91.3%
	Grade 12	2.6%	4.8%	10.3%	89.7%
Cocaine					
	All	1.9%	3.2%	6.2%	93.8%
	Grade 7	0.8%	1.5%	2.3%	97.7%
	Grade 8	1.5%	2.2%	3.9%	96.1%
	Grade 9	1.9%	3.0%	5.3%	94.7%
	Grade 10	2.3%	3.6%	7.5%	92.5%
	Grade 11	2.7%	4.3%	8.5%	91.5%
	Grade 12	2.5%	4.6%	10.1%	89.9%
Crack					
	All	0.6%	0.8%	1.8%	98.2%
	Grade 7	0.7%	0.9%	1.9%	98.1%
	Grade 8	0.8%	1.0%	2.2%	97.8%
	Grade 9	0.4%	0.7%	1.6%	98.4%
	Grade 10	0.5%	0.8%	1.7%	98.3%
	Grade 11	0.7%	0.9%	1.9%	98.1%
	Grade 12	0.3%	0.5%	1.8%	98.2%
Hallucinogens					
	All	2.0%	3.4%	6.1%	93.9%
	Grade 7	0.9%	1.2%	2.2%	97.8%
	Grade 8	1.5%	2.3%	4.3%	95.7%
	Grade 9	2.4%	3.6%	5.8%	94.2%
	Grade 10	2.2%	4.5%	7.7%	92.3%
	Grade 11	2.3%	4.1%	8.2%	91.8%
	Grade 12	2.6%	4.4%	8.5%	91.5%
Uppers					
	All	3.1%	4.8%	7.5%	92.5%
	Grade 7	0.8%	1.4%	2.1%	97.9%
	Grade 8	1.9%	2.6%	4.0%	96.0%
	Grade 9	3.0%	4.5%	6.6%	93.4%
	Grade 10	4.0%	6.4%	9.8%	90.2%
	Grade 11	4.5%	6.7%	10.9%	89.1%
	Grade 12	4.5%	7.8%	12.1%	87.9%
Downers					
	All	3.5%	5.1%	7.9%	92.1%
	Grade 7	0.8%	1.2%	1.9%	98.1%
	Grade 8	1.7%	2.5%	3.9%	96.1%
	Grade 9	3.4%	5.0%	7.2%	92.8%
	Grade 10	4.4%	6.2%	10.1%	89.9%
	Grade 11	5.3%	7.7%	12.1%	87.9%
	Grade 12	5.3%	8.2%	13.2%	86.8%

**State : Grades 7-12 Large
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.4%	2.1%	3.5%	96.5%
	Grade 7	0.6%	1.1%	1.8%	98.2%
	Grade 8	1.6%	2.0%	3.5%	96.5%
	Grade 9	1.4%	2.3%	3.8%	96.2%
	Grade 10	1.8%	2.5%	4.2%	95.8%
	Grade 11	1.6%	2.4%	3.7%	96.3%
	Grade 12	1.4%	2.0%	3.7%	96.3%
	Steroids	All	0.5%	0.8%	1.5%
Grade 7		0.5%	0.7%	1.4%	98.6%
Grade 8		0.7%	1.0%	2.0%	98.0%
Grade 9		0.5%	0.8%	1.4%	98.6%
Grade 10		0.4%	0.6%	1.3%	98.7%
Grade 11		0.4%	0.8%	1.5%	98.5%
Grade 12		0.6%	0.9%	1.6%	98.4%
Ecstasy		All	3.4%	5.3%	9.1%
	Grade 7	1.3%	1.9%	3.5%	96.5%
	Grade 8	2.4%	3.6%	6.1%	93.9%
	Grade 9	3.3%	5.2%	9.0%	91.0%
	Grade 10	3.6%	5.4%	9.7%	90.3%
	Grade 11	4.7%	7.7%	12.6%	87.4%
	Grade 12	5.0%	8.2%	14.4%	85.6%
	Heroin	All	0.7%	1.0%	1.8%
Grade 7		0.6%	0.9%	1.8%	98.2%
Grade 8		1.0%	1.4%	2.4%	97.6%
Grade 9		0.5%	0.9%	1.8%	98.2%
Grade 10		0.8%	1.1%	1.8%	98.2%
Grade 11		0.7%	0.8%	1.4%	98.6%
Grade 12		0.6%	0.9%	1.4%	98.6%

**State : Grades 7-12 Large
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	10.8%	15.3%	27.7%	72.3%
	Grade 7	3.3%	4.8%	12.2%	87.8%
	Grade 8	5.8%	8.8%	19.6%	80.4%
	Grade 9	9.3%	13.3%	26.0%	74.0%
	Grade 10	12.0%	17.7%	32.5%	67.5%
	Grade 11	15.8%	22.4%	37.2%	62.8%
	Grade 12	21.3%	28.6%	43.6%	56.4%
Alcohol					
	All	26.8%	37.7%	59.6%	40.4%
	Grade 7	12.5%	17.3%	38.4%	61.6%
	Grade 8	19.0%	27.0%	51.7%	48.3%
	Grade 9	26.4%	37.5%	60.5%	39.5%
	Grade 10	31.0%	44.9%	68.1%	31.9%
	Grade 11	34.0%	48.7%	69.1%	30.9%
	Grade 12	42.3%	56.7%	74.9%	25.1%
Inhalants					
	All	5.0%	7.6%	15.1%	84.9%
	Grade 7	6.8%	8.9%	16.3%	83.7%
	Grade 8	6.8%	9.8%	18.2%	81.8%
	Grade 9	5.3%	8.0%	15.8%	84.2%
	Grade 10	4.2%	6.5%	14.8%	85.2%
	Grade 11	3.6%	6.4%	13.4%	86.6%
	Grade 12	2.7%	4.9%	11.2%	88.8%
Any Illicit Drug					
	All	11.1%	15.9%	24.7%	75.3%
	Grade 7	3.6%	5.0%	8.7%	91.3%
	Grade 8	7.2%	9.8%	15.7%	84.3%
	Grade 9	10.4%	15.0%	23.3%	76.7%
	Grade 10	13.5%	19.2%	30.4%	69.6%
	Grade 11	15.5%	23.0%	35.2%	64.8%
	Grade 12	18.3%	26.7%	40.0%	60.0%
Marijuana					
	All	9.6%	14.6%	23.2%	76.8%
	Grade 7	2.7%	3.9%	7.1%	92.9%
	Grade 8	5.5%	8.0%	13.8%	86.2%
	Grade 9	9.2%	13.8%	21.8%	78.2%
	Grade 10	11.8%	17.8%	28.8%	71.2%
	Grade 11	13.9%	21.6%	33.8%	66.2%
	Grade 12	16.7%	25.5%	39.0%	61.0%
Marijuana Only					
	All	4.1%	6.9%	13.0%	87.0%
	Grade 7	1.3%	2.0%	4.1%	95.9%
	Grade 8	2.6%	3.9%	8.0%	92.0%
	Grade 9	3.9%	6.4%	12.1%	87.9%
	Grade 10	5.3%	8.7%	16.5%	83.5%
	Grade 11	5.8%	10.2%	18.8%	81.2%
	Grade 12	6.7%	12.0%	21.0%	79.0%

**State : Grades 7-12 Large
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.2%	2.1%	4.3%	95.7%
	Grade 7	0.6%	0.9%	1.7%	98.3%
	Grade 8	0.9%	1.4%	2.5%	97.5%
	Grade 9	1.3%	2.0%	3.7%	96.3%
	Grade 10	1.3%	2.5%	5.1%	94.9%
	Grade 11	1.6%	2.9%	5.9%	94.1%
	Grade 12	1.8%	3.3%	7.9%	92.1%
Cocaine					
	All	1.1%	1.9%	4.0%	96.0%
	Grade 7	0.4%	0.7%	1.3%	98.7%
	Grade 8	0.7%	1.1%	2.1%	97.9%
	Grade 9	1.1%	1.8%	3.3%	96.7%
	Grade 10	1.3%	2.3%	4.8%	95.2%
	Grade 11	1.6%	2.9%	5.8%	94.2%
	Grade 12	1.7%	3.2%	7.7%	92.3%
Crack					
	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.3%	0.4%	1.0%	99.0%
	Grade 8	0.4%	0.6%	1.2%	98.8%
	Grade 9	0.3%	0.5%	1.3%	98.7%
	Grade 10	0.3%	0.5%	1.2%	98.8%
	Grade 11	0.3%	0.5%	1.1%	98.9%
	Grade 12	0.2%	0.3%	1.1%	98.9%
Hallucinogens					
	All	1.1%	1.9%	3.7%	96.3%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.7%	1.1%	2.3%	97.7%
	Grade 9	1.3%	2.0%	3.5%	96.5%
	Grade 10	1.3%	2.5%	4.8%	95.2%
	Grade 11	1.4%	2.6%	5.1%	94.9%
	Grade 12	1.7%	3.3%	6.6%	93.4%
Uppers					
	All	1.7%	2.7%	4.4%	95.6%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.8%	1.0%	1.8%	98.2%
	Grade 9	1.7%	2.6%	4.0%	96.0%
	Grade 10	2.3%	3.9%	6.2%	93.8%
	Grade 11	2.3%	3.9%	6.4%	93.6%
	Grade 12	2.9%	5.2%	8.3%	91.7%
Downers					
	All	1.9%	2.9%	4.7%	95.3%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	1.0%	1.4%	2.0%	98.0%
	Grade 9	2.0%	2.8%	4.3%	95.7%
	Grade 10	2.4%	3.6%	6.0%	94.0%
	Grade 11	2.7%	4.2%	7.0%	93.0%
	Grade 12	3.2%	5.4%	9.2%	90.8%

**State : Grades 7-12 Large
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.8%	1.2%	2.1%	97.9%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.9%	1.2%	2.1%	97.9%
	Grade 9	0.8%	1.3%	2.4%	97.6%
	Grade 10	1.0%	1.5%	2.4%	97.6%
	Grade 11	0.9%	1.3%	2.3%	97.7%
	Grade 12	0.8%	1.3%	2.5%	97.5%
	Steroids	All	0.3%	0.5%	1.1%
Grade 7		0.2%	0.4%	0.9%	99.1%
Grade 8		0.3%	0.5%	1.1%	98.9%
Grade 9		0.4%	0.6%	1.1%	98.9%
Grade 10		0.2%	0.4%	1.0%	99.0%
Grade 11		0.4%	0.6%	1.2%	98.8%
Grade 12		0.5%	0.8%	1.5%	98.5%
Ecstasy		All	2.0%	3.3%	5.7%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	1.2%	1.9%	3.5%	96.5%
	Grade 9	2.1%	3.1%	5.4%	94.6%
	Grade 10	2.5%	3.9%	6.8%	93.2%
	Grade 11	2.6%	4.8%	7.9%	92.1%
	Grade 12	3.4%	5.6%	10.3%	89.7%
	Heroin	All	0.4%	0.6%	1.1%
Grade 7		0.3%	0.4%	0.9%	99.1%
Grade 8		0.6%	0.8%	1.4%	98.6%
Grade 9		0.4%	0.7%	1.3%	98.7%
Grade 10		0.5%	0.6%	1.2%	98.8%
Grade 11		0.3%	0.4%	0.8%	99.2%
Grade 12		0.3%	0.4%	0.8%	99.2%

**State : Grades 7-12 Large
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	18.6%	25.7%	40.1%	59.9%
	Grade 7	10.4%	14.0%	25.9%	74.1%
	Grade 8	13.7%	19.9%	36.3%	63.7%
	Grade 9	17.4%	23.8%	38.8%	61.2%
	Grade 10	19.5%	27.6%	42.6%	57.4%
	Grade 11	25.0%	34.7%	48.4%	51.6%
	Grade 12	26.4%	35.8%	49.9%	50.1%
Alcohol					
	All	37.4%	49.8%	69.9%	30.1%
	Grade 7	25.9%	35.2%	57.5%	42.5%
	Grade 8	32.3%	43.7%	68.8%	31.2%
	Grade 9	37.2%	50.1%	70.6%	29.4%
	Grade 10	40.6%	54.2%	73.8%	26.2%
	Grade 11	42.0%	55.9%	72.5%	27.5%
	Grade 12	46.9%	60.1%	75.8%	24.2%
Inhalants					
	All	9.8%	13.7%	24.4%	75.6%
	Grade 7	15.4%	19.7%	31.1%	68.9%
	Grade 8	14.9%	20.9%	32.0%	68.0%
	Grade 9	10.1%	14.5%	24.7%	75.3%
	Grade 10	6.5%	10.3%	22.4%	77.6%
	Grade 11	6.3%	9.1%	19.9%	80.1%
	Grade 12	5.0%	7.0%	15.0%	85.0%
Any Illicit Drug					
	All	20.5%	27.8%	39.2%	60.8%
	Grade 7	11.2%	14.9%	23.0%	77.0%
	Grade 8	15.0%	20.7%	31.0%	69.0%
	Grade 9	20.9%	27.8%	39.1%	60.9%
	Grade 10	23.8%	31.7%	43.7%	56.3%
	Grade 11	26.1%	36.9%	49.1%	50.9%
	Grade 12	26.2%	35.1%	50.1%	49.9%
Marijuana					
	All	17.7%	25.1%	36.9%	63.1%
	Grade 7	8.3%	11.8%	18.8%	81.2%
	Grade 8	11.4%	16.4%	26.5%	73.5%
	Grade 9	18.7%	25.8%	37.4%	62.6%
	Grade 10	21.4%	29.6%	42.5%	57.5%
	Grade 11	23.3%	34.1%	47.7%	52.3%
	Grade 12	23.1%	33.0%	48.7%	51.3%
Marijuana Only					
	All	6.9%	11.0%	17.9%	82.1%
	Grade 7	2.8%	4.6%	8.8%	91.2%
	Grade 8	4.1%	6.7%	13.2%	86.8%
	Grade 9	7.4%	11.4%	18.1%	81.9%
	Grade 10	9.1%	13.2%	19.9%	80.1%
	Grade 11	8.4%	14.4%	22.7%	77.3%
	Grade 12	9.6%	15.5%	25.5%	74.5%

**State : Grades 7-12 Large
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.1%	4.9%	8.9%	91.1%
	Grade 7	2.1%	3.4%	5.5%	94.5%
	Grade 8	2.4%	3.3%	5.8%	94.2%
	Grade 9	3.6%	5.0%	8.5%	91.5%
	Grade 10	3.1%	4.9%	10.0%	90.0%
	Grade 11	3.8%	6.5%	11.7%	88.3%
	Grade 12	3.7%	6.8%	12.3%	87.7%
Cocaine					
	All	2.7%	4.4%	8.1%	91.9%
	Grade 7	1.3%	2.4%	4.0%	96.0%
	Grade 8	1.8%	2.2%	4.5%	95.5%
	Grade 9	3.3%	4.6%	7.9%	92.1%
	Grade 10	3.0%	4.6%	9.4%	90.6%
	Grade 11	3.5%	6.3%	11.4%	88.6%
	Grade 12	3.4%	6.6%	12.2%	87.8%
Crack					
	All	1.1%	1.5%	3.3%	96.7%
	Grade 7	1.6%	2.3%	4.1%	95.9%
	Grade 8	1.3%	1.8%	3.5%	96.5%
	Grade 9	1.2%	1.5%	3.0%	97.0%
	Grade 10	0.6%	1.1%	2.6%	97.4%
	Grade 11	0.9%	1.4%	3.3%	96.7%
	Grade 12	0.9%	1.2%	3.2%	96.8%
Hallucinogens					
	All	2.9%	4.7%	7.9%	92.1%
	Grade 7	1.7%	2.5%	4.0%	96.0%
	Grade 8	2.2%	3.0%	5.6%	94.4%
	Grade 9	3.2%	5.2%	8.2%	91.8%
	Grade 10	2.7%	4.9%	8.7%	91.3%
	Grade 11	4.4%	7.1%	11.4%	88.6%
	Grade 12	3.3%	5.3%	9.6%	90.4%
Uppers					
	All	4.0%	5.8%	8.4%	91.6%
	Grade 7	1.2%	1.9%	2.8%	97.2%
	Grade 8	2.4%	3.5%	5.4%	94.6%
	Grade 9	4.2%	5.8%	7.7%	92.3%
	Grade 10	4.9%	7.0%	9.8%	90.2%
	Grade 11	6.5%	9.3%	13.6%	86.4%
	Grade 12	5.3%	7.5%	11.7%	88.3%
Downers					
	All	4.3%	6.0%	9.1%	90.9%
	Grade 7	1.4%	1.9%	2.9%	97.1%
	Grade 8	2.3%	3.1%	5.2%	94.8%
	Grade 9	4.2%	6.1%	8.3%	91.7%
	Grade 10	5.0%	6.6%	10.4%	89.6%
	Grade 11	7.8%	10.5%	15.7%	84.3%
	Grade 12	5.5%	8.4%	13.0%	87.0%

**State : Grades 7-12 Large
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	2.0%	2.6%	4.4%	95.6%
	Grade 7	1.1%	1.5%	2.9%	97.1%
	Grade 8	2.0%	2.5%	3.8%	96.2%
	Grade 9	2.3%	3.2%	5.2%	94.8%
	Grade 10	2.2%	3.0%	5.3%	94.7%
	Grade 11	2.3%	3.2%	4.8%	95.2%
	Grade 12	1.8%	2.2%	4.4%	95.6%
Steroids					
	All	1.0%	1.3%	2.5%	97.5%
	Grade 7	1.2%	1.7%	3.2%	96.8%
	Grade 8	1.1%	1.5%	3.0%	97.0%
	Grade 9	0.8%	0.9%	2.1%	97.9%
	Grade 10	1.1%	1.3%	2.1%	97.9%
	Grade 11	0.9%	1.6%	2.6%	97.4%
	Grade 12	0.8%	1.2%	2.4%	97.6%
Ecstasy					
	All	4.6%	6.8%	10.6%	89.4%
	Grade 7	2.3%	3.3%	5.2%	94.8%
	Grade 8	4.0%	4.9%	8.1%	91.9%
	Grade 9	5.3%	7.6%	11.7%	88.3%
	Grade 10	4.4%	6.9%	10.9%	89.1%
	Grade 11	6.5%	9.4%	14.3%	85.7%
	Grade 12	5.0%	8.9%	13.7%	86.3%
Heroin					
	All	1.0%	1.4%	2.8%	97.2%
	Grade 7	1.3%	2.1%	3.9%	96.1%
	Grade 8	1.4%	1.7%	3.4%	96.6%
	Grade 9	0.7%	1.1%	2.4%	97.6%
	Grade 10	0.8%	1.2%	2.1%	97.9%
	Grade 11	1.3%	1.5%	2.6%	97.4%
	Grade 12	0.7%	0.9%	2.2%	97.8%

**State : Grades 7-12 Large
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.8%	17.8%	32.0%	68.0%
	Grade 7	5.8%	7.9%	18.0%	82.0%
	Grade 8	8.7%	12.5%	26.3%	73.7%
	Grade 9	13.3%	18.4%	32.8%	67.2%
	Grade 10	15.9%	22.6%	39.4%	60.6%
	Grade 11	16.9%	23.8%	40.3%	59.7%
	Grade 12	22.8%	30.1%	45.4%	54.6%
Alcohol					
	All	28.9%	39.4%	62.1%	37.9%
	Grade 7	16.6%	22.5%	44.2%	55.8%
	Grade 8	22.8%	31.0%	57.3%	42.7%
	Grade 9	30.7%	41.3%	63.7%	36.3%
	Grade 10	34.1%	48.9%	72.2%	27.8%
	Grade 11	36.5%	49.9%	70.2%	29.8%
	Grade 12	41.7%	54.2%	74.9%	25.1%
Inhalants					
	All	6.7%	9.7%	18.7%	81.3%
	Grade 7	9.3%	11.6%	20.3%	79.7%
	Grade 8	8.4%	12.0%	21.1%	78.9%
	Grade 9	7.3%	10.6%	19.3%	80.7%
	Grade 10	4.8%	7.8%	18.3%	81.7%
	Grade 11	4.4%	7.3%	15.9%	84.1%
	Grade 12	3.4%	6.8%	14.7%	85.3%
Any Illicit Drug					
	All	14.2%	19.6%	30.5%	69.5%
	Grade 7	6.9%	8.9%	14.1%	85.9%
	Grade 8	10.8%	14.2%	22.6%	77.4%
	Grade 9	15.1%	20.5%	31.4%	68.6%
	Grade 10	17.9%	25.4%	40.1%	59.9%
	Grade 11	18.5%	26.2%	40.7%	59.3%
	Grade 12	20.8%	29.7%	45.9%	54.1%
Marijuana					
	All	12.2%	17.8%	28.8%	71.2%
	Grade 7	5.4%	7.4%	11.8%	88.2%
	Grade 8	8.4%	11.8%	19.8%	80.2%
	Grade 9	13.1%	18.7%	29.5%	70.5%
	Grade 10	15.9%	23.9%	39.0%	61.0%
	Grade 11	16.6%	25.0%	39.5%	60.5%
	Grade 12	18.5%	27.5%	45.6%	54.4%
Marijuana Only					
	All	4.9%	7.8%	15.0%	85.0%
	Grade 7	2.3%	3.4%	6.2%	93.8%
	Grade 8	3.9%	5.3%	11.0%	89.0%
	Grade 9	5.0%	7.9%	15.1%	84.9%
	Grade 10	6.8%	11.1%	20.5%	79.5%
	Grade 11	6.2%	10.3%	19.9%	80.1%
	Grade 12	7.1%	12.2%	23.6%	76.4%

**State : Grades 7-12 Large
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.8%	2.9%	5.9%	94.1%
	Grade 7	1.1%	1.8%	3.2%	96.8%
	Grade 8	1.4%	2.1%	4.1%	95.9%
	Grade 9	1.9%	3.0%	5.5%	94.5%
	Grade 10	2.2%	3.5%	7.9%	92.1%
	Grade 11	2.0%	3.9%	8.1%	91.9%
	Grade 12	2.5%	4.4%	9.7%	90.3%
Cocaine					
	All	1.5%	2.6%	5.3%	94.7%
	Grade 7	0.8%	1.3%	2.2%	97.8%
	Grade 8	1.0%	1.4%	3.3%	96.7%
	Grade 9	1.7%	2.7%	4.8%	95.2%
	Grade 10	2.0%	3.2%	7.2%	92.8%
	Grade 11	1.9%	3.8%	7.9%	92.1%
	Grade 12	2.5%	4.3%	9.6%	90.4%
Crack					
	All	0.5%	0.8%	2.0%	98.0%
	Grade 7	0.5%	0.9%	1.9%	98.1%
	Grade 8	0.7%	1.1%	2.2%	97.8%
	Grade 9	0.5%	0.8%	1.9%	98.1%
	Grade 10	0.4%	0.8%	2.1%	97.9%
	Grade 11	0.3%	0.4%	1.7%	98.3%
	Grade 12	0.4%	0.5%	2.7%	97.3%
Hallucinogens					
	All	1.7%	2.8%	5.3%	94.7%
	Grade 7	1.1%	1.4%	2.2%	97.8%
	Grade 8	1.5%	1.9%	3.9%	96.1%
	Grade 9	1.9%	3.0%	5.5%	94.5%
	Grade 10	1.7%	3.8%	7.2%	92.8%
	Grade 11	2.1%	3.7%	6.9%	93.1%
	Grade 12	2.5%	4.3%	8.8%	91.2%
Uppers					
	All	2.4%	3.8%	5.9%	94.1%
	Grade 7	0.6%	1.0%	1.5%	98.5%
	Grade 8	1.8%	2.6%	3.8%	96.2%
	Grade 9	3.0%	4.1%	6.1%	93.9%
	Grade 10	3.2%	5.2%	8.4%	91.6%
	Grade 11	3.4%	5.6%	8.7%	91.3%
	Grade 12	3.5%	6.3%	10.6%	89.4%
Downers					
	All	2.6%	4.0%	6.2%	93.8%
	Grade 7	0.5%	0.8%	1.3%	98.7%
	Grade 8	1.6%	2.3%	3.6%	96.4%
	Grade 9	3.4%	4.5%	6.6%	93.4%
	Grade 10	3.6%	5.0%	8.4%	91.6%
	Grade 11	3.9%	6.7%	9.8%	90.2%
	Grade 12	4.0%	7.1%	11.6%	88.4%

**State : Grades 7-12 Large
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.3%	1.8%	3.1%	96.9%
	Grade 7	0.7%	1.0%	1.8%	98.2%
	Grade 8	1.4%	1.8%	3.0%	97.0%
	Grade 9	1.4%	2.1%	3.4%	96.6%
	Grade 10	1.6%	2.3%	3.7%	96.3%
	Grade 11	1.4%	2.0%	3.4%	96.6%
	Grade 12	1.2%	2.1%	3.3%	96.7%
	Steroids	All	0.5%	0.8%	1.5%
Grade 7		0.4%	0.6%	1.4%	98.6%
Grade 8		0.7%	1.0%	1.8%	98.2%
Grade 9		0.5%	0.7%	1.2%	98.8%
Grade 10		0.6%	0.7%	1.4%	98.6%
Grade 11		0.3%	0.6%	1.4%	98.6%
Grade 12		0.8%	1.1%	1.9%	98.1%
Ecstasy		All	2.9%	4.4%	7.6%
	Grade 7	0.9%	1.4%	2.9%	97.1%
	Grade 8	2.0%	3.1%	5.2%	94.8%
	Grade 9	3.1%	4.7%	8.5%	91.5%
	Grade 10	3.2%	5.3%	9.9%	90.1%
	Grade 11	4.7%	7.2%	11.0%	89.0%
	Grade 12	4.5%	6.6%	10.8%	89.2%
	Heroin	All	0.7%	1.0%	1.8%
Grade 7		0.6%	0.9%	1.8%	98.2%
Grade 8		1.0%	1.4%	2.3%	97.7%
Grade 9		0.5%	1.0%	1.6%	98.4%
Grade 10		0.9%	1.2%	2.2%	97.8%
Grade 11		0.6%	0.7%	1.3%	98.7%
Grade 12		0.5%	1.1%	1.4%	98.6%

**State : Grades 7-12 Large
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.4%	17.5%	30.0%	70.0%
	Grade 7	4.3%	6.1%	13.9%	86.1%
	Grade 8	7.0%	10.6%	22.0%	78.0%
	Grade 9	10.1%	14.5%	27.5%	72.5%
	Grade 10	13.1%	19.1%	33.1%	66.9%
	Grade 11	18.1%	25.6%	39.5%	60.5%
	Grade 12	22.7%	30.4%	44.9%	55.1%
Alcohol					
	All	29.1%	40.5%	61.8%	38.2%
	Grade 7	14.4%	19.8%	41.2%	58.8%
	Grade 8	21.2%	29.9%	54.3%	45.7%
	Grade 9	27.9%	39.7%	62.5%	37.5%
	Grade 10	32.6%	46.2%	68.2%	31.8%
	Grade 11	35.5%	50.4%	70.2%	29.8%
	Grade 12	43.7%	58.1%	75.1%	24.9%
Inhalants					
	All	5.8%	8.6%	16.7%	83.3%
	Grade 7	8.0%	10.7%	19.0%	81.0%
	Grade 8	8.5%	12.0%	21.1%	78.9%
	Grade 9	6.0%	9.0%	17.1%	82.9%
	Grade 10	4.8%	7.4%	15.9%	84.1%
	Grade 11	4.1%	6.8%	14.4%	85.6%
	Grade 12	3.2%	5.4%	12.1%	87.9%
Any Illicit Drug					
	All	12.8%	18.1%	27.0%	73.0%
	Grade 7	4.4%	6.0%	10.4%	89.6%
	Grade 8	8.3%	11.4%	17.5%	82.5%
	Grade 9	11.6%	16.6%	24.9%	75.1%
	Grade 10	15.3%	20.9%	31.1%	68.9%
	Grade 11	17.3%	25.7%	37.3%	62.7%
	Grade 12	20.3%	28.7%	41.8%	58.2%
Marijuana					
	All	11.1%	16.5%	25.4%	74.6%
	Grade 7	3.2%	4.7%	8.5%	91.5%
	Grade 8	6.3%	9.2%	15.2%	84.8%
	Grade 9	10.4%	15.4%	23.5%	76.5%
	Grade 10	13.4%	19.3%	29.5%	70.5%
	Grade 11	15.6%	23.9%	35.8%	64.2%
	Grade 12	18.4%	27.4%	40.7%	59.3%
Marijuana Only					
	All	4.6%	7.7%	13.6%	86.4%
	Grade 7	1.4%	2.1%	4.7%	95.3%
	Grade 8	2.6%	4.2%	8.2%	91.8%
	Grade 9	4.4%	7.2%	12.6%	87.4%
	Grade 10	5.9%	9.2%	15.9%	84.1%
	Grade 11	6.2%	11.0%	19.0%	81.0%
	Grade 12	7.5%	12.8%	21.5%	78.5%

**State : Grades 7-12 Large
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.6%	2.7%	5.2%	94.8%
	Grade 7	0.8%	1.2%	2.2%	97.8%
	Grade 8	1.2%	1.8%	3.0%	97.0%
	Grade 9	1.6%	2.4%	4.5%	95.5%
	Grade 10	1.7%	2.9%	5.7%	94.3%
	Grade 11	2.2%	3.6%	7.1%	92.9%
	Grade 12	2.1%	4.1%	9.0%	91.0%
Cocaine					
	All	1.5%	2.5%	4.8%	95.2%
	Grade 7	0.6%	0.9%	1.7%	98.3%
	Grade 8	1.0%	1.5%	2.5%	97.5%
	Grade 9	1.5%	2.2%	4.1%	95.9%
	Grade 10	1.6%	2.7%	5.4%	94.6%
	Grade 11	2.1%	3.6%	6.9%	93.1%
	Grade 12	2.1%	4.0%	8.8%	91.2%
Crack					
	All	0.5%	0.7%	1.5%	98.5%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.6%	0.8%	1.6%	98.4%
	Grade 9	0.4%	0.7%	1.5%	98.5%
	Grade 10	0.3%	0.6%	1.4%	98.6%
	Grade 11	0.5%	0.8%	1.5%	98.5%
	Grade 12	0.4%	0.6%	1.5%	98.5%
Hallucinogens					
	All	1.4%	2.4%	4.4%	95.6%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.9%	1.5%	2.9%	97.1%
	Grade 9	1.7%	2.6%	4.2%	95.8%
	Grade 10	1.7%	2.7%	5.0%	95.0%
	Grade 11	2.0%	3.4%	6.3%	93.7%
	Grade 12	2.0%	3.7%	7.0%	93.0%
Uppers					
	All	2.1%	3.2%	5.0%	95.0%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	1.0%	1.3%	2.2%	97.8%
	Grade 9	1.9%	2.8%	4.2%	95.8%
	Grade 10	2.8%	4.3%	6.6%	93.4%
	Grade 11	3.1%	4.7%	7.9%	92.1%
	Grade 12	3.5%	5.7%	8.8%	91.2%
Downers					
	All	2.3%	3.5%	5.5%	94.5%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.2%	1.7%	2.5%	97.5%
	Grade 9	2.0%	3.0%	4.6%	95.4%
	Grade 10	2.8%	4.1%	6.6%	93.4%
	Grade 11	3.7%	5.2%	8.8%	91.2%
	Grade 12	3.8%	6.1%	9.9%	90.1%

**State : Grades 7-12 Large
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.0%	1.4%	2.5%	97.5%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	1.1%	1.5%	2.4%	97.6%
	Grade 9	1.0%	1.6%	2.8%	97.2%
	Grade 10	1.1%	1.6%	2.8%	97.2%
	Grade 11	1.2%	1.8%	2.9%	97.1%
	Grade 12	1.0%	1.5%	2.8%	97.2%
	Steroids	All	0.5%	0.7%	1.4%
Grade 7		0.4%	0.6%	1.2%	98.8%
Grade 8		0.4%	0.5%	1.5%	98.5%
Grade 9		0.5%	0.7%	1.3%	98.7%
Grade 10		0.4%	0.6%	1.2%	98.8%
Grade 11		0.5%	0.9%	1.5%	98.5%
Grade 12		0.7%	0.9%	1.7%	98.3%
Ecstasy		All	2.4%	3.9%	6.6%
	Grade 7	0.8%	1.2%	2.0%	98.0%
	Grade 8	1.7%	2.5%	4.2%	95.8%
	Grade 9	2.4%	3.6%	6.0%	94.0%
	Grade 10	2.8%	4.3%	7.3%	92.7%
	Grade 11	3.1%	5.3%	8.8%	91.2%
	Grade 12	3.8%	6.4%	11.3%	88.7%
	Heroin	All	0.5%	0.6%	1.3%
Grade 7		0.4%	0.6%	1.3%	98.7%
Grade 8		0.7%	0.8%	1.5%	98.5%
Grade 9		0.4%	0.7%	1.5%	98.5%
Grade 10		0.5%	0.6%	1.2%	98.8%
Grade 11		0.4%	0.5%	1.1%	98.9%
Grade 12		0.4%	0.5%	1.1%	98.9%

3. Margin Tables

**State : Grades 7-12 Large
SPRING 2010**

**State : Grades 7-12 Large
Spring 2010**

The FREQ Procedure

GENDER		
q1	Frequency	Percent
?	1	0.00
Female	805E3	51.77
Male	75E4	48.23

Frequency Missing = 4385.3456419

GRADE		
q2	Frequency	Percent
Grade 7	27E4	17.34
Grade 8	265E3	17.02
Grade 9	303E3	19.42
Grade 10	259E3	16.58
Grade 11	238E3	15.29
Grade 12	224E3	14.34

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	601E3	38.86
Yes	946E3	61.14

Frequency Missing = 11620.808946

AGE		
q4	Frequency	Percent
11 or younger	1646	0.11
12	83594	5.39
13	235E3	15.16
14	273E3	17.59
15	282E3	18.15
16	266E3	17.12
17	246E3	15.85
18	149E3	9.60
19 or older	16095	1.04

Frequency Missing = 7130.9154181

ETHNICITY		
q5	Frequency	Percent
.	239	0.02
African/American	219E3	14.39
Asian/American	17478	1.15
Mexican/American	694E3	45.50
Native/American	6029	0.40
Other	38905	2.55
White	549E3	36.00

Frequency Missing = 34897.893243

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
?	39	0.00
Mostly A's	485E3	31.56
Mostly B's	789E3	51.31
Mostly C's	226E3	14.72
Mostly D's	26573	1.73
Mostly F's	10634	0.69

Frequency Missing = 20882.864677

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	141E3	9.17
2-3 years	264E3	17.11
>4 years	114E4	73.72

Frequency Missing = 18571.654926

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	126E4	81.35
Yes	288E3	18.65

Frequency Missing = 15756.235048

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	1E6	65.47
Yes	529E3	34.53

Frequency Missing = 27578.689565

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	256E3	16.60
No	618E3	40.14
Yes	666E3	43.26

Frequency Missing = 19132.383858

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	237E3	15.40
No	63E4	40.94
Yes	672E3	43.66

Frequency Missing = 20110.31824

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	708E3	48.88
Yes	741E3	51.12

Frequency Missing = 109875.08632

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	108E4	80.82
Yes	257E3	19.18

Frequency Missing = 221978.54269

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	115E4	88.57
Yes	149E3	11.43

Frequency Missing = 258714.44499

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	107E4	81.10
Yes	25E4	18.90

Frequency Missing = 238631.38024

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	967E3	72.20
Yes	372E3	27.80

Frequency Missing = 220313.43841

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	107E4	81.97
Yes	236E3	18.03

Frequency Missing = 251809.41216

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	111E4	84.19
Yes	209E3	15.81

Frequency Missing = 237979.18949

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	125E4	81.35
Somewhat Safe	247E3	16.08
Not Very Safe	18055	1.18
Not Safe At All	6160	0.40
Don't Know	15228	0.99

Frequency Missing = 24649.703988

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	119E4	91.25
Yes	114E3	8.75

Frequency Missing = 260075.59495

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
?	6	0.00
No	119E4	91.00
Yes	118E3	9.00

Frequency Missing = 249088.10579

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	628E3	41.22
Somewhat Safe	714E3	46.82
Not Very Safe	118E3	7.77
Not Safe At All	32045	2.10
Don't Know	31914	2.09

Frequency Missing = 34398.854735

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	123E4	95.55
Yes	57411	4.45

Frequency Missing = 269920.99002

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	103E4	78.09
Yes	288E3	21.91

Frequency Missing = 242916.17171

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	644E3	42.31
Somewhat Safe	674E3	44.29
Not Very Safe	108E3	7.12
Not Safe At All	51665	3.39
Don't Know	43812	2.88

Frequency Missing = 37240.762912

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	123E4	95.05
Yes	63968	4.95

Frequency Missing = 268124.27647

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	875E3	64.29
Yes	486E3	35.71

Frequency Missing = 198447.78536

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a Frequency Percent		
None	81041	5.31
A Few	391E3	25.64
Some	4E5	26.21
Most	516E3	33.82
All	138E3	9.03

Frequency Missing = 33934.014363

HOW MANY FRIENDS CARRY WEAPONS		
q14b Frequency Percent		
None	991E3	66.23
A Few	306E3	20.44
Some	132E3	8.81
Most	48469	3.24
All	19335	1.29

Frequency Missing = 62181.111234

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c Frequency Percent		
None	45244	3.05
A Few	206E3	13.87
Some	335E3	22.56
Most	635E3	42.82
All	262E3	17.70

Frequency Missing = 76116.464011

HOW MANY FRIENDS BELONG TO A GANG		
q14d Frequency Percent		
None	105E4	69.57
A Few	258E3	17.02
Some	122E3	8.08
Most	59296	3.91
All	21521	1.42

Frequency Missing = 43213.01321

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e Frequency Percent		
None	884E3	58.46
A Few	411E3	27.21
Some	139E3	9.21
Most	51570	3.41
All	25901	1.71

Frequency Missing = 47680.471497

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15 Frequency Percent		
No	807E3	59.12
Yes	558E3	40.88

Frequency Missing = 194378.99518

RECENT INHALANT USE - SPRAY PAINT		
Q16A Frequency Percent		
Never Heard/Used	144E4	95.05
In Your Lifetime	49661	3.29
Since School Began	9573	0.63
In the Past Month	15617	1.03

Frequency Missing = 48070.470763

RECENT INHALANT USE - WHITEOUT, CORRECTION FLUID, MAGIC MARKERS		
Q16B Frequency Percent		
Never Heard/Used	135E4	90.03
In Your Lifetime	86802	5.80
Since School Began	23057	1.54
In the Past Month	39316	2.63

Frequency Missing = 63667.63187

RECENT INHALANT USE - COMPUTER DUSTING SPRAYS		
Q16C Frequency Percent		
Never Heard/Used	143E4	96.68
In Your Lifetime	26158	1.77
Since School Began	10117	0.68
In the Past Month	12866	0.87

Frequency Missing = 80637.526382

RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON		
Q16D Frequency Percent		
Never Heard/Used	137E4	92.16
In Your Lifetime	60941	4.09
Since School Began	23072	1.55
In the Past Month	32989	2.21

Frequency Missing = 67561.43858

RECENT INHALANT USE - GLUE		
Q16E Frequency Percent		
Never Heard/Used	143E4	97.61
In Your Lifetime	20560	1.40
Since School Began	6109	0.42
In the Past Month	8442	0.57

Frequency Missing = 91070.541976

RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS		
Q16F Frequency Percent		
Never Heard/Used	143E4	97.63
In Your Lifetime	18742	1.28
Since School Began	6489	0.44
In the Past Month	9507	0.65

Frequency Missing = 90655.881751

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER		
Q16G Frequency Percent		
Never Heard/Used	142E4	96.50
In Your Lifetime	27728	1.89
Since School Began	7894	0.54
In the Past Month	15836	1.08

Frequency Missing = 90710.044066

RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS		
Q16H Frequency Percent		
Never Heard/Used	143E4	95.95
In Your Lifetime	33486	2.24
Since School Began	10104	0.68
In the Past Month	16826	1.13

Frequency Missing = 65794.100217

RECENT CIGARETTE USE		
Q17A Frequency Percent		
Never Heard/Used	108E4	71.32
In Your Lifetime	192E3	12.69
Since School Began	71811	4.75
In the Past Month	17E4	11.24

Frequency Missing = 48984.937469

RECENT SMOKELESS TOBACCO USE		
Q17B Frequency Percent		
Never Heard/Used	134E4	90.54
In Your Lifetime	59383	4.00
Since School Began	26702	1.80
In the Past Month	54364	3.66

Frequency Missing = 74810.853061

RECENT BEER USE		
Q17C Frequency Percent		
Never Heard/Used	763E3	51.75
In Your Lifetime	281E3	19.03
Since School Began	138E3	9.34
In the Past Month	293E3	19.88

Frequency Missing = 84183.908337

RECENT WINE COOLER USE		
Q17D Frequency Percent		
Never Heard/Used	839E3	56.30
In Your Lifetime	254E3	17.07
Since School Began	136E3	9.13
In the Past Month	261E3	17.50

Frequency Missing = 69490.353576

RECENT WINE USE		
Q17E Frequency Percent		
Never Heard/Used	869E3	59.62
In Your Lifetime	288E3	19.78
Since School Began	12E4	8.20
In the Past Month	181E3	12.40

Frequency Missing = 101207.37826

RECENT LIQUOR USE		
Q17F Frequency Percent		
Never Heard/Used	839E3	56.48
In Your Lifetime	222E3	14.94
Since School Began	146E3	9.80
In the Past Month	279E3	18.79

Frequency Missing = 73874.686784

RECENT INHALANT USE		
Q17G Frequency Percent		
Never Heard/Used	135E4	91.17
In Your Lifetime	75258	5.07
Since School Began	21222	1.43
In the Past Month	34529	2.33

Frequency Missing = 76143.942352

RECENT MARIJUANA USE		
Q18A Frequency Percent		
Never Heard/Used	111E4	73.75
In Your Lifetime	141E3	9.40
Since School Began	81765	5.44
In the Past Month	171E3	11.41

Frequency Missing = 56581.637024

RECENT COCAINE USE		
Q18B Frequency Percent		
Never Heard/Used	141E4	95.03
In Your Lifetime	36581	2.47
Since School Began	14987	1.01
In the Past Month	22083	1.49

Frequency Missing = 77465.77495

RECENT CRACK USE		
Q18C Frequency Percent		
Never Heard/Used	144E4	98.38
In Your Lifetime	13255	0.91
Since School Began	3585	0.25
In the Past Month	6830	0.47

Frequency Missing = 97662.12493

RECENT HALLUCINOGEN USE		
Q18E Frequency Percent		
Never Heard/Used	14E5	95.37
In Your Lifetime	31052	2.12
Since School Began	14661	1.00
In the Past Month	22063	1.51

Frequency Missing = 94770.065236

RECENT UPPER USE		
Q18F Frequency Percent		
Never Heard/Used	137E4	94.74
In Your Lifetime	27537	1.90
Since School Began	17175	1.19
In the Past Month	31497	2.17

Frequency Missing = 110689.44333

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

Frequency Missing = 93949.535187

RECENT DOWNER USE		
Q18G Frequency Percent		
Never Heard/Used	136E4	94.32
In Your Lifetime	30295	2.10
Since School Began	17096	1.19
In the Past Month	34550	2.40

Frequency Missing = 117452.51797

RECENT ROHYPNOL USE		
Q18H Frequency Percent		
Never Heard/Used	142E4	97.35
In Your Lifetime	16338	1.12
Since School Began	7126	0.49
In the Past Month	15242	1.04

Frequency Missing = 97395.228756

RECENT STEROID USE		
Q18I Frequency Percent		
Never Heard/Used	142E4	98.58
In Your Lifetime	10306	0.71
Since School Began	3379	0.23
In the Past Month	6790	0.47

Frequency Missing = 115678.74226

RECENT ECSTASY USE		
Q18J Frequency Percent		
Never Heard/Used	135E4	93.19
In Your Lifetime	40947	2.82
Since School Began	21007	1.45
In the Past Month	36889	2.54

Frequency Missing = 108573.23345

RECENT HEROIN USE		
Q18K Frequency Percent		
Never Heard/Used	144E4	98.57
In Your Lifetime	9920	0.68
Since School Began	3206	0.22
In the Past Month	7844	0.54

TOBACCO USE IN PAST MONTH		
q19a Frequency Percent		
Never Heard/Used	13E5	85.77
1-2 times	98557	6.52
3-10 times	49686	3.29
11+ times	66940	4.43

Frequency Missing = 47426.274543

ALCOHOL USE IN PAST MONTH		
q19b Frequency Percent		
Never Heard/Used	998E3	66.25
1-2 times	299E3	19.86
3-10 times	151E3	10.04
11+ times	58000	3.85

Frequency Missing = 52556.201656

INHALANT USE IN PAST MONTH		
q19c Frequency Percent		
Never Heard/Used	144E4	96.24
1-2 times	43589	2.91
3-10 times	9468	0.63
11+ times	3236	0.22

Frequency Missing = 62142.077503

MARIJUANA USE IN PAST MONTH		
q19d Frequency Percent		
Never Heard/Used	125E4	83.76
1-2 times	107E3	7.20
3-10 times	63025	4.23
11+ times	71548	4.81

Frequency Missing = 70997.546097

COCAINE USE IN PAST MONTH		
q19e Frequency Percent		
Never Heard/Used	146E4	97.73
1-2 times	22723	1.52
3-10 times	6923	0.46
11+ times	4287	0.29

Frequency Missing = 65084.365209

CRACK USE IN PAST MONTH		
q19f Frequency Percent		
Never Heard/Used	149E4	99.11
1-2 times	9571	0.64
3-10 times	2168	0.14
11+ times	1566	0.10

Frequency Missing = 57981.938854

CLOSE FRIENDS USE CIGARETTES		
q20a Frequency Percent		
Never heard/None	682E3	46.09
A few	455E3	30.70
Some	216E3	14.60
Most	109E3	7.33
All	18989	1.28

Frequency Missing = 78382.766193

CLOSE FRIENDS USE SMOKELESS TOBACCO		
q20b Frequency Percent		
Never heard/None	102E4	69.79
A few	26E4	17.79
Some	123E3	8.44
Most	47696	3.26
All	10450	0.71

Frequency Missing = 97283.377089

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

CLOSE FRIENDS USE BEER		
	q20c Frequency	Percent
Never heard/None	501E3	34.28
A few	337E3	23.08
Some	27E4	18.50
Most	261E3	17.86
All	91707	6.28

Frequency Missing = 98231.055076

CLOSE FRIENDS USE WINE COOLERS		
	q20d Frequency	Percent
Never heard/None	68E4	46.59
A few	302E3	20.67
Some	231E3	15.84
Most	179E3	12.28
All	67278	4.61

Frequency Missing = 99711.542736

CLOSE FRIENDS USE WINE		
	q20e Frequency	Percent
Never heard/None	789E3	54.66
A few	331E3	22.97
Some	182E3	12.59
Most	101E3	6.98
All	40418	2.80

Frequency Missing = 116256.28932

CLOSE FRIENDS USE LIQUOR		
	q20f Frequency	Percent
Never heard/None	614E3	42.18
A few	301E3	20.66
Some	233E3	15.97
Most	224E3	15.35
All	84940	5.83

Frequency Missing = 103292.3341

CLOSE FRIENDS USE INHALANTS		
	q20g Frequency	Percent
Never heard/None	117E4	80.77
A few	185E3	12.70
Some	64029	4.40
Most	23289	1.60
All	7706	0.53

Frequency Missing = 105602.57251

CLOSE FRIENDS USE MARIJUANA		
	q20h Frequency	Percent
Never heard/None	707E3	48.42
A few	272E3	18.63
Some	208E3	14.27
Most	195E3	13.33
All	78142	5.35

Frequency Missing = 98759.947738

DIFFICULT TO GET CIGARETTES		
	q21a Frequency	Percent
Never heard of	219E3	14.99
Impossible	267E3	18.31
Very difficult	97336	6.67
Somewhat diff	143E3	9.83
Somewhat easy	248E3	17.03
Very easy	484E3	33.16

Frequency Missing = 100433.61738

DIFFICULT TO GET SMOKELESS TOBACCO		
	q21b Frequency	Percent
Never heard of	376E3	26.11
Impossible	323E3	22.41
Very difficult	119E3	8.24
Somewhat diff	141E3	9.77
Somewhat easy	171E3	11.86
Very easy	311E3	21.61

Frequency Missing = 118370.0082

DIFFICULT TO GET BEER		
	q21c Frequency	Percent
Never heard of	183E3	12.79
Impossible	195E3	13.61
Very difficult	87924	6.13
Somewhat diff	166E3	11.54
Somewhat easy	295E3	20.56
Very easy	508E3	35.37

Frequency Missing = 124254.91778

DIFFICULT TO GET WINE COOLERS		
	q21d Frequency	Percent
Never heard of	251E3	17.41
Impossible	226E3	15.65
Very difficult	104E3	7.18
Somewhat diff	175E3	12.14
Somewhat easy	27E4	18.74
Very easy	417E3	28.88

Frequency Missing = 116564.41097

DIFFICULT TO GET WINE		
	q21e Frequency	Percent
Never heard of	214E3	15.04
Impossible	232E3	16.33
Very difficult	114E3	8.02
Somewhat diff	184E3	12.91
Somewhat easy	26E4	18.24
Very easy	419E3	29.46

Frequency Missing = 136536.07601

DIFFICULT TO GET LIQUOR		
	q21f Frequency	Percent
Never heard of	211E3	14.61
Impossible	263E3	18.21
Very difficult	123E3	8.50
Somewhat diff	169E3	11.71
Somewhat easy	249E3	17.28
Very easy	429E3	29.68

Frequency Missing = 115444.46693

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

DIFFICULT TO GET INHALANTS		
q21g	Frequency	Percent
Never heard of	344E3	24.03
Impossible	261E3	18.25
Very difficult	72072	5.03
Somewhat diff	99598	6.95
Somewhat easy	156E3	10.89
Very easy	499E3	34.85

Frequency Missing = 126550.23483

DIFFICULT TO GET MARIJUANA		
q21h	Frequency	Percent
Never heard of	241E3	16.96
Impossible	389E3	27.35
Very difficult	117E3	8.20
Somewhat diff	129E3	9.07
Somewhat easy	179E3	12.60
Very easy	368E3	25.83

Frequency Missing = 135334.0793

DIFFICULT TO GET COCAINE		
q21i	Frequency	Percent
Never heard of	321E3	22.63
Impossible	519E3	36.64
Very difficult	199E3	14.05
Somewhat diff	154E3	10.90
Somewhat easy	1E5	7.09
Very easy	123E3	8.69

Frequency Missing = 142292.66472

DIFFICULT TO GET CRACK		
q21j	Frequency	Percent
Never heard of	344E3	24.37
Impossible	529E3	37.47
Very difficult	206E3	14.62
Somewhat diff	149E3	10.60
Somewhat easy	84868	6.02
Very easy	97758	6.93

Frequency Missing = 148444.24447

DIFFICULT TO GET HALLUCINOGENS		
q21l	Frequency	Percent
Never heard of	545E3	38.42
Impossible	393E3	27.69
Very difficult	163E3	11.47
Somewhat diff	13E4	9.14
Somewhat easy	89776	6.33
Very easy	98641	6.96

Frequency Missing = 141575.06596

DIFFICULT TO GET UPPERS		
q21m	Frequency	Percent
Never heard of	695E3	49.57
Impossible	297E3	21.16
Very difficult	114E3	8.14
Somewhat diff	98359	7.02
Somewhat easy	83233	5.94
Very easy	115E3	8.17

Frequency Missing = 157761.01806

DIFFICULT TO GET DOWNERS		
q21n	Frequency	Percent
Never heard of	695E3	49.46
Impossible	297E3	21.15
Very difficult	114E3	8.12
Somewhat diff	97575	6.95
Somewhat easy	82755	5.89
Very easy	118E3	8.43

Frequency Missing = 154859.28464

DIFFICULT TO GET ROHYPNOL		
q21o	Frequency	Percent
Never heard of	653E3	46.51
Impossible	355E3	25.32
Very difficult	143E3	10.22
Somewhat diff	99492	7.09
Somewhat easy	64393	4.59
Very easy	87963	6.27

Frequency Missing = 156080.73406

DIFFICULT TO GET STEROIDS		
q21p	Frequency	Percent
Never heard of	381E3	27.18
Impossible	532E3	37.98
Very difficult	186E3	13.26
Somewhat diff	136E3	9.74
Somewhat easy	77592	5.54
Very easy	88260	6.30

Frequency Missing = 158633.04502

DIFFICULT TO GET ECSTASY		
q21q	Frequency	Percent
Never heard of	47E4	33.41
Impossible	406E3	28.83
Very difficult	148E3	10.53
Somewhat diff	12E4	8.53
Somewhat easy	106E3	7.52
Very easy	157E3	11.18

Frequency Missing = 152363.14798

DIFFICULT TO GET HEROIN		
q21r	Frequency	Percent
Never heard of	45E4	31.97
Impossible	526E3	37.38
Very difficult	186E3	13.23
Somewhat diff	107E3	7.59
Somewhat easy	57465	4.09
Very easy	80621	5.73

Frequency Missing = 153060.68815

AGE WHEN FIRST USED CIGARETTES		
q22a	Frequency	Percent
9 or younger	56867	12.92
10 years old	32427	7.37
11 years old	32256	7.33
12 years old	53492	12.15
13 years old	70560	16.03
14 years old	61541	13.98
15 years old	58598	13.31
16 years old	43409	9.86
17 years old	22637	5.14
18 or older	8416	1.91

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

Frequency Missing = 1119026.0189

AGE WHEN FIRST USED SMOKELESS TOBACCO		
q22b Frequency Percent		
9 or younger	9817	7.23
10 years old	7426	5.47
11 years old	7661	5.64
12 years old	13699	10.09
13 years old	20570	15.15
14 years old	21976	16.18
15 years old	22277	16.40
16 years old	19169	14.12
17 years old	9746	7.18
18 or older	3462	2.55

Frequency Missing = 1423425.4026

AGE WHEN FIRST USED BEER		
q22c Frequency Percent		
9 or younger	138E3	18.49
10 years old	56403	7.53
11 years old	54346	7.26
12 years old	90055	12.03
13 years old	11E4	14.64
14 years old	107E3	14.25
15 years old	97580	13.03
16 years old	60406	8.07
17 years old	26613	3.55
18 or older	8673	1.16

Frequency Missing = 810353.96309

AGE WHEN FIRST USED WINE COOLERS		
q22d Frequency Percent		
9 or younger	64958	10.15
10 years old	44036	6.88
11 years old	49324	7.71
12 years old	86032	13.44
13 years old	109E3	16.97
14 years old	103E3	16.11
15 years old	94981	14.84
16 years old	56764	8.87
17 years old	24298	3.80
18 or older	7805	1.22

Frequency Missing = 919297.96683

AGE WHEN FIRST USED WINE		
q22e Frequency Percent		
9 or younger	69925	11.43
10 years old	46341	7.58
11 years old	48610	7.95
12 years old	84225	13.77
13 years old	104E3	16.94
14 years old	93242	15.25
15 years old	81848	13.38
16 years old	53704	8.78
17 years old	21911	3.58
18 or older	8170	1.34

Frequency Missing = 947668.52369

AGE WHEN FIRST USED LIQUOR		
q22f Frequency Percent		
9 or younger	39023	6.06
10 years old	27341	4.25
11 years old	36412	5.66
12 years old	70116	10.89
13 years old	109E3	16.86
14 years old	119E3	18.50
15 years old	116E3	18.09
16 years old	79476	12.35
17 years old	36668	5.70
18 or older	10603	1.65

Frequency Missing = 915600.67314

AGE WHEN FIRST USED INHALANTS		
q22g Frequency Percent		
9 or younger	19200	15.28
10 years old	11135	8.86
11 years old	14128	11.24
12 years old	22508	17.91
13 years old	22666	18.03
14 years old	17104	13.61
15 years old	10369	8.25
16 years old	6018	4.79
17 years old	1949	1.55
18 or older	606	0.48

Frequency Missing = 1433544.6289

AGE WHEN FIRST USED MARIJUANA		
q22h Frequency Percent		
9 or younger	19901	5.27
10 years old	15028	3.98
11 years old	21688	5.74
12 years old	40758	10.79
13 years old	65888	17.45
14 years old	71730	19.00
15 years old	66177	17.52
16 years old	47994	12.71
17 years old	21626	5.73
18 or older	6834	1.81

Frequency Missing = 1181604.6649

AGE WHEN FIRST USED COCAINE		
q22i Frequency Percent		
9 or younger	1533	2.28
10 years old	1848	2.75
11 years old	2497	3.72
12 years old	5423	8.08
13 years old	9737	14.51
14 years old	12538	18.68
15 years old	14604	21.76
16 years old	11658	17.37
17 years old	5636	8.40
18 or older	1641	2.45

Frequency Missing = 1492113.1409

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

Frequency Missing = 1482604.4269

AGE WHEN FIRST USED CRACK		
	q22j Frequency	Percent
9 or younger	1176	5.92
10 years old	1053	5.30
11 years old	1145	5.76
12 years old	2269	11.42
13 years old	3954	19.89
14 years old	3732	18.78
15 years old	3078	15.49
16 years old	2173	10.93
17 years old	1116	5.61
18 or older	180	0.91

Frequency Missing = 1539352.2339

AGE WHEN FIRST USED HALLUCINOGENS		
	q22i Frequency	Percent
9 or younger	1965	3.28
10 years old	1247	2.08
11 years old	1773	2.96
12 years old	4229	7.05
13 years old	7962	13.28
14 years old	10917	18.21
15 years old	12967	21.63
16 years old	11334	18.90
17 years old	5730	9.55
18 or older	1840	3.07

Frequency Missing = 1499263.9809

AGE WHEN FIRST USED UPPERS		
	q22m Frequency	Percent
9 or younger	2283	2.98
10 years old	1817	2.37
11 years old	2754	3.59
12 years old	5160	6.73
13 years old	11443	14.93
14 years old	14581	19.03
15 years old	17609	22.98
16 years old	13472	17.58
17 years old	6277	8.19
18 or older	1229	1.60

AGE WHEN FIRST USED DOWNERS		
	q22n Frequency	Percent
9 or younger	2199	2.75
10 years old	1763	2.21
11 years old	2689	3.37
12 years old	5256	6.58
13 years old	11682	14.63
14 years old	16751	20.98
15 years old	18319	22.94
16 years old	13499	16.90
17 years old	6335	7.93
18 or older	1367	1.71

Frequency Missing = 1479367.7625

AGE WHEN FIRST USED ROHYPNOL		
	q22o Frequency	Percent
9 or younger	1308	4.07
10 years old	1373	4.27
11 years old	2126	6.62
12 years old	3190	9.93
13 years old	5093	15.86
14 years old	6554	20.41
15 years old	6530	20.33
16 years old	3839	11.95
17 years old	1619	5.04
18 or older	483	1.50

Frequency Missing = 1527114.4451

AGE WHEN FIRST USED STERIODS		
	q22p Frequency	Percent
9 or younger	3333	18.46
10 years old	1067	5.91
11 years old	1284	7.11
12 years old	1872	10.37
13 years old	2180	12.07
14 years old	2269	12.57
15 years old	2244	12.43
16 years old	2141	11.86
17 years old	1322	7.32
18 or older	344	1.90

Frequency Missing = 1541173.0194

AGE WHEN FIRST USED ECSTASY		
	q22q Frequency	Percent
9 or younger	1454	1.53
10 years old	1906	2.01
11 years old	2787	2.94
12 years old	6478	6.84
13 years old	11690	12.34
14 years old	16085	16.97
15 years old	20000	21.10
16 years old	18817	19.86
17 years old	12189	12.86
18 or older	3361	3.55

Frequency Missing = 1464461.6962

AGE WHEN FIRST USED HEROIN		
	q22r Frequency	Percent
9 or younger	1394	8.47
10 years old	1021	6.21
11 years old	1328	8.07
12 years old	2086	12.68
13 years old	2707	16.45
14 years old	2667	16.21
15 years old	2595	15.78
16 years old	1391	8.46
17 years old	927	5.63
18 or older	336	2.04

Frequency Missing = 1542775.8844

HOW OFTEN NORMALLY USE CIGARETTES		
	q23a Frequency	Percent
Every day	34074	2.35
Several times/wk	35175	2.43
Several times/mo	50660	3.49
About once/month	75492	5.21
About once/year	65710	4.53
< once/year	116E3	8.00
Never used	107E4	73.99

Frequency Missing = 108868.69879

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q23b Frequency Percent		
Every day	11483	0.80
Several times/wk	10433	0.73
Several times/mo	12788	0.90
About once/month	21304	1.49
About once/year	23195	1.62
< once/year	42990	3.01
Never used	131E4	91.44

Frequency Missing = 131653.40875

HOW OFTEN NORMALLY USE BEER		
q23c Frequency Percent		
Every day	4033	0.28
Several times/wk	46483	3.26
Several times/mo	137E3	9.61
About once/month	169E3	11.86
About once/year	15E4	10.52
< once/year	145E3	10.17
Never used	775E3	54.30

Frequency Missing = 132089.84345

HOW OFTEN NORMALLY USE WINE COOLERS		
q23d Frequency Percent		
Every day	2728	0.19
Several times/wk	29832	2.08
Several times/mo	105E3	7.30
About once/month	157E3	10.97
About once/year	158E3	11.02
< once/year	123E3	8.57
Never used	858E3	59.86

Frequency Missing = 125543.102

HOW OFTEN NORMALLY USE WINE		
q23e Frequency Percent		
Every day	1047	0.07
Several times/wk	19388	1.37
Several times/mo	71501	5.06
About once/month	116E3	8.22
About once/year	176E3	12.47
< once/year	155E3	10.95
Never used	874E3	61.85

Frequency Missing = 146800.69363

HOW OFTEN NORMALLY USE LIQUOR		
q23f Frequency Percent		
Every day	3076	0.21
Several times/wk	35574	2.48
Several times/mo	125E3	8.73
About once/month	163E3	11.40
About once/year	153E3	10.68
< once/year	108E3	7.50
Never used	846E3	58.98

Frequency Missing = 125685.99292

HOW OFTEN NORMALLY USE INHALANTS		
q23g Frequency Percent		
Every day	2213	0.16
Several times/wk	5323	0.38
Several times/mo	10560	0.75
About once/month	17444	1.23
About once/year	22799	1.61
< once/year	42595	3.01
Never used	131E4	92.86

Frequency Missing = 145460.2696

HOW OFTEN NORMALLY USE MARIJUANA		
q23h Frequency Percent		
Every day	39015	2.78
Several times/wk	44293	3.16
Several times/mo	60358	4.30
About once/month	63156	4.50
About once/year	57238	4.08
< once/year	69938	4.98
Never used	107E4	76.21

Frequency Missing = 155441.45394

HOW OFTEN NORMALLY USE COCAINE		
q23i Frequency Percent		
Every day	1147	0.08
Several times/wk	3639	0.26
Several times/mo	6379	0.46
About once/month	9794	0.70
About once/year	13423	0.97
< once/year	19608	1.41
Never used	134E4	96.12

Frequency Missing = 168950.57565

HOW OFTEN NORMALLY USE CRACK		
q23j Frequency Percent		
Every day	642	0.05
Several times/wk	1227	0.09
Several times/mo	2284	0.16
About once/month	3252	0.23
About once/year	3726	0.27
< once/year	6461	0.46
Never used	137E4	98.73

Frequency Missing = 169431.99926

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

HOW OFTEN NORMALLY USE HALLUCINOGENS		
	q23l Frequency	Percent
Every day	905	0.06
Several times/wk	1710	0.12
Several times/mo	4680	0.33
About once/month	10564	0.75
About once/year	17754	1.27
< once/year	17055	1.22
Never used	135E4	96.24

Frequency Missing = 158753.01927

HOW OFTEN NORMALLY USE UPPERS		
	q23m Frequency	Percent
Every day	2060	0.15
Several times/wk	5345	0.39
Several times/mo	11460	0.83
About once/month	16629	1.21
About once/year	16775	1.22
< once/year	17034	1.24
Never used	131E4	94.97

Frequency Missing = 181001.53858

HOW OFTEN NORMALLY USE DOWNERS		
	q23n Frequency	Percent
Every day	2771	0.20
Several times/wk	5634	0.41
Several times/mo	12320	0.89
About once/month	17848	1.29
About once/year	15713	1.14
< once/year	16972	1.23
Never used	131E4	94.84

Frequency Missing = 177643.83587

HOW OFTEN NORMALLY USE ROHYPNOL		
	q23o Frequency	Percent
Every day	549	0.04
Several times/wk	2699	0.19
Several times/mo	4788	0.34
About once/month	5751	0.41
About once/year	7231	0.52
< once/year	7499	0.54
Never used	136E4	97.95

Frequency Missing = 168926.09173

HOW OFTEN NORMALLY USE STEROIDS		
	q23p Frequency	Percent
Every day	1696	0.12
Several times/wk	1195	0.09
Several times/mo	1391	0.10
About once/month	1599	0.12
About once/year	2776	0.20
< once/year	6094	0.44
Never used	136E4	98.93

Frequency Missing = 182128.46682

HOW OFTEN NORMALLY USE ECSTASY		
	q23q Frequency	Percent
Every day	1365	0.10
Several times/wk	5600	0.40
Several times/mo	11901	0.86
About once/month	19073	1.38
About once/year	24129	1.74
< once/year	23777	1.72
Never used	13E5	93.81

Frequency Missing = 173067.02352

HOW OFTEN NORMALLY USE HEROIN		
	q23r Frequency	Percent
Every day	824	0.06
Several times/wk	1537	0.11
Several times/mo	1500	0.11
About once/month	2252	0.16
About once/year	3586	0.26
< once/year	5627	0.40
Never used	139E4	98.91

Frequency Missing = 156777.2398

AMOUNT OF BEER AT ONE TIME		
	q24a Frequency	Percent
Never drink this	732E3	50.97
12+ drinks	54761	3.81
9-11 drinks	37887	2.64
5-8 drinks	83850	5.84
3-4 drinks	109E3	7.61
2 drinks	107E3	7.46
1 drink	127E3	8.83
< 1 drink	184E3	12.84

Frequency Missing = 123021.24748

AMOUNT OF WINE COOLERS AT ONE TIME		
	q24b Frequency	Percent
Never drink this	802E3	56.28
12+ drinks	33582	2.36
9-11 drinks	25611	1.80
5-8 drinks	65761	4.61
3-4 drinks	115E3	8.09
2 drinks	124E3	8.67
1 drink	135E3	9.48
< 1 drink	124E3	8.71

Frequency Missing = 134155.51309

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

AMOUNT OF WINE AT ONE TIME		
q24c Frequency Percent		
Never drink this	833E3	58.91
12+ drinks	16567	1.17
9-11 drinks	9965	0.70
5-8 drinks	24559	1.74
3-4 drinks	53813	3.80
2 drinks	85266	6.03
1 drink	17E4	12.01
< 1 drink	221E3	15.63

Frequency Missing = 144929.50662

AMOUNT OF LIQUOR AT ONE TIME		
q24d Frequency Percent		
Never drink this	786E3	55.37
12+ drinks	46930	3.30
9-11 drinks	35491	2.50
5-8 drinks	81675	5.75
3-4 drinks	125E3	8.83
2 drinks	104E3	7.31
1 drink	112E3	7.90
< 1 drink	128E3	9.03

Frequency Missing = 139090.07528

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
q25 Frequency Percent		
Never 5+ at time	648E3	44.35
None	515E3	35.30
1 day	1E5	6.88
2 days	65660	4.50
3 to 5 days	67657	4.63
6 to 9 days	29624	2.03
10 or more days	33606	2.30

Frequency Missing = 99060.43003

GET ALCOHOLIC BEVERAGES FROM HOME		
q26a Frequency Percent		
Do not Drink	654E3	45.66
Never	361E3	25.21
Seldom	289E3	20.20
Most of the Time	89533	6.25
Always	38399	2.68

Frequency Missing = 126578.84853

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q26b Frequency Percent		
Do not Drink	606E3	42.92
Never	275E3	19.50
Seldom	226E3	15.98
Most of the Time	22E4	15.57
Always	85170	6.03

Frequency Missing = 147016.15438

GET ALCOHOLIC BEVERAGES FROM A STORE		
q26c Frequency Percent		
Do not Drink	633E3	45.00
Never	582E3	41.37
Seldom	102E3	7.22
Most of the Time	58992	4.19
Always	31303	2.22

Frequency Missing = 151791.92917

GET ALCOHOLIC BEVERAGES AT PARTIES		
q26d Frequency Percent		
Do not Drink	581E3	41.14
Never	237E3	16.77
Seldom	183E3	12.96
Most of the Time	21E4	14.86
Always	201E3	14.27

Frequency Missing = 147176.29675

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q26e Frequency Percent		
Do not Drink	637E3	45.29
Never	379E3	26.91
Seldom	184E3	13.11
Most of the Time	111E3	7.86
Always	95997	6.82

Frequency Missing = 152430.76274

USE MARIJUANA AS JOINTS		
q27a Frequency Percent		
Never	113E4	79.62
Seldom	116E3	8.13
Half the time	65092	4.57
Most of the time	57158	4.01
Always	40816	2.87
Don't know	11492	0.81

Frequency Missing = 134614.91414

USE MARIJUANA AS BLUNTS		
q27b Frequency Percent		
Never	113E4	79.59
Seldom	92685	6.55
Half the time	58617	4.14
Most of the time	63293	4.48
Always	62347	4.41
Don't know	11691	0.83

Frequency Missing = 144944.27724

USE MARIJUANA IN BONGS OR WATER PIPES		
q27c Frequency Percent		
Never	119E4	84.71
Seldom	81593	5.83
Half the time	44558	3.18
Most of the time	43928	3.14
Always	35353	2.53
Don't know	8575	0.61

Frequency Missing = 159774.96339

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

USE MARIJUANA IN PIPES		
q27d Frequency Percent		
Never	117E4	83.59
Seldom	72184	5.17
Half the time	44371	3.18
Most of the time	59619	4.27
Always	44186	3.16
Don't know	8920	0.64

Frequency Missing = 162200.37563

USE MARIJUANA OTHER WAYS		
q27e Frequency Percent		
Never	122E4	87.64
Seldom	73209	5.25
Half the time	23632	1.69
Most of the time	22929	1.64
Always	28238	2.02
Don't know	24473	1.75

Frequency Missing = 163552.15335

USED METHAMPHETAMINE EVEN ONE TIME		
q28 Frequency Percent		
Never heard/used	142E4	97.01
At least once/month	11563	0.79
At least once/year	7849	0.54
At least once/life	24270	1.66

Frequency Missing = 97080.691375

RECENT PRECRIPTION DRUG USE - CODEINE		
q29a Frequency Percent		
Never heard/used	126E4	87.68
At least once/month	69233	4.83
At least once/year	47608	3.32
At least once/life	59613	4.16

Frequency Missing = 126797.53373

RECENT PRECRIPTION DRUG USE - OXYCONTIN ETC		
q29b Frequency Percent		
Never heard/used	137E4	96.91
At least once/month	13857	0.98
At least once/year	12219	0.86
At least once/life	17633	1.25

Frequency Missing = 146628.65129

RECENT PRECRIPTION DRUG USE - VICODIN ETC		
q29c Frequency Percent		
Never heard/used	133E4	94.71
At least once/month	25578	1.82
At least once/year	22905	1.63
At least once/life	25634	1.83

Frequency Missing = 157667.06296

RECENT PRECRIPTION DRUG USE - VALIUM ETC		
q29d Frequency Percent		
Never heard/used	137E4	97.64
At least once/month	10487	0.75
At least once/year	8977	0.64
At least once/life	13678	0.97

Frequency Missing = 156083.56155

RECENT PRECRIPTION DRUG USE - XANAX ETC		
q29e Frequency Percent		
Never heard/used	134E4	95.47
At least once/month	24213	1.72
At least once/year	17664	1.26
At least once/life	21899	1.56

Frequency Missing = 152194.59778

TAKE DXM, TRIPLE CS, ETC. TO GET HIGH		
q30 Frequency Percent		
Never heard/used	135E4	94.63
At least once/month	27510	1.93
At least once/year	17221	1.21
At least once/life	31883	2.23

Frequency Missing = 131426.99164

DANGEROUS FOR KIDS TO USE TOBACCO		
q31a Frequency Percent		
Very	757E3	53.17
Somewhat	365E3	25.64
Not very	173E3	12.17
Not at all	50018	3.51
Don't know	78566	5.52

Frequency Missing = 135195.50213

DANGEROUS FOR KIDS TO USE ALCOHOL		
q31b Frequency Percent		
Very	672E3	47.74
Somewhat	425E3	30.20
Not very	201E3	14.27
Not at all	51804	3.68
Don't know	57787	4.10

Frequency Missing = 150733.77819

DANGEROUS FOR KIDS TO USE INHALANTS		
q31c Frequency Percent		
Very	101E4	72.76
Somewhat	206E3	14.89
Not very	65255	4.71
Not at all	22945	1.66
Don't know	82788	5.98

Frequency Missing = 174835.30736

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

DANGEROUS FOR KIDS TO USE MARIJUANA		
q31d Frequency Percent		
Very	813E3	58.88
Somewhat	208E3	15.06
Not very	157E3	11.38
Not at all	143E3	10.38
Don't know	59395	4.30

Frequency Missing = 178182.05137

DANGEROUS FOR KIDS TO USE COCAINE		
q31e Frequency Percent		
Very	114E4	83.69
Somewhat	121E3	8.89
Not very	22444	1.65
Not at all	12146	0.89
Don't know	66548	4.89

Frequency Missing = 196960.5702

DANGEROUS FOR KIDS TO USE CRACK		
q31f Frequency Percent		
Very	116E4	85.16
Somewhat	103E3	7.55
Not very	17861	1.31
Not at all	11575	0.85
Don't know	69969	5.14

Frequency Missing = 196709.66146

DANGEROUS FOR KIDS TO USE ECSTASY		
q31g Frequency Percent		
Very	105E4	76.97
Somewhat	149E3	10.92
Not very	47505	3.49
Not at all	20912	1.54
Don't know	96197	7.08

Frequency Missing = 199714.53601

DANGEROUS FOR KIDS TO USE STEROIDS		
q31h Frequency Percent		
Very	103E4	75.09
Somewhat	18E4	13.18
Not very	55990	4.09
Not at all	19925	1.46
Don't know	84626	6.19

Frequency Missing = 191009.71802

DANGEROUS FOR KIDS TO USE HEROIN		
q31i Frequency Percent		
Very	118E4	86.13
Somewhat	81097	5.92
Not very	14401	1.05
Not at all	10153	0.74
Don't know	84415	6.16

Frequency Missing = 189131.38771

DANGEROUS FOR KIDS TO USE METHAMPHETAMINE		
q31j Frequency Percent		
Very	117E4	83.82
Somewhat	79075	5.69
Not very	13817	0.99
Not at all	10553	0.76
Don't know	121E3	8.74

Frequency Missing = 168812.34282

DAYS SKIPPED SINCE SEPTEMBER		
q32a Frequency Percent		
None	107E4	74.41
1-3 days	266E3	18.52
4-9 days	61633	4.30
10+ days	39789	2.77

Frequency Missing = 125198.07684

DAYS ILL SINCE SEPTEMBER		
q32b Frequency Percent		
None	388E3	27.19
1-3 days	735E3	51.50
4-9 days	245E3	17.16
10+ days	59261	4.15

Frequency Missing = 132518.29122

OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER		
q32c Frequency Percent		
None	552E3	39.05
1-3 days	703E3	49.73
4-9 days	119E3	8.38
10+ days	40113	2.84

Frequency Missing = 145083.8199

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q32d Frequency Percent		
None	118E4	82.43
1-3 days	185E3	12.97
4-9 days	38150	2.67
10+ days	27479	1.92

Frequency Missing = 130936.64651

SOMEONE CALLED HOME SINCE SEPTEMBER		
q32e Frequency Percent		
None	121E4	85.56
1-3 days	157E3	11.10
4-9 days	28176	1.99
10+ days	19016	1.34

Frequency Missing = 145262.34067

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q32f Frequency Percent		
None	139E4	98.86
1-3 days	10402	0.74
4-9 days	2069	0.15
10+ days	3591	0.26

Frequency Missing = 155357.62896

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q32g Frequency Percent		
None	138E4	98.43
1-3 days	15642	1.11
4-9 days	2389	0.17
10+ days	4077	0.29

Frequency Missing = 152858.21391

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q33a Frequency Percent		
None	133E4	93.78
1-3 times	76225	5.39
4-9 times	7365	0.52
10+ times	4456	0.31

Frequency Missing = 144424.20025

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q33b Frequency Percent		
None	13E5	93.22
1-3 times	71655	5.14
4-9 times	12311	0.88
10+ times	10574	0.76

Frequency Missing = 164348.14929

CRITICIZED BY DATE BECAUSE OF DRINKING		
q33c Frequency Percent		
None	129E4	93.07
1-3 times	79224	5.72
4-9 times	9088	0.66
10+ times	7676	0.55

Frequency Missing = 174518.20679

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q33d Frequency Percent		
None	134E4	97.27
1-3 times	30729	2.24
4-9 times	3459	0.25
10+ times	3276	0.24

Frequency Missing = 185981.9222

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q33e Frequency Percent		
None	129E4	94.21
1-3 times	65045	4.73
4-9 times	9081	0.66
10+ times	5445	0.40

Frequency Missing = 184726.40775

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q33f Frequency Percent		
None	126E4	93.13
1-3 times	58704	4.33
4-9 times	13733	1.01
10+ times	20825	1.53

Frequency Missing = 202435.0097

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q33g Frequency Percent		
None	126E4	93.39
1-3 times	69002	5.12
4-9 times	10448	0.78
10+ times	9547	0.71

Frequency Missing = 211946.4426

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q33h Frequency Percent		
None	132E4	97.55
1-3 times	25845	1.91
4-9 times	3361	0.25
10+ times	4026	0.30

Frequency Missing = 204181.8899

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q34a Frequency Percent		
None	131E4	92.52
1-3 days	81183	5.72
4-9 days	13106	0.92
10+ days	11853	0.84

Frequency Missing = 140210.28371

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q34b Frequency Percent		
None	126E4	89.08
1-3 days	82344	5.84
4-9 days	28281	2.01
10+ days	43294	3.07

Frequency Missing = 149165.17774

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q34c Frequency Percent		
None	137E4	97.71
1-3 days	22569	1.61
4-9 days	4530	0.32
10+ days	5092	0.36

Frequency Missing = 155141.26661

CLASS DAYS HIGH ON OTHER DRUG(S)		
q34d Frequency Percent		
None	133E4	94.24
1-3 days	51851	3.69
4-9 days	13694	0.97
10+ days	15471	1.10

Frequency Missing = 152932.34719

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q35a Frequency Percent		
Never	607E3	42.84
Seldom	141E3	9.95
Half the time	99481	7.02
Most of the time	161E3	11.40
Always	223E3	15.76
Don't know	26955	1.90
Didn't attend	158E3	11.13

Frequency Missing = 143005.63058

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q35b Frequency Percent		
Never	761E3	53.84
Seldom	13E4	9.21
Half the time	92650	6.55
Most of the time	108E3	7.62
Always	125E3	8.83
Don't know	38301	2.71
Didn't attend	159E3	11.25

Frequency Missing = 145160.77317

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q36	Frequency	Percent
?	1	0.00
No	121E4	91.98
Yes	105E3	8.02

Frequency Missing = 248742.38533

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q37a	Frequency	Percent
?	9	0.00
No	901E3	65.04
Yes	484E3	34.96

Frequency Missing = 173776.62243

WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL		
q37b	Frequency	Percent
No	9E5	65.30
Yes	478E3	34.70

Frequency Missing = 181449.2203

WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL		
q37c	Frequency	Percent
?	5	0.00
No	855E3	62.99
Yes	502E3	37.01

Frequency Missing = 202608.51316

WOULD SEEK HELP FROM PARENTS		
q37d	Frequency	Percent
?	5	0.00
No	537E3	39.33
Yes	828E3	60.67

Frequency Missing = 194617.71173

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q37e	Frequency	Percent
No	738E3	54.61
Yes	613E3	45.39

Frequency Missing = 208140.15874

WOULD SEEK HELP FROM FRIENDS		
q37f	Frequency	Percent
No	417E3	30.66
Yes	944E3	69.34

Frequency Missing = 197963.36714

WOULD SEEK HELP FROM ANOTHER ADULT		
q37g	Frequency	Percent
?	6	0.00
No	524E3	38.31
Yes	843E3	61.69

Frequency Missing = 192297.10492

WOULD NOT SEEK HELP		
q37h	Frequency	Percent
No	114E4	84.37
Yes	211E3	15.63

Frequency Missing = 212465.67165

DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS		
q38a	Frequency	Percent
No	65E4	52.14
Yes	597E3	47.86

Frequency Missing = 311647.45635

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large
Spring 2010**

DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM		
q38b	Frequency	Percent
No	62E4	50.53
Yes	607E3	49.47

Frequency Missing = 332537.45826

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST		
q38g	Frequency	Percent
No	772E3	64.04
Yes	433E3	35.96

Frequency Missing = 353793.07648

DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR		
q38c	Frequency	Percent
No	882E3	72.79
Yes	33E4	27.21

Frequency Missing = 346920.0247

DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE		
q38h	Frequency	Percent
No	82E4	67.43
Yes	396E3	32.57

Frequency Missing = 343042.71032

DRUG/ALCOHOL INFO--SCIENCE CLASS		
q38d	Frequency	Percent
No	838E3	69.34
Yes	371E3	30.66

Frequency Missing = 350357.10922

PARENTS FEEL ABOUT KIDS SMOKING CIGARETTES		
q39a Frequency Percent		
Strong disapprove	107E4	76.68
Mild disapprove	112E3	7.98
Neither	90840	6.50
Mildly approve	16063	1.15
Strongly approve	12278	0.88
Don't know	95276	6.82

Frequency Missing = 161318.25419

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS		
q38e	Frequency	Percent
No	102E4	84.57
Yes	186E3	15.43

Frequency Missing = 356794.96761

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b Frequency Percent		
Strong disapprove	887E3	63.96
Mild disapprove	205E3	14.78
Neither	142E3	10.25
Mildly approve	46814	3.37
Strongly approve	15968	1.15
Don't know	90016	6.49

Frequency Missing = 171749.93552

DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB		
q38f	Frequency	Percent
No	102E4	84.61
Yes	186E3	15.39

Frequency Missing = 351660.18194

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c Frequency Percent		
Strong disapprove	113E4	81.44
Mild disapprove	71242	5.16
Neither	63759	4.61
Mildly approve	16396	1.19
Strongly approve	18335	1.33
Don't know	86757	6.28

Frequency Missing = 177413.00006

TESTED FOR DRUG USE AT SCHOOL		
q40	Frequency	Percent
No	117E4	85.12
Yes	205E3	14.88

Frequency Missing = 183513.9813

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district